

Thermostats for Medium and Heavy Duty Trucks, Buses and Off Road Equipment

Alphabetical Listing

Includes Truck Models Over 1 Ton Capacity
Replacement Products for Van Type and Class "A" Motor Homes

Application	Conventional/Green Stripe® Thermostats				Green Stripe® Weir Stat® Thermostats			Gasket or Seal
	160°	170°	180°	190°-195°	170°	180°	190°-195°	
ALLIS-CHALMERS								
TRACTORS								
B; C; CA; IB 1958-1941; W/By Pass	33026 GS		33028 GS					>33635
D10; D12	33026 GS		33028 GS					>33635
D14 W/Low Octane Gas Eng.....	33026 GS		33028 GS					>33635
D15 DIESEL ENG.; GAS ENG.	33026 GS		33028 GS					>33635
D17 DIESEL ENG. Before Ser. No. 117087..... Ser. No. 117088 To 117104.... Ser. No. 117105 To 119938.... Ser. No. 119939 & After.....	33026 GS 33026 GS 33026 GS		33028 GS 33508 33028 GS 33508		33509			>33635 >33635 >33635 >33635
GAS ENG.	33026 GS		33028 GS					>33635
D17 SERIES IV								
DIESEL ENG.			33508	33509				>33635
GAS ENG.	33026 GS		33028 GS					>33635
D19 DIESEL ENG.; GAS ENG.; LPG ENG.	33026 GS		33028 GS					>33635
D21			33508	33509				33625
D30; D40		②33397 GS	②33398 GS					②33602 & ②>33635
H3; HD3; HD7 Tractor No. 937 & After	33026 GS		33028 GS					>33635
H4; HD4			33508	33509				33625
HD5A; HD5B; HD5D; HD5E; HD5F; HD5G			33508	33509				>33635
HD6A; HD6B; HD6E; HD6EP; HD6G; HD7G Eng. No. 6-16982 & After.....		33397 GS	33398 GS					33602 & >33635
HD9	33386 GS	33387 GS	33388 GS					>33635
HD10 Tractor No. 1180 & After	33026 GS		33028 GS					>33635

② Two Required.
③ Three Required.
④ Four Required.
⑤ Five Required.
⑥ Six Required.
⑦ Seven Required.
⑧ Weir Stat is a Registered Trademark of Standard-Thompson.

⑧ Eight Required.
□ As Required.
> Cut To Fit.

GS Green Stripe Thermostat
* OEM Specifies 192° Thermostat.

Thermostats for Trucks, Buses and Off Road Equipment

Application	Conventional/Green Stripe® Thermostats				Green Stripe® Weir Stat® Thermostats			Gasket or Seal
	160°	170°	180°	190°-195°	170°	180°	190°-195°	
ALLIS-CHALMERS - Continued								
TRACTORS - Continued								
HD11B; HD11E; HD11EC; HD11EP; HD11ES; HD11F; HD11FC;								
HD11G; HD11GC; HD11S								
Before Tractor No. 437.....		②33026 GS		33028 GS				②>③33635
Eng. No. 10-7976 & After.....			②33397 GS	②33398 GS				②33602 & ②>③33635
HD14								
Tractor No. 906 & After.....		33026 GS		33028 GS				>③33635
HD14C; HD15; HD15A; HD15AC; HD15C; HD15F; HD15FC;								
HD15G; HD15GC								
.....		33386 GS	33387 GS	33388 GS				>③33635
HD16; HD16A; HD16AC; HD16D; HD16DC; HD16DP; HD16FC;								
HD16G; HD16GC								
Eng. No. 16-4408 & After.....			②33397 GS	②33398 GS				②33602 & ②>③33635
HD19; HD19F; HD19G; HD19H								
Before Eng. No. 6A-5987.....		33386 GS	33387 GS	33388 GS				>③33635
HD21; HD21A; HD21F; HD21G; HD21GP; HD21P								
Eng. No. 21-3683 & After.....			②33397 GS	②33398 GS				②33602 & ②>③33635
HD41								
.....	②33576 GS	②33577 GS	②33578 GS		②33577 GS	②33578 GS	②33579 GS	②33601 & ②>③33635
W; WC; WD; WF								
1955-1933.....	33036		33038	33039				>③33635
WD45; WD45D								
DIESEL ENG.; GAS ENG.								
1969-1954.....	33026 GS		33028 GS					>③33635
140; 160G								
.....	33026 GS		33028 GS					>③33635
170; 175								
4-CYL. 226 GAS ENG.								
.....	33026 GS		33028 GS					>③33635
180; 185								
6-CYL. 301 DIESEL ENG.								
.....	33006		33008	33009				33625
190D; 190G; 190XT-D; 190XT-G; 190XT-L								
.....			33508	33509				33625
190; 190XT; 200; 210; 220								
6-CYL. 265 GAS ENG.; 6-CYL. 301 DIESEL ENG.; 6-CYL. 301 GAS ENG.; 6-CYL.								
426 DIESEL ENG.								
.....	33006		33008	33009				33625
200								
2900 DIESEL ENG.								
.....			33508	33509				33625
210; 220								
3500 DIESEL ENG.								
.....			33508	33509				33625
650; 652; 653; 655								
ALLIS-CHALMERS 2200 DIESEL ENG.								
.....			33508	33509				33625
918								
.....			33508	33509				33625
7000; 7010								
649T ENG.								
.....			33508	33509				33625

② Two Required.
③ Three Required.
④ Four Required.

⑤ Five Required.
⑥ Six Required.
⑦ Seven Required.

⑧ Eight Required.
□ As Required.
> Cut To Fit.

GS Green Stripe Thermostat
* OEM Specifies 192° Thermostat.

® Weir Stat is a Registered Trademark of Standard-Thompson.

Thermostats for Trucks, Buses and Off Road Equipment

Application	Conventional/Green Stripe® Thermostats				Green Stripe® Weir Stat® Thermostats			Gasket or Seal
	160°	170°	180°	190°-195°	170°	180°	190°-195°	
ALLIS-CHALMERS - Continued								
TRACTORS - Continued								
7030; 7040; 7050; 7060								
670I ENG.								
			②33508	②33509				②>⊖33635
3500 DIESEL ENG.; 3700 DIESEL ENG.								
			33508	33509				33625
FARM EQUIPMENT								
C; CII								
GAS ENG.; LPG ENG.								
			33508	33509				>⊖33635
			33508	33509				>⊖33635
DIESEL ENG.								
			33508	33509				>⊖33635
E SERIES III								
	33026 ^{GS}		33028 ^{GS}					
DIESEL ENG.								
			33508	33509				33625
GAS ENG.; LPG ENG.								
			33508	33509				>⊖33635
F2								
6-CYL. 301 DIESEL ENG.								
			33508	33509				33625
G								
DIESEL ENG.								
			33508	33509				33625
GAS ENG.; LPG ENG.								
			33508	33509				>⊖33635
K2								
DIESEL ENG.								
			33508	33509				33625
L								
D2900 ENG.								
	33036		33038	33039				>⊖33635
D3500 ENG.								
			33508	33509				>⊖33635
L2; L2 RICE								
D2900 ENG.; 649I ENG.; 649T ENG.; D3500 ENG.; 670T ENG.								
			33508	33509				33625
M								
D2900 MKI ENG.								
			33508	33509				33625
D2900 MKII ENG.								
	33036		33038	33039				>⊖33635
M2; M2 RICE; MH2 HILLSIDE								
649I ENG.; 649T ENG.; D2900 ENG.								
			33508	33509				>⊖33635
MH2 HILLSIDE								
670T ENG.; D3500 MKII ENG.								
			33508	33509				>⊖33635
N5; N6								
670I ENG.; 670HI ENG.								
			②33508	②33509				②>⊖33635
66; 72; 90								
	33026 ^{GS}		33028 ^{GS}					
ROAD AND CONSTRUCTION EQUIPMENT								
AD3; AD4								
Grader No. 295 & After								
	33026 ^{GS}		33028 ^{GS}					>⊖33635

② Two Required. ⑤ Five Required.
 ③ Three Required. ⑥ Six Required.
 ④ Four Required. ⑦ Seven Required.
 ® Weir Stat is a Registered Trademark of Standard-Thompson.

⑧ Eight Required.
 □ As Required.
 >⊖ Cut To Fit.

^{GS} Green Stripe Thermostat
 * OEM Specifies 192° Thermostat.

Thermostats for Trucks, Buses and Off Road Equipment

Application	Conventional/Green Stripe® Thermostats				Green Stripe® Weir Stat® Thermostats			Gasket or Seal
	160°	170°	180°	190°-195°	170°	180°	190°-195°	
ALLIS-CHALMERS - Continued								
ROAD AND CONSTRUCTION EQUIPMENT								
- Continued								
AD30	33026 GS		33028 GS					>33635
AD40	33386 GS	33387 GS	33388 GS					>33635
BD2; BD3				33508	33509			>33635
D Before Grader No. 3370.....	33036		33038		33039			>33635
Grader No. 3370 & After.....	33026 GS		33028 GS					>33635
DD Before Grader No. 2573.....	33026 GS		33028 GS					>33635
Grader No. 2573 & After.....			33508	33509				>33635
M70		33397 GS	33398 GS					33602 & >33635
M100; M100B		②33397 GS	②33398 GS					②33602 & ②>33635
T16D Eng. No. 118802 To Tractor No. 1909.....		33397 GS	33398 GS					33602 & >33635 33625
Tractor No. 1910 & After.....			33508	33509				
TL10 Before Eng. No. 45-1001-G....	33036		33038		33039			>33635
Eng. No. 17-1001-M & After....	33026 GS		33028 GS					>33635
TL10D	33026 GS		33028 GS					>33635
TL11	33036		33038		33039			>33635
TL11D; TL12	33026 GS		33028 GS					>33635
TL12D Before Tractor No. 2003.....	33026 GS		33028 GS					>33635
Tractor No. 2003 & After.....			33508	33509				>33635
TL14; TL14A	33026 GS		33028 GS					>33635
TL14D Before Eng. No. 118803.....	33026 GS		33028 GS					>33635
Eng. No. 118803 & After.....		33397 GS	33398 GS					>33635 33602 & >33635
TL14DA Tractor No. 101 To 1525.....	33026 GS		33028 GS					>33635
TL16 Tractor No. 101 To 1800.....	33026 GS		33028 GS					>33635
Tractor 1801 & After.....			33508	33509				>33635
TL16D Tractor No. 1801 To 1909.....		33397 GS	33398 GS					33602 & >33635 33625
Tractor No. 1910 & After.....			33508	33509				
TL20D		②33397 GS	②33398 GS					②33602 & ②>33635
TL30D Eng. No. 124119 & After.....		②33397 GS	②33398 GS					②33602 & ②>33635
TL40D		②33397 GS	②33398 GS					②33602 & ②>33635
TL545; TL545D; TL645D			33508	33509				33625

② Two Required.
③ Three Required.
④ Four Required.

⑤ Five Required.
⑥ Six Required.
⑦ Seven Required.

⑧ Eight Required.
☐ As Required.
> Cut To Fit.

GS Green Stripe Thermostat
* OEM Specifies 192° Thermostat.

® Weir Stat is a Registered Trademark of Standard-Thompson.

Thermostats for Trucks, Buses and Off Road Equipment

Application	Conventional/Green Stripe® Thermostats				Green Stripe® Weir Stat® Thermostats			Gasket or Seal
	160°	170°	180°	190°-195°	170°	180°	190°-195°	
ALLIS-CHALMERS - Continued								
ROAD AND CONSTRUCTION EQUIPMENT								
- Continued								
TR260; TR260P; TS260; TS260D; TS260E; TS260P								
Eng. No. 936-1100 & After.....		②33397 GS	②33398 GS					②33602 & ②>③3635
TS360								
Eng. No. 493 & After.....		②33397 GS	②33398 GS					②33602 & ②>③3635
TS460; TS460B; TS560; TS560D								
.....		②33397 GS	②33398 GS					②33602 & ②>③3635
145; 145T								
Eng. No. 145-594 & After.....		33397 GS	33398 GS					33602 & ②>③3635
510 FORKLIFT; 512 FORKLIFT; 610 FORKLIFT; 612 FORKLIFT;								
614 FORKLIFT; 621 FORKLIFT								
GAS ENG.								
.....	33026 GS		33028 GS					>③3635
615 BACKHOE LOADER								
GAS ENG.								
.....	33026 GS		33028 GS					>③3635
2200 DIESEL ENG.								
.....			33508	33509				33625
918 BACKHOE LOADER								
ALLIS-CHALMERS 2800 ENG.								
.....			33508	33509				33625
940 LOADER								
ALLIS-CHALMERS 2900 ENG.								
.....	33036		33038	33039				>③3635
LIFT AND INDUSTRIAL TRUCKS								
F30; F40; F50; F60; F70; F80								
.....			33508	33509				>③3635
FD30; FDX30; FD40; FDX40; FD50; FDX50								
.....	33026 GS		33028 GS					>③3635
FD60; FDX60; FD70; FDX70; FD80; FDX80								
.....			33508	33509				>③3635
FL30; FL40; FL50; FL60; FL70; FL80								
.....			33508	33509				>③3635
FS60; FSD60; FSL60; FS70; FSD70; FSL70; FS80; FSD80; FSL80								
.....			33508	33509				>③3635
FT20; FTL20; FT25; FTL25; FT30; FT40								
.....			33508	33509				>③3635
POWER UNITS								
D262								
.....	33026 GS		33028 GS					>③3635
D2200; D2500; D2800								
.....			33508	33509				33625
G125								
.....	33026 GS		33028 GS					>③3635
G138								
.....	33036		33038	33039				>③3635
G139; G149; G160								
.....	33026 GS		33028 GS					>③3635
G201								
.....	33036		33038	33039				>③3635
G226; G262								
.....	33026 GS		33028 GS					>③3635

② Two Required.
③ Three Required.
④ Four Required.

⑤ Five Required.
⑥ Six Required.
⑦ Seven Required.

⑧ Eight Required.
□ As Required.
> Cut To Fit.

GS Green Stripe Thermostat
* OEM Specifies 192° Thermostat.

® Weir Stat is a Registered Trademark of Standard-Thompson.

Thermostats for Trucks, Buses and Off Road Equipment

Application	Conventional/Green Stripe® Thermostats				Green Stripe® Weir Stat® Thermostats			Gasket or Seal
	160°	170°	180°	190°-195°	170°	180°	190°-195°	
ALLIS-CHALMERS - Continued								
POWER UNITS - Continued								
G2200; G2500; G2800 1971 & Older.....			33508	33509				33625
W226	33036		33038	33039				><33635
4BD153; 4DA153; 4DA182; 6BD230; 6DA230; 6BD273; 6DA273	33026 GS		33028 GS					><33635
4B182	33026 GS		33028 GS					><33635
2900; 3400; 3500			33508	33509				33625
6000 Ser. No. 6-16982 & After.....		33397 GS	33398 GS					② 33602 & ② ><33635
7000 Ser. No. 7-16982 & After.....		33397 GS	33398 GS					② 33602 & ② ><33635
10000 Ser. No. 10-7976 & After.....		② 33397 GS	② 33398 GS					② 33602 & ② ><33635
11000 Ser. No. 124119 & After.....		② 33397 GS	② 33398 GS					② 33602 & ② ><33635
15000		② 33397 GS	② 33398 GS					② 33602 & ② ><33635
16000; 16000H Ser. No. 16-4408 & After.....		② 33397 GS	② 33398 GS					② 33602 & ② ><33635
19000		② 33397 GS	② 33398 GS					② 33602 & ② ><33635
21000; 21000H Ser. No. 21-3683 & After.....		② 33397 GS	② 33398 GS					② 33602 & ② ><33635
25000		② 33397 GS	② 33398 GS					② 33602 & ② ><33635
AUTOCAR								
MEDIUM AND HEAVY DUTY TRUCKS AND BUSES - GASOLINE UNITS								
1954 447; 501		33397 GS	33398 GS					33602 & ><33635
1953-1950 377 W/By Pass.....	33026 GS		33028 GS					><33635
W/O By Pass.....	33036		33038	33039				><33635
447; 501		33397 GS	33398 GS					33602 & ><33635
1949-1935 377		33347 GS	33348 GS				><33635	
W/By Pass.....	33026 GS		33028 GS					><33635
W/O By Pass.....	33036		33038	33039				><33635

② Two Required. ⑤ Five Required.
 ③ Three Required. ⑥ Six Required.
 ④ Four Required. ⑦ Seven Required.
 ⑧ Weir Stat is a Registered Trademark of Standard-Thompson.

⑧ Eight Required.
 □ As Required.
 >< Cut To Fit.

GS Green Stripe Thermostat
 * OEM Specifies 192° Thermostat.