

Belts and Coolant Hose for Medium/Heavy Trucks (1990 And Newer)

CHEVROLET - Continued

1990 - Continued

TILTMASTER W7 SERIES - Continued

ISUZU 6BD1 5.8 L DIESEL ENG. - Continued

Coolant Hose

Application	Molded or Strt.	Vulco-Flex®
Upper - Eng. To Rad.....		26508
Lower - Pipe To Rad.....	>21379	
By Pass.....	>21942	

ISUZU 6BG1 6.5 L DIESEL ENG.

Belts

Application	Mfr. Part No.	Belt No.
Fan & Alt.; W/43 1/8" Belt O.C.....		TR22485 GS
Fan & Alt.; W/50 3/4" Belt O.C.....		TR22495 GS
A.C.; W/42 1/4" Belt O.C.....	1136711270	TR22416 GS
A.C.; W/43" Belt O.C.....		TR28423 GS
A.C.; W/49 1/8" Belt O.C.....		TR22485 GS

Coolant Hose

Application	Molded or Strt.	Vulco-Flex®
Upper - Eng. To Rad.....		26510
Lower - Eng. To Pipe.....		26516
Lower - Pipe To Rad.....	>21379	26509
By Pass.....	>21528	

FORD

2001

F650; F650 SD; F750; F750 SD

CATERPILLAR 3126 DIESEL ENG.

Belts

Application	Mfr. Part No.	Belt No.
Fan, Alt. & A.C.....	YC35 8620 BA	K080816 GS

Coolant Hose

Application	Molded or Strt.	Vulco-Flex®
Upper - Eng. To Pipe.....	20611	
Upper - Pipe To Rad.....	❖2" I.D.	
Lower - Eng. To Pipe.....	❖2" I.D.	
Lower - Pipe To Rad.....	❖2" I.D.	

CUMMINS 5.9 L DIESEL ENG.; FORD FD1060 DIESEL

ENG.

Belts

Application	Mfr. Part No.	Belt No.
W.P., Fan & Alt.....	3943214	K080726 GS
Fan & A.C.....	YC3Z 8620 AB	9375 GS

Coolant Hose

Application	Molded or Strt.	Vulco-Flex®
Upper - Eng. To Pipe.....	❖2" I.D.	
Upper - Pipe To Rad.....	❖2" I.D.	
Lower - Eng. To Pipe.....	❖2" I.D.	
Lower - Pipe To Rad.....	❖2" I.D.	

2000

E SERIES

FORD V-10 6.8 L ENG.

Belts

Application	Mfr. Part No.	Belt No.
Fan, Alt., P.S. & A.C.....	F7UE 8620 EB	K080991

FORD - Continued

2000 - Continued

F450; F550

FORD 7.3 L DIESEL ENG.

Belts

Application	Mfr. Part No.	Belt No.
Fan, Alt., P.S. & A.C.....	F8TE 8620 FC	K081223 GS

F650; F650 SD; F750; F750 SD

CATERPILLAR 3126 DIESEL ENG.

Belts

Application	Mfr. Part No.	Belt No.
Fan, Alt. & A.C.....	YC35 8620 BA	K080816 GS

Coolant Hose

Application	Molded or Strt.	Vulco-Flex®
Upper - Eng. To Pipe.....	20611	
Upper - Pipe To Rad.....	❖2" I.D.	
Lower - Eng. To Pipe.....	❖2" I.D.	
Lower - Pipe To Rad.....	❖2" I.D.	

CUMMINS 5.9 L DIESEL ENG.; FORD FD1060 DIESEL

ENG.

Belts

Application	Mfr. Part No.	Belt No.
W.P., Fan & Alt.....	3943214	K080726 GS
Fan & A.C.....		②9375 GS

Coolant Hose

Application	Molded or Strt.	Vulco-Flex®
Upper - Eng. To Pipe.....	❖2" I.D.	
Upper - Pipe To Rad.....	❖2" I.D.	
Lower - Eng. To Pipe.....	❖2" I.D.	
Lower - Pipe To Rad.....	❖2" I.D.	

FORD 7.3 L DIESEL ENG.

Belts

Application	Mfr. Part No.	Belt No.
W.P., Fan & Alt.; W/Air Brakes.....	YC3Z 8620 FA	K081153 GS
W.P., Fan & Alt.; W/Hyd. Brakes.....	YC3Z 8620 HA	K080820 GS
W.P., Fan, Alt. & A.C.....	YC3Z 8620 BA	K080816 GS
W.P., Fan, Alt. & A.C.; W/Air Brakes...	YC3Z 8620 EA	K081223 GS
W.P., Fan, Alt. & A.C.; W/Hyd. Brakes	YC3Z 8620 GA	K080893 GS

Coolant Hose

Application	Molded or Strt.	Vulco-Flex®
Upper - Eng. To Pipe.....	>20611	
Upper - Pipe To Rad.....	❖2" I.D.	
Lower - Eng. To Pipe.....	>20611	
Lower - Pipe To Rad.....	❖2" I.D.	

1999

E SERIES

FORD V-10 6.8 L ENG.

Belts

Application	Mfr. Part No.	Belt No.
Fan, Alt., P.S. & A.C.....	F7UE 8620 EB	K080991

F450; F550

FORD 7.3 L DIESEL ENG.

Belts

Application	Mfr. Part No.	Belt No.
Fan, Alt., P.S. & A.C.....	F8TE 8620 FC	K081223 GS

- ② Two Required.
- ③ Three Required.
- ④ Four Required.

- GS Green Stripe® Construction.
- ✂ Use Notched Belt Only.
- ✂ Cut To Fit.

- ❖ Green Stripe® 4-Ply Coolant Hose Recommended.
- ⬆ Use Wire Inserted Green Stripe® Coolant Hose.
- ▲ Durion® Silicone Hose Recommended.
- ⬇ PowerBand® Belt May Work, Use Template To Check.

For a maintenance free coolant connection, see PowerGrip® SB clamp application section.

Belts and Coolant Hose for Medium/Heavy Trucks (1990 And Newer)

FORD - Continued

1999 - Continued

F800; F SERIES

CUMMINS 5.9 L DIESEL ENG.; FORD FD1060 DIESEL ENG.

Belts		
Application	Mfr. Part No.	Belt No.
W.P., Fan & Alt.....	F3HZ 8620 B	K080830 GS
A.C.....	F4HZ 8620 GA	9412 GS

CUMMINS 8.3 L DIESEL ENG.; FORD FD1460 DIESEL ENG.

Belts		
Application	Mfr. Part No.	Belt No.
W.P., Fan & Alt.....	F3HZ 8620 C	K080720 GS
A.C.....	F3HZ 8620 D	9640 GS

Coolant Hose

Application	Molded or Strt.	Vulco-Flex®
Upper - Eng. To Pipe.....	❖2" I.D.	
Upper - Pipe To Rad.....	❖2" I.D.	
Lower - Eng. To Pipe.....	❖2" I.D.	
Lower - Pipe To Rad.....	❖2" I.D.	

FORD V-8 7.0 L ENG.

Belts		
Application	Mfr. Part No.	Belt No.
Alt.; W/40A., 60A. Alt.; W/Fan Clutch; W/Cowl.....	C9PZ 8620 FN	9440 GS
Alt.; W/40A., 60A. Alt.; W/Fan Clutch; W/O Cowl.....	E6PZ 8620 F	9435 GS
Alt.; W/40A., 60A. Alt.; W/Fixed Fan; W/Cowl.....		②9447 GS
Alt.; W/40A., 60A. Alt.; W/Fixed Fan; W/O Cowl.....	E6PZ 8620 G	9451 GS
Alt.; W/75A. Alt.; W/Fan Clutch.....		②9447 GS
Alt.; W/75A. Alt.; W/Fixed Fan.....	E2HZ 8620 C	9463 GS
Alt.; W/90A., 130A. Alt.; W/Fan Clutch	E6PZ 8620 G	9451 GS
Alt.; W/90A., 130A. Alt.; W/Fixed Fan..	E2HZ 8620 C	9463 GS
Alt.; W/High Mount Fan; W/Idler Pulley.....	C9PZ 8620 CD	9480 GS
P.S.; W/Dual Belt Drive.....		②9630 GS
P.S.; W/Single Belt Drive.....	D9PZ 8620 CR	9540 GS
A.C.....	F1HZ 8620 E	7660
A.C. & A.P.....	E8HT 8620 A	9650 GS

1998

F700

CUMMINS 5.9 L DIESEL ENG.; FORD FD1060 DIESEL ENG.

Belts		
Application	Mfr. Part No.	Belt No.
W.P., Fan & Alt.....	F3HZ 8620 B	K080830 GS
A.C.....	F4HZ 8620 GA	9412 GS

CUMMINS 8.3 L DIESEL ENG.; FORD FD1460 DIESEL ENG.

Belts		
Application	Mfr. Part No.	Belt No.
W.P., Fan & Alt.....	F3HZ 8620 C	K080720 GS
A.C.....	F3HZ 8620 D	9640 GS

FORD V-8 7.0 L ENG.

Belts		
Application	Mfr. Part No.	Belt No.
Alt.; W/40A., 60A. Alt.; W/Fan Clutch; W/Cowl.....	C9PZ 8620 FN	9440 GS

FORD - Continued

1998 - Continued

F700 - Continued

FORD V-8 7.0 L ENG. - Continued

Belts - Continued

Application	Mfr. Part No.	Belt No.
Alt.; W/40A., 60A. Alt.; W/Fan Clutch; W/O Cowl.....	E6PZ 8620 F	9435 GS
Alt.; W/40A., 60A. Alt.; W/Fixed Fan; W/Cowl.....		②9447 GS
Alt.; W/40A., 60A. Alt.; W/Fixed Fan; W/O Cowl.....	E6PZ 8620 G	9451 GS
Alt.; W/75A. Alt.; W/Fan Clutch.....		②9447 GS
Alt.; W/75A. Alt.; W/Fixed Fan.....	E2HZ 8620 C	9463 GS
Alt.; W/90A., 130A. Alt.; W/Fan Clutch	E6PZ 8620 G	9451 GS
Alt.; W/90A., 130A. Alt.; W/Fixed Fan..	E2HZ 8620 C	9463 GS
Alt.; W/High Mount Fan; W/Idler Pulley.....	C9PZ 8620 CD	9480 GS
P.S.; W/Dual Belt Drive.....		②9630 GS
P.S.; W/Single Belt Drive.....	D9PZ 8620 CR	9540 GS
A.C.....	F1HZ 8620 E	7660
A.C. & A.P.; W/Air Brakes.....	E8HT 8620 A	9650 GS
A.P.; W/Hyd. Brakes.....	E0PZ 8620 G	9610 GS

F800

CUMMINS 5.9 L DIESEL ENG.; FORD FD1060 DIESEL ENG.

Belts		
Application	Mfr. Part No.	Belt No.
W.P., Fan & Alt.....	F3HZ 8620 B	K080830 GS
A.C.....	F4HZ 8620 GA	9412 GS

CUMMINS 8.3 L DIESEL ENG.; FORD FD1460 DIESEL ENG.

Belts		
Application	Mfr. Part No.	Belt No.
W.P., Fan & Alt.....	F3HZ 8620 C	K080720 GS
A.C.....	F3HZ 8620 D	9640 GS

FORD V-8 7.0 L ENG.

Belts		
Application	Mfr. Part No.	Belt No.
Alt.; W/40A., 60A. Alt.; W/Fan Clutch; W/Cowl.....	C9PZ 8620 FN	9440 GS
Alt.; W/40A., 60A. Alt.; W/Fan Clutch; W/O Cowl.....	E6PZ 8620 F	9435 GS
Alt.; W/40A., 60A. Alt.; W/Fixed Fan; W/Cowl.....		②9447 GS
Alt.; W/40A., 60A. Alt.; W/Fixed Fan; W/O Cowl.....	E6PZ 8620 G	9451 GS
Alt.; W/75A. Alt.; W/Fan Clutch.....		②9447 GS
Alt.; W/75A. Alt.; W/Fixed Fan.....	E2HZ 8620 C	9463 GS
Alt.; W/90A., 130A. Alt.; W/Fan Clutch	E6PZ 8620 G	9451 GS
Alt.; W/90A., 130A. Alt.; W/Fixed Fan..	E2HZ 8620 C	9463 GS
Alt.; W/High Mount Fan; W/Idler Pulley.....	C9PZ 8620 CD	9480 GS
P.S.; W/Dual Belt Drive.....		②9630 GS
P.S.; W/Single Belt Drive.....	D9PZ 8620 CR	9540 GS
A.C.....	F1HZ 8620 E	7660
A.C. & A.P.; W/Air Brakes.....	E8HT 8620 A	9650 GS
A.P.; W/Hyd. Brakes.....	E0PZ 8620 G	9610 GS

FT900

CUMMINS 5.9 L DIESEL ENG.; FORD FD1060 DIESEL ENG.

Belts		
Application	Mfr. Part No.	Belt No.
W.P., Fan & Alt.....	F3HZ 8620 B	K080830 GS

- ② Two Required.
- ③ Three Required.
- ④ Four Required.

- GS Green Stripe® Construction.
- ↖ Use Notched Belt Only.
- ✂ Cut To Fit.

- ✚ Green Stripe® 4-Ply Coolant Hose Recommended.
- ⊕ Use Wire Inserted Green Stripe® Coolant Hose.
- ▲ Durion® Silicone Hose Recommended.
- ◆ PowerBand® Belt May Work, Use Template To Check.

For a maintenance free coolant connection, see PowerGrip® SB clamp application section.

Belts and Coolant Hose for Medium/Heavy Trucks (1990 And Newer)

FORD - Continued

1998 - Continued

FT900 - Continued

CUMMINS 8.3 L DIESEL ENG.; FORD FD1460 DIESEL ENG.

Belts		
Application	Mfr. Part No.	Belt No.
Fan, Alt. & Hub.....	F3HZ 8620 C	K080720 GS
Fan & A.C.....	F3HZ 8620 D	9640 GS

FORD V-8 7.0 L ENG.

Belts		
Application	Mfr. Part No.	Belt No.
Alt.; W/40A., 60A. Alt.; W/Fan Clutch; W/Cowl.....	C9PZ 8620 FN	9440 GS
Alt.; W/40A., 60A. Alt.; W/Fan Clutch; W/O Cowl.....	E6PZ 8620 F	9435 GS
Alt.; W/40A., 60A. Alt.; W/Fixed Fan; W/Cowl.....		②9447 GS
Alt.; W/40A., 60A. Alt.; W/Fixed Fan; W/O Cowl.....	E6PZ 8620 G	9451 GS
Alt.; W/75A. Alt.; W/Fan Clutch.....		②9447 GS
Alt.; W/75A. Alt.; W/Fixed Fan.....	E2HZ 8620 C	9463 GS
Alt.; W/90A., 130A. Alt.; W/Fixed Fan..	E2HZ 8620 C	9463 GS
Alt.; W/High Mount Fan; W/Idler Pulley.....	C9PZ 8620 CD	9480 GS
P.S.; W/Dual Belt Drive.....		②9580 GS
P.S.; W/Single Belt Drive.....	C9PZ 8620 CR	9540 GS
A.C.....	F1HZ 8620 E	7660
A.P.; W/Air Brakes.....	E8HZ 8620 A	9650 GS
A.P.; W/Hyd. Brakes.....	E0PZ 8620 G	9610 GS

L8000; LA8000; LS8000

CATERPILLAR 3126 DIESEL ENG.

Belts		
Application	Mfr. Part No.	Belt No.
W.P.....		9341 GS
Fan.....	F2HT 8620 FA	K080780 GS

CATERPILLAR 3176 DIESEL ENG.

Belts		
Application	Mfr. Part No.	Belt No.
Fan; W/1050 High Cooling.....		K140682 GS
Fan; W/1050 Low Cooling; W/1300 Cooling.....		K140603 GS
Fan; W/900 Cooling.....		K140618 GS
Alt.; W/1050 High Cooling.....		9465 GS
Alt.; W/1050 Low Cooling; W/1300 Cooling.....		9435 GS
Alt.; W/900 Cooling.....		9412 GS
A.C.; W/1050 High Cooling.....		9435 GS
A.C.; W/1050 Low Cooling; W/1300 Cooling.....		9465 GS
A.C.; W/900 Cooling.....		9463 GS

CATERPILLAR 3306 DIESEL ENG.

Belts		
Application	Mfr. Part No.	Belt No.
Fan.....	F6HZ 8620 ALA	K080545 GS
Alt.....	F6HZ 8620 AA	9490 GS
A.C.....	E8HZ 8620 LA	9585 GS

CATERPILLAR C12 DIESEL ENG.

Belts		
Application	Mfr. Part No.	Belt No.
Fan.....		K140618 GS
Alt.....	C5TS 8620 T	9440 GS
A.C.....	F6HT 8620 AKA	9465 GS

FORD - Continued

1998 - Continued

L8000; LA8000; LS8000 - Continued

CATERPILLAR C12 DIESEL ENG. - Continued

Coolant Hose		
Application	Molded or Strt.	Vulco-Flex®
Upper.....	✳2 1/2" I.D.	
Lower.....	✳2 1/2" I.D.	

CUMMINS 5.9 L DIESEL ENG.; FORD FD1060 DIESEL ENG.

Belts		
Application	Mfr. Part No.	Belt No.
Fan.....	F1HZ 8620 C	K080710 GS
A.C.....	D5TZ 8620 C	9395 GS

CUMMINS 8.3 L DIESEL ENG.; FORD FD1460 DIESEL ENG.

Belts		
Application	Mfr. Part No.	Belt No.
Fan.....	F6HZ 8620 N	K080733 GS
Fan & Alt.....	F6HT 8620 AYA	K080726 GS
P.S.....	F6HT 8620 ASA	9465 GS
A.C.....	E8HT 8620 KA	9465 GS

Coolant Hose		
Application	Molded or Strt.	Vulco-Flex®
Upper - Eng. To Pipe.....	✳2 1/4" I.D.	
Upper - Pipe To Rad.....	✳2" I.D.	

CUMMINS M11 DIESEL ENG.

Belts		
Application	Mfr. Part No.	Belt No.
Fan; W/52" Belt O.C.....		K140516 GS
Fan; W/60" Belt O.C.....		K140594 GS
Alt.....		K050360 GS
A.C.; W/29" Belt O.C.....		9290 GS
A.C.; W/48" Belt O.C.....		9480 GS

Coolant Hose		
Application	Molded or Strt.	Vulco-Flex®
Upper - Eng. To Pipe.....	✳2 1/4" I.D.	
Upper - Pipe To Rad.....	✳2 1/2" I.D.	
Lower - Eng. To Pipe.....	✳2" I.D.	
Lower - Pipe To Rad.....	✳2 1/2" I.D.	

CUMMINS N14 DIESEL ENG.

Belts		
Application	Mfr. Part No.	Belt No.
Hub & Fan; W/1050 High Cooling; W/1300 Cooling.....	F6HZ 8620 M	K140429 GS
Hub & Fan; W/900 Cooling.....	F6HZ 8620 L	K140433 GS
Alt.....	E5HZ 8620 EA	9435 GS
Hub & A.C.....	C6TZ 8620 JA	9420 GS

Coolant Hose		
Application	Molded or Strt.	Vulco-Flex®
Upper - Eng. To Pipe.....	✳2 1/2" I.D.	
Upper - Pipe To Rad.....	✳2 1/2" I.D.	
Lower - Eng. To Pipe.....	✳2 1/2" I.D.	
Lower - Pipe To Rad.....	✳2 1/2" I.D.	
Lower - Pipe To Pipe.....	✳2 1/2" I.D.	

DETROIT DIESEL SERIES 60 DIESEL ENG.

Belts		
Application	Mfr. Part No.	Belt No.
Fan; W/50" Belt O.C.....	F6HT 8620 LA	K140496 GS
Fan; W/59" Belt O.C.....	F7HZ 8620 CA	K140580 GS

- ② Two Required.
- ③ Three Required.
- ④ Four Required.

- GS Green Stripe® Construction.
- ✳ Use Notched Belt Only.
- ✳ Cut To Fit.

- ✳ Green Stripe® 4-Ply Coolant Hose Recommended.
- ⊕ Use Wire Inserted Green Stripe® Coolant Hose.
- ▲ Durion® Silicone Hose Recommended.
- ◆ PowerBand® Belt May Work, Use Template To Check.

For a maintenance free coolant connection, see PowerGrip® SB clamp application section.

Belts and Coolant Hose for Medium/Heavy Trucks (1990 And Newer)

FORD - Continued

1998 - Continued

L8000; LA8000; LS8000 - Continued

DETROIT DIESEL SERIES 60 DIESEL ENG. - Continued

Belts - Continued

Application	Mfr. Part No.	Belt No.
Alt.; Optional Belt.....		② 9485 ^{GS}
Alt.; Preferred Belt.....	F7HT 8620 VA	2/9485FPB
A.C.....	C8TA 8620 D	9370 ^{GS}

Coolant Hose

Application	Molded or Strt.	Vulco-Flex®
Upper - Pipe To Rad.....	❖ 2 1/2" I.D.	
Upper - Pipe To Pipe.....	❖ 2 1/2" I.D.	
Lower.....	❖ 2 1/2" I.D.	

L8500; L9500

CUMMINS 8.3 L DIESEL ENG.; FORD FD1460 DIESEL ENG.

Belts

Application	Mfr. Part No.	Belt No.
Fan & Alt.....		K080726 ^{GS}
P.S.....		9465 ^{GS}
A.C.....		9465 ^{GS}

Coolant Hose

Application	Molded or Strt.	Vulco-Flex®
Upper - Eng. To Pipe.....	❖ 2 1/4" I.D.	
Upper - Pipe To Rad.....	❖ 2" I.D.	

L9000; LS9000

CUMMINS 8.3 L DIESEL ENG.; FORD FD1460 DIESEL ENG.

Belts

Application	Mfr. Part No.	Belt No.
Fan & Alt.....		K080726 ^{GS}
P.S.....		9465 ^{GS}
A.C.....		9465 ^{GS}

Coolant Hose

Application	Molded or Strt.	Vulco-Flex®
Upper - Eng. To Pipe.....	❖ 2 1/4" I.D.	
Upper - Pipe To Rad.....	❖ 2" I.D.	

CUMMINS M11 DIESEL ENG.

Belts

Application	Mfr. Part No.	Belt No.
Fan.....	F6HT 8620 BA	K140516 ^{GS}
Alt.....	E7HT 8620 GA	K050360 ^{GS}
A.C.....	D0HA 8620 AJ	9480 ^{GS}

Coolant Hose

Application	Molded or Strt.	Vulco-Flex®
Upper - Eng. To Pipe.....	❖ 2 1/4" I.D.	
Upper - Pipe To Rad.....	❖ 2 1/2" I.D.	
Lower - Eng. To Pipe.....	❖ 2" I.D.	
Lower - Pipe To Rad.....	❖ 2 1/2" I.D.	

LA9000; LTA9000

CATERPILLAR 3176 DIESEL ENG.

Belts

Application	Mfr. Part No.	Belt No.
Fan; W/1050 High Cooling.....		K140682 ^{GS}
Fan; W/1050 Low Cooling; W/1300 Cooling.....		K140603 ^{GS}
Fan; W/900 Cooling.....		K140618 ^{GS}

FORD - Continued

1998 - Continued

LA9000; LTA9000 - Continued

CATERPILLAR 3176 DIESEL ENG. - Continued

Belts - Continued

Application	Mfr. Part No.	Belt No.
Alt.; W/1050 High Cooling.....		9465 ^{GS}
Alt.; W/1050 Low Cooling; W/1300 Cooling.....		9435 ^{GS}
Alt.; W/900 Cooling.....		9412 ^{GS}
A.C.; W/1050 High Cooling.....		9435 ^{GS}
A.C.; W/1050 Low Cooling; W/1300 Cooling.....		9465 ^{GS}
A.C.; W/900 Cooling.....		9463 ^{GS}

CATERPILLAR 3406 DIESEL ENG.

Belts

Application	Mfr. Part No.	Belt No.
Fan; W/1050 High Cooling.....		K140662 ^{GS}
Fan; W/1050 Low Cooling.....		K140597 ^{GS}
Fan; W/900 Cooling.....		K140594 ^{GS}
Alt.; W/47" Belt O.C.....		9465 ^{GS}
Alt.; W/48 1/2" Belt O.C.....		9480 ^{GS}
Alt.; W/50" Belt O.C.....		9495 ^{GS}
A.C.; W/1050 High Cooling.....		9435 ^{GS}
A.C.; W/900 Cooling.....		9465 ^{GS}

CATERPILLAR C10 DIESEL ENG.

Belts

Application	Mfr. Part No.	Belt No.
Fan.....		K140618 ^{GS}
Alt.....		9440 ^{GS}
A.C.....		9463 ^{GS}

Coolant Hose

Application	Molded or Strt.	Vulco-Flex®
Upper.....	❖ 2 1/2" I.D.	
Lower.....	❖ 2 1/2" I.D.	

CATERPILLAR C12 DIESEL ENG.

Belts

Application	Mfr. Part No.	Belt No.
Fan.....		K140618 ^{GS}
Alt.....		9440 ^{GS}
A.C.....		9465 ^{GS}

Coolant Hose

Application	Molded or Strt.	Vulco-Flex®
Upper.....	2 1/2" I.D.	
Lower.....	2 1/2" I.D.	

CUMMINS 8.3 L DIESEL ENG.; FORD FD1460 DIESEL ENG.

Belts

Application	Mfr. Part No.	Belt No.
Fan & Alt.....		K080726 ^{GS}
P.S.....		9465 ^{GS}
A.C.....		9465 ^{GS}

Coolant Hose

Application	Molded or Strt.	Vulco-Flex®
Upper - Eng. To Pipe.....	❖ 2 1/4" I.D.	
Upper - Pipe To Rad.....	❖ 2" I.D.	

CUMMINS M11 DIESEL ENG.

Belts

Application	Mfr. Part No.	Belt No.
Fan; W/52" Belt O.C.....	F6HT 8620 BA	K140516 ^{GS}
Fan; W/60" Belt O.C.....	F6HZ 8620 F	K140594 ^{GS}
Alt.....	E7HT 8620 GA	K050360 ^{GS}

- ② Two Required.
- ③ Three Required.
- ④ Four Required.

- GS Green Stripe® Construction.
- ⤵ Use Notched Belt Only.
- ≧ Cut To Fit.

- ❖ Green Stripe® 4-Ply Coolant Hose Recommended.
- ⊛ Use Wire Inserted Green Stripe® Coolant Hose.
- ▲ Durion® Silicone Hose Recommended.
- ⬦ PowerBand® Belt May Work, Use Template To Check.

For a maintenance free coolant connection, see PowerGrip® SB clamp application section.

Belts and Coolant Hose for Medium/Heavy Trucks (1990 And Newer)

FORD - Continued

1998 - Continued

LA9000; LTA9000 - Continued

CUMMINS M11 DIESEL ENG. - Continued

Belts - Continued

Application	Mfr. Part No.	Belt No.
A.C.; W/29" Belt O.C.	DGHZ 8620 AA	9290 ^{GS}
A.C.; W/48" Belt O.C.	C9PZ 8620 CD	9480 ^{GS}

Coolant Hose

Application	Molded or Strt.	Vulco-Flex®
Upper - Eng. To Pipe.....	❖2 1/4" I.D.	
Upper - Pipe To Rad.....	❖2 1/2" I.D.	
Lower - Eng. To Pipe.....	❖2" I.D.	
Lower - Pipe To Rad.....	❖2 1/2" I.D.	

CUMMINS N14 DIESEL ENG.

Belts

Application	Mfr. Part No.	Belt No.
Hub & Fan; W/1050 High Cooling; W/1300 Cooling.....		K140429 ^{GS}
Hub & Fan; W/900 Cooling.....		K140433 ^{GS}
Alt.....		9435 ^{GS}
Hub & A.C.....		9420 ^{GS}

Coolant Hose

Application	Molded or Strt.	Vulco-Flex®
Upper - Eng. To Pipe.....	❖2 1/2" I.D.	
Upper - Pipe To Rad.....	❖2 1/2" I.D.	
Lower - Eng. To Pipe.....	❖2 1/2" I.D.	
Lower - Pipe To Rad.....	❖2 1/2" I.D.	
Lower - Pipe To Pipe.....	❖2 1/2" I.D.	

LL9000; LLS9000

CATERPILLAR C12 DIESEL ENG.

Belts

Application	Mfr. Part No.	Belt No.
Fan.....		K140618 ^{GS}
Alt.....		9440 ^{GS}
A.C.....		9465 ^{GS}

Coolant Hose

Application	Molded or Strt.	Vulco-Flex®
Upper.....	2 1/2" I.D.	
Lower.....	2 1/2" I.D.	

LLA9000; LTLA9000; LTLS9000

CATERPILLAR 3176 DIESEL ENG.

Belts

Application	Mfr. Part No.	Belt No.
Fan; W/1050 High Cooling.....	F7HZ 8620 JA	K140682 ^{GS}
Fan; W/1050 Low Cooling; W/1300 Cooling.....	F6HZ 8620 C	K140603 ^{GS}
Fan; W/900 Cooling.....	F6HZ 8620 AD	K140618 ^{GS}
Alt.; W/1050 High Cooling.....	F7HZ 8620 AA	9465 ^{GS}
Alt.; W/1050 Low Cooling; W/1300 Cooling.....	E6PZ 8620 F	9435 ^{GS}
Alt.; W/900 Cooling.....	F6HZ 8620 EB	9412 ^{GS}
A.C.; W/1050 High Cooling.....	C5TZ 8620 TA	9435 ^{GS}
A.C.; W/1050 Low Cooling; W/1300 Cooling.....		9465 ^{GS}
A.C.; W/900 Cooling.....	E2HZ 8620 C	9463 ^{GS}

CATERPILLAR 3306 DIESEL ENG.

Belts

Application	Mfr. Part No.	Belt No.
Fan.....		K080545 ^{GS}
Alt.....		9490 ^{GS}
A.C.....		9585 ^{GS}

FORD - Continued

1998 - Continued

LLA9000; LTLA9000; LTLS9000 - Continued

CATERPILLAR 3406 DIESEL ENG.

Belts

Application	Mfr. Part No.	Belt No.
Fan; W/1050 High Cooling.....	F7HZ 8620 KA	K140662 ^{GS}
Fan; W/1050 Low Cooling.....	F6HZ 8620 E	K140597 ^{GS}
Fan; W/900 Cooling.....	F6HZ 8620 F	K140594 ^{GS}
Alt.; W/47" Belt O.C.....	F6HZ 8620 GB	9465 ^{GS}
Alt.; W/48 1/2" Belt O.C.....	F6HT 8620 ANA	9480 ^{GS}
Alt.; W/50" Belt O.C.....	F6HT 8620 AVA	9495 ^{GS}
A.C.; W/1050 High Cooling.....	C5TZ 8620 TA	9435 ^{GS}
A.C.; W/900 Cooling.....	F6HZ 8620 U	9465 ^{GS}

CATERPILLAR C10 DIESEL ENG.

Belts

Application	Mfr. Part No.	Belt No.
Fan.....		K140618 ^{GS}
Alt.....		9440 ^{GS}
A.C.....		9463 ^{GS}

Coolant Hose

Application	Molded or Strt.	Vulco-Flex®
Upper.....	❖2 1/2" I.D.	
Lower.....	❖2 1/2" I.D.	

CATERPILLAR C12 DIESEL ENG.

Belts

Application	Mfr. Part No.	Belt No.
Fan.....		K140618 ^{GS}
Alt.....		9440 ^{GS}
A.C.....		9465 ^{GS}

Coolant Hose

Application	Molded or Strt.	Vulco-Flex®
Upper.....	2 1/2" I.D.	
Lower.....	2 1/2" I.D.	

CUMMINS 5.9 L DIESEL ENG.; FORD FD1060 DIESEL ENG.

Belts

Application	Mfr. Part No.	Belt No.
Fan.....		K080710 ^{GS}
A.C.....		9395 ^{GS}

CUMMINS 8.3 L DIESEL ENG.; FORD FD1460 DIESEL ENG.

Belts

Application	Mfr. Part No.	Belt No.
Fan & Alt.....		K080726 ^{GS}
P.S.....		9465 ^{GS}
A.C.....		9465 ^{GS}

Coolant Hose

Application	Molded or Strt.	Vulco-Flex®
Upper - Eng. To Pipe.....	❖2 1/4" I.D.	
Upper - Pipe To Rad.....	❖2" I.D.	

CUMMINS M11 DIESEL ENG.

Belts

Application	Mfr. Part No.	Belt No.
Fan; W/52" Belt O.C.....		K140516 ^{GS}
Fan; W/60" Belt O.C.....		K140594 ^{GS}
Alt.....		K050360 ^{GS}
A.C.; W/29" Belt O.C.....		9290 ^{GS}
A.C.; W/48" Belt O.C.....		9480 ^{GS}

- ② Two Required.
- ③ Three Required.
- ④ Four Required.

- ^{GS} Green Stripe® Construction.
- ↗ Use Notched Belt Only.
- ∞ Cut To Fit.

- ❖ Green Stripe® 4-Ply Coolant Hose Recommended.
- ⊛ Use Wire Inserted Green Stripe® Coolant Hose.
- ▲ Durion® Silicone Hose Recommended.
- ♦ PowerBand® Belt May Work, Use Template To Check.

For a maintenance free coolant connection, see PowerGrip® SB clamp application section.

Belts and Coolant Hose for Medium/Heavy Trucks (1990 And Newer)

FORD - Continued

1998 - Continued

LLA9000; LTLA9000; LTLS9000 - Continued

CUMMINS M11 DIESEL ENG. - Continued

Coolant Hose

Application	Molded or Strt.	Vulco-Flex®
Upper - Eng. To Pipe	❖2 1/4" I.D.	
Upper - Pipe To Rad.	❖2 1/2" I.D.	
Lower - Eng. To Pipe	❖2" I.D.	
Lower - Pipe To Rad.	❖2 1/2" I.D.	

CUMMINS N14 DIESEL ENG.

Belts

Application	Mfr. Part No.	Belt No.
Hub & Fan; W/1050 High Cooling; W/1300 Cooling		K140429 GS
Hub & Fan; W/900 Cooling		K140433 GS
Alt.....		9435 GS
Hub & A.C.....		9420 GS

Coolant Hose

Application	Molded or Strt.	Vulco-Flex®
Upper - Eng. To Pipe	❖2 1/2" I.D.	
Upper - Pipe To Rad.	❖2 1/2" I.D.	
Lower - Eng. To Pipe	❖2 1/2" I.D.	
Lower - Pipe To Rad.	❖2 1/2" I.D.	
Lower - Pipe To Pipe	❖2 1/2" I.D.	

DETROIT DIESEL SERIES 60 DIESEL ENG.

Belts

Application	Mfr. Part No.	Belt No.
Fan; W/50" Belt O.C.		K140496 GS
Fan; W/59" Belt O.C.		K140580 GS
Alt.; Optional Belt.....		②9485 GS
Alt.; Preferred Belt		2/9485FPB
A.C.....		9370 GS

Coolant Hose

Application	Molded or Strt.	Vulco-Flex®
Upper - Pipe To Rad.	❖2 1/2" I.D.	
Upper - Pipe To Pipe	❖2 1/2" I.D.	
Lower.....	❖2 1/2" I.D.	

LN8000; LNT8000

CATERPILLAR 3126 DIESEL ENG.

Belts

Application	Mfr. Part No.	Belt No.
W.P.....		9341 GS
Fan.....		K080780 GS

LS9000

CATERPILLAR C10 DIESEL ENG.

Belts

Application	Mfr. Part No.	Belt No.
Fan.....		K140618 GS
Alt.....		9440 GS
A.C.....		9463 GS

Coolant Hose

Application	Molded or Strt.	Vulco-Flex®
Upper.....	❖2 1/2" I.D.	
Lower.....	❖2 1/2" I.D.	

FORD - Continued

1998 - Continued

LT8000; LTS8000

CATERPILLAR C10 DIESEL ENG.

Belts

Application	Mfr. Part No.	Belt No.
Fan.....	F6HT 8620 AZA	K140618 GS
Alt.....	C5TS 8620 T	9440 GS
A.C.....	F6HT 8620 AJA	9463 GS

Coolant Hose

Application	Molded or Strt.	Vulco-Flex®
Upper.....	❖2 1/2" I.D.	
Lower.....	❖2 1/2" I.D.	

CUMMINS 8.3 L DIESEL ENG.; FORD FD1460 DIESEL

ENG.

Belts

Application	Mfr. Part No.	Belt No.
Fan & Alt.....		K080726 GS
P.S.....		9465 GS
A.C.....		9465 GS

Coolant Hose

Application	Molded or Strt.	Vulco-Flex®
Upper - Eng. To Pipe	❖2 1/4" I.D.	
Upper - Pipe To Rad.	❖2" I.D.	

LT9000; LTL9000; LTS9000

CATERPILLAR C10 DIESEL ENG.

Belts

Application	Mfr. Part No.	Belt No.
Fan.....		K140618 GS
Alt.....		9440 GS
A.C.....		9463 GS

Coolant Hose

Application	Molded or Strt.	Vulco-Flex®
Upper.....	❖2 1/2" I.D.	
Lower.....	❖2 1/2" I.D.	

CATERPILLAR C12 DIESEL ENG.

Belts

Application	Mfr. Part No.	Belt No.
Fan.....		K140618 GS
Alt.....		9440 GS
A.C.....		9465 GS

Coolant Hose

Application	Molded or Strt.	Vulco-Flex®
Upper.....	2 1/2" I.D.	
Lower.....	2 1/2" I.D.	

1997

CF7000; CF8000; CFT8000

CUMMINS 5.9 L DIESEL ENG.; FORD FD1060 DIESEL

ENG.

Belts

Application	Mfr. Part No.	Belt No.
Fan & Alt.....	F3HZ 8620 K	K080585 GS

- ② Two Required.
- ③ Three Required.
- ④ Four Required.

- GS Green Stripe® Construction.
- ✱ Use Notched Belt Only.
- ✂ Cut To Fit.

- ❖ Green Stripe® 4-Ply Coolant Hose Recommended.
- ⬆ Use Wire Inserted Green Stripe® Coolant Hose.
- ▲ Durion® Silicone Hose Recommended.
- ♦ PowerBand® Belt May Work, Use Template To Check.

For a maintenance free coolant connection, see PowerGrip® SB clamp application section.

Belts and Coolant Hose for Medium/Heavy Trucks (1990 And Newer)

FORD - Continued

1997 - Continued

F700

CUMMINS 5.9 L DIESEL ENG.; FORD FD1060 DIESEL ENG.

Belts

Application	Mfr. Part No.	Belt No.
W.P., Fan & Alt.....	F3HZ 8620 B	K080830 GS
A.C.....	F4HZ 8620 GA	9412 GS

CUMMINS 8.3 L DIESEL ENG.; FORD FD1460 DIESEL ENG.

Belts

Application	Mfr. Part No.	Belt No.
W.P., Fan & Alt.....	F3HZ 8620 C	K080720 GS
A.C.....	F3HZ 8620 D	9640 GS

FORD V-8 7.0 L ENG.

Belts

Application	Mfr. Part No.	Belt No.
Alt.; W/40A., 60A. Alt.; W/Fan Clutch; W/Cowl.....	C9PZ 8620 FN	9440 GS
Alt.; W/40A., 60A. Alt.; W/Fan Clutch; W/O Cowl.....	E6PZ 8620 F	9435 GS
Alt.; W/40A., 60A. Alt.; W/Fixed Fan; W/Cowl.....		②9447 GS
Alt.; W/40A., 60A. Alt.; W/Fixed Fan; W/O Cowl.....	E6PZ 8620 G	9451 GS
Alt.; W/75A. Alt.; W/Fan Clutch.....		②9447 GS
Alt.; W/75A. Alt.; W/Fixed Fan.....	E2HZ 8620 C	9463 GS
Alt.; W/90A., 130A. Alt.; W/Fan Clutch.....	E6PZ 8620 G	9451 GS
Alt.; W/90A., 130A. Alt.; W/Fixed Fan.....	E2HZ 8620 C	9463 GS
Alt.; W/High Mount Fan; W/Idler Pulley.....	C9PZ 8620 CD	9480 GS
P.S.; W/Dual Belt Drive.....		②9630 GS
P.S.; W/Single Belt Drive.....	D9PZ 8620 CR	9540 GS
A.C.....	F1HZ 8620 E	7660
A.C. & A.P.; W/Air Brakes.....	E8HT 8620 A	9650 GS
A.P.; W/Hyd. Brakes.....	E0PZ 8620 G	9610 GS

F800

CUMMINS 5.9 L DIESEL ENG.; FORD FD1060 DIESEL ENG.

Belts

Application	Mfr. Part No.	Belt No.
W.P., Fan & Alt.....	F3HZ 8620 B	K080830 GS
A.C.....	F4HZ 8620 GA	9412 GS

CUMMINS 8.3 L DIESEL ENG.; FORD FD1460 DIESEL ENG.

Belts

Application	Mfr. Part No.	Belt No.
W.P., Fan & Alt.....	F3HZ 8620 C	K080720 GS

FORD V-8 7.0 L ENG.

Belts

Application	Mfr. Part No.	Belt No.
Alt.; W/40A., 60A. Alt.; W/Fan Clutch; W/Cowl.....	C9PZ 8620 FN	9440 GS
Alt.; W/40A., 60A. Alt.; W/Fan Clutch; W/O Cowl.....	E6PZ 8620 F	9435 GS
Alt.; W/40A., 60A. Alt.; W/Fixed Fan; W/Cowl.....		②9447 GS
Alt.; W/40A., 60A. Alt.; W/Fixed Fan; W/O Cowl.....	E6PZ 8620 G	9451 GS
Alt.; W/75A. Alt.; W/Fan Clutch.....		②9447 GS
Alt.; W/75A. Alt.; W/Fixed Fan.....	E2HZ 8620 C	9463 GS
Alt.; W/90A., 130A. Alt.; W/Fan Clutch.....	E6PZ 8620 G	9451 GS
Alt.; W/90A., 130A. Alt.; W/Fixed Fan.....	E2HZ 8620 C	9463 GS

FORD - Continued

1997 - Continued

F800 - Continued

FORD V-8 7.0 L ENG. - Continued

Belts - Continued

Application	Mfr. Part No.	Belt No.
Alt.; W/High Mount Fan; W/Idler Pulley.....	C9PZ 8620 CD	9480 GS
P.S.; W/Dual Belt Drive.....		②9630 GS
P.S.; W/Single Belt Drive.....	D9PZ 8620 CR	9540 GS
A.C.....	F1HZ 8620 E	7660
A.C. & A.P.; W/Air Brakes.....	E8HT 8620 A	9650 GS
A.P.; W/Hyd. Brakes.....	E0PZ 8620 G	9610 GS

FT900

CUMMINS 5.9 L DIESEL ENG.; FORD FD1060 DIESEL ENG.

Belts

Application	Mfr. Part No.	Belt No.
W.P., Fan & Alt.....	F3HZ 8620 B	K080830 GS
Fan & A.C.....	F3HZ 8620 D	9640 GS

CUMMINS 8.3 L DIESEL ENG.; FORD FD1460 DIESEL ENG.

Belts

Application	Mfr. Part No.	Belt No.
Fan, Alt. & Hub.....	F3HZ 8620 C	K080720 GS

FORD V-8 7.0 L ENG.

Belts

Application	Mfr. Part No.	Belt No.
Alt.; W/40A., 60A. Alt.; W/Fan Clutch; W/Cowl.....	C9PZ 8620 FN	9440 GS
Alt.; W/40A., 60A. Alt.; W/Fan Clutch; W/O Cowl.....	E6PZ 8620 F	9435 GS
Alt.; W/40A., 60A. Alt.; W/Fixed Fan; W/Cowl.....		②9447 GS
Alt.; W/40A., 60A. Alt.; W/Fixed Fan; W/O Cowl.....	E6PZ 8620 G	9451 GS
Alt.; W/75A. Alt.; W/Fan Clutch.....		②9447 GS
Alt.; W/75A. Alt.; W/Fixed Fan.....	E2HZ 8620 C	9463 GS
Alt.; W/90A., 130A. Alt.; W/Fixed Fan.....	E2HZ 8620 C	9463 GS
Alt.; W/High Mount Fan; W/Idler Pulley.....	C9PZ 8620 CD	9480 GS
P.S.; W/Dual Belt Drive.....		②9580 GS
P.S.; W/Single Belt Drive.....	C9PZ 8620 CR	9540 GS
A.C.....	F1HZ 8620 E	7660
A.P.; W/Air Brakes.....	E8HZ 8620 A	9650 GS
A.P.; W/Hyd. Brakes.....	E0PZ 8620 G	9610 GS

L8000; LA8000; LS8000

CATERPILLAR 3176 DIESEL ENG.

Belts

Application	Mfr. Part No.	Belt No.
Fan; W/1050 High Cooling.....	F7HZ 8620 JA	K140682 GS
Fan; W/1050 Low Cooling; W/1300 Cooling.....	F6HZ 8620 C	K140603 GS
Fan; W/900 Cooling.....	F6HZ 8620 AD	K140618 GS
Alt.; W/1050 High Cooling.....	F7HZ 8620 AA	9465 GS
Alt.; W/1050 Low Cooling; W/1300 Cooling.....	E6PZ 8620 F	9435 GS
Alt.; W/900 Cooling.....	F6HZ 8620 EB	9412 GS
A.C.; W/1050 High Cooling.....	C5TZ 8620 TA	9435 GS
A.C.; W/1050 Low Cooling; W/1300 Cooling.....		9465 GS
A.C.; W/900 Cooling.....	E2HZ 8620 C	9463 GS

CATERPILLAR 3306 DIESEL ENG.

Belts

Application	Mfr. Part No.	Belt No.
Fan.....	F6HZ 8620 ALA	K080545 GS

- ② Two Required.
- ③ Three Required.
- ④ Four Required.

- GS Green Stripe * Construction.
- * Use Notched Belt Only.
- > Cut To Fit.

- ✦ Green Stripe * 4-Ply Coolant Hose Recommended.
- ⊕ Use Wire Inserted Green Stripe * Coolant Hose.
- ▲ Durion * Silicone Hose Recommended.
- ✦ PowerBand * Belt May Work, Use Template To Check.

For a maintenance free coolant connection, see PowerGrip® SB clamp application section.

Belts and Coolant Hose for Medium/Heavy Trucks (1990 And Newer)

FORD - Continued

1997 - Continued

L8000; LA8000; LS8000 - Continued

CATERPILLAR 3306 DIESEL ENG. - Continued

Belts - Continued

Application	Mfr. Part No.	Belt No.
Alt.....	F6HZ 8620 AA	9490 GS
A.C.....	E8HZ 8620 LA	9585 GS

CATERPILLAR 3406 DIESEL ENG.

Belts

Application	Mfr. Part No.	Belt No.
Fan; W/1.36 Fan Ratio; W/1050 High Cooling.....	F7HZ 8620 KA	K140662 GS
Fan; W/1.36 Fan Ratio; W/1050 Low Cooling.....	F6HZ 8620 E	K140597 GS
Fan; W/1.49 Fan Ratio; W/900 Cooling.....	F6HZ 8620 F	K140594 GS
Alt.; W/47" Belt O.C.....	F6HZ 8620 GB	9465 GS
Alt.; W/50" Belt O.C.....	F6HT 8620 AVA	9495 GS
Alt.; W/53 1/2" Belt O.C.....		② 9530 GS
A.C.; W/1.36 Fan Ratio; W/1050 High Cooling.....	C5TZ 8620 TA	9435 GS
A.C.; W/1.49 Fan Ratio; W/900 Cooling.....	F6HZ 8620 U	9465 GS

CATERPILLAR C12 DIESEL ENG.

Belts

Application	Mfr. Part No.	Belt No.
Fan.....		K140618 GS
Alt.....	C5TS 8620 T	9440 GS
A.C.....	F6HT 8620 AKA	9465 GS

Coolant Hose

Application	Molded or Strt.	Vulco-Flex®
Upper.....	❖2 1/2" I.D.	
Lower.....	❖2 1/2" I.D.	

CUMMINS 5.9 L DIESEL ENG.; FORD FD1060 DIESEL ENG.

Belts

Application	Mfr. Part No.	Belt No.
Fan.....	F1HZ 8620 C	K080710 GS
Alt.....	F3HZ 8620 M	K080839 GS
A.C.....	D5TZ 8620 C	9395 GS

CUMMINS 8.3 L DIESEL ENG.; FORD FD1460 DIESEL ENG.

Belts

Application	Mfr. Part No.	Belt No.
Alt.....	F3HZ 8620 C	K080720 GS
A.C.....	F3HZ 8620 D	9640 GS

Coolant Hose

Application	Molded or Strt.	Vulco-Flex®
Upper - Eng. To Pipe.....	❖2 1/4" I.D.	
Upper - Pipe To Rad.....	❖2" I.D.	

CUMMINS M11 DIESEL ENG.

Belts

Application	Mfr. Part No.	Belt No.
Fan; W/52" Belt O.C.....		K140516 GS
Fan; W/60" Belt O.C.....		K140594 GS
Alt.....		K050360 GS
A.C.; W/29" Belt O.C.....		9290 GS
A.C.; W/48" Belt O.C.....		9480 GS

FORD - Continued

1997 - Continued

L8000; LA8000; LS8000 - Continued

CUMMINS M11 DIESEL ENG. - Continued

Coolant Hose

Application	Molded or Strt.	Vulco-Flex®
Upper - Eng. To Pipe.....	❖2 1/4" I.D.	
Upper - Pipe To Rad.....	❖2 1/2" I.D.	
Lower - Eng. To Pipe.....	❖2" I.D.	
Lower - Pipe To Rad.....	❖2 1/2" I.D.	

CUMMINS N14 DIESEL ENG.

Belts

Application	Mfr. Part No.	Belt No.
Fan; W/1050 High Cooling; W/1300 Cooling.....		K140429 GS
Fan; W/900 Cooling.....		K140433 GS
Fan; W/V-Belt Drive.....		③ TR22443 GS
Alt.....		② 9435 GS
P.S.....		② 9447 GS
A.C.....		9420 GS

DETROIT DIESEL SERIES 60 DIESEL ENG.

Belts

Application	Mfr. Part No.	Belt No.
Fan.....	F7HZ 8620 CA	K140580 GS
Alt.; Optional Belt.....		② 9485 GS
Alt.; Preferred Belt.....	F7HT 8620 VA	2/9485FPB
A.C.....	C8TA 8620 D	9370 GS

Coolant Hose

Application	Molded or Strt.	Vulco-Flex®
Upper - Pipe To Rad.....	❖2 1/2" I.D.	
Upper - Pipe To Pipe.....	❖2 1/2" I.D.	
Lower.....	❖2 1/2" I.D.	

L8500; L9500

CATERPILLAR 3176 DIESEL ENG.

Belts

Application	Mfr. Part No.	Belt No.
Fan.....	F6HZ 8620 B	K140627 GS
Alt.....	F6HZ 8620 NA	9455 GS
A.C.....	F6HZ 8620 R	9485 GS

L9000; LS9000

CATERPILLAR 3176 DIESEL ENG.

Belts

Application	Mfr. Part No.	Belt No.
Alt.....	F0HZ 8620 A	K080780 GS
A.C.; W/Bendix Fan Clutch.....	D9PZ 8620 M	9447 GS
A.C.; W/Eaton Clutch.....	E2HZ 8620 C	9463 GS

CATERPILLAR 3306 DIESEL ENG.

Belts

Application	Mfr. Part No.	Belt No.
Fan.....		② 9590 GS
Alt.....		② 9530 GS
A.C.....	C9PZ 8620 CD	9480 GS

CATERPILLAR 3406 DIESEL ENG.

Belts

Application	Mfr. Part No.	Belt No.
Fan.....	F4HZ 8620 D	K140662 GS
Fan; W/14-Ribbed Belt.....	F1HZ 8620 G	K100618 GS
Alt.....		② 9530 GS

- ② Two Required.
- ③ Three Required.
- ④ Four Required.

- GS Green Stripe® Construction.
- ↗ Use Notched Belt Only.
- × Cut To Fit.

- ❖ Green Stripe® 4-Ply Coolant Hose Recommended.
- ⊛ Use Wire Inserted Green Stripe® Coolant Hose.
- ▲ Durion® Silicone Hose Recommended.
- ♦ PowerBand® Belt May Work, Use Template To Check.

For a maintenance free coolant connection, see PowerGrip® SB clamp application section.

Belts and Coolant Hose for Medium/Heavy Trucks (1990 And Newer)

FORD - Continued

1997 - Continued

L9000; LS9000 - Continued

CUMMINS 5.9 L DIESEL ENG.; FORD FD1060 DIESEL ENG.

Belts

Application	Mfr. Part No.	Belt No.
Alt.....	F3HZ 8620 M	K080839 GS

CUMMINS 8.3 L DIESEL ENG.; FORD FD1460 DIESEL ENG.

Belts

Application	Mfr. Part No.	Belt No.
Alt.....	F3HZ 8620 C	K080720 GS
A.C.....	F3HZ 8620 D	9640 GS

Coolant Hose

Application	Molded or Strt.	Vulco-Flex®
Upper - Eng. To Pipe.....	❖2 1/4" I.D.	
Upper - Pipe To Rad.....	❖2" I.D.	

CUMMINS L10 DIESEL ENG.

Belts

Application	Mfr. Part No.	Belt No.
Fan; W/14-Ribbed Belt.....	F6HT 8620 BA	K140516 GS
Fan; W/8-Ribbed Belt.....	F2HT 8620 HA	K080570 GS
Alt.....	E7HT 8620 GA	K050360 GS
A.C.....	D0HA 8620 AJ	9480 GS

Coolant Hose

Application	Molded or Strt.	Vulco-Flex®
Upper - Eng. To Pipe.....	❖2 1/4" I.D.	
Upper - Pipe To Rad.....	❖2 1/2" I.D.	
Lower - Eng. To Pipe.....	❖2" I.D.	
Lower - Pipe To Rad.....	❖2 1/2" I.D.	

CUMMINS M11 DIESEL ENG.

Belts

Application	Mfr. Part No.	Belt No.
Fan.....		K140516 GS
Alt.....		K050360 GS
A.C.....		9480 GS

Coolant Hose

Application	Molded or Strt.	Vulco-Flex®
Upper - Eng. To Pipe.....	❖2 1/4" I.D.	
Upper - Pipe To Rad.....	❖2 1/2" I.D.	
Lower - Eng. To Pipe.....	❖2" I.D.	
Lower - Pipe To Rad.....	❖2 1/2" I.D.	

CUMMINS N14 DIESEL ENG.

Belts

Application	Mfr. Part No.	Belt No.
Fan.....		③ TR22443 GS
Alt.....		② 9435 GS
P.S.....		② 9447 GS
A.C.....	C9PZ 8620 BS	9420 GS

LA9000; LTA9000

CATERPILLAR 3176 DIESEL ENG.

Belts

Application	Mfr. Part No.	Belt No.
Fan; W/1050 High Cooling.....		K140682 GS
Fan; W/1050 Low Cooling; W/1300 Cooling.....		K140603 GS
Fan; W/900 Cooling.....		K140618 GS
Alt.; W/1050 High Cooling.....		9465 GS

FORD - Continued

1997 - Continued

LA9000; LTA9000 - Continued

CATERPILLAR 3176 DIESEL ENG. - Continued

Belts - Continued

Application	Mfr. Part No.	Belt No.
Alt.; W/1050 Low Cooling; W/1300 Cooling.....		9435 GS
Alt.; W/900 Cooling.....		9412 GS
A.C.; W/1050 High Cooling.....		9435 GS
A.C.; W/1050 Low Cooling; W/1300 Cooling.....		9465 GS
A.C.; W/900 Cooling.....		9463 GS

CATERPILLAR 3406 DIESEL ENG.

Belts

Application	Mfr. Part No.	Belt No.
Fan.....	F4HZ 8620 D	K140662 GS

CATERPILLAR C10 DIESEL ENG.

Belts

Application	Mfr. Part No.	Belt No.
Fan.....		K140618 GS
Alt.....		9440 GS
A.C.....		9463 GS

Coolant Hose

Application	Molded or Strt.	Vulco-Flex®
Upper.....	❖2 1/2" I.D.	
Lower.....	❖2 1/2" I.D.	

CATERPILLAR C12 DIESEL ENG.

Belts

Application	Mfr. Part No.	Belt No.
Fan.....		K140618 GS
Alt.....		9440 GS
A.C.....		9465 GS

Coolant Hose

Application	Molded or Strt.	Vulco-Flex®
Upper.....	2 1/2" I.D.	
Lower.....	2 1/2" I.D.	

CUMMINS 5.9 L DIESEL ENG.; FORD FD1060 DIESEL ENG.

Belts

Application	Mfr. Part No.	Belt No.
Fan.....		K080710 GS
Alt.....		K080839 GS
A.C.....		9395 GS

CUMMINS 8.3 L DIESEL ENG.; FORD FD1460 DIESEL ENG.

Belts

Application	Mfr. Part No.	Belt No.
Alt.....	F3HZ 8620 C	K080720 GS
A.C.....	F3HZ 8620 D	9640 GS

Coolant Hose

Application	Molded or Strt.	Vulco-Flex®
Upper - Eng. To Pipe.....	❖2 1/4" I.D.	
Upper - Pipe To Rad.....	❖2" I.D.	

CUMMINS L10 DIESEL ENG.

Belts

Application	Mfr. Part No.	Belt No.
Fan; W/14-Ribbed Belt.....	F6HT 8620 BA	K140516 GS
Fan; W/8-Ribbed Belt.....	F2HT 8620 HA	K080570 GS

- ② Two Required.
- ③ Three Required.
- ④ Four Required.

- GS Green Stripe® Construction.
- ✧ Use Notched Belt Only.
- ✂ Cut To Fit.

- ❖ Green Stripe® 4-Ply Coolant Hose Recommended.
- ⊛ Use Wire Inserted Green Stripe® Coolant Hose.
- ▲ Durion® Silicone Hose Recommended.
- ⬇ PowerBand® Belt May Work, Use Template To Check.

For a maintenance free coolant connection, see PowerGrip® SB clamp application section.

Belts and Coolant Hose for Medium/Heavy Trucks (1990 And Newer)

FORD - Continued

1997 - Continued

LA9000; LTA9000 - Continued

CUMMINS L10 DIESEL ENG. - Continued

Belts - Continued

Application	Mfr. Part No.	Belt No.
Alt.....	E7HT 8620 GA	K050360 ^{GS}
A.C.....	DOHA 8620 AJ	9480 ^{GS}

Coolant Hose

Application	Molded or Strt.	Vulco-Flex [®]
Upper - Eng. To Pipe.....	❖2 1/4" I.D.	
Upper - Pipe To Rad.....	❖2 1/2" I.D.	
Lower - Eng. To Pipe.....	❖2" I.D.	
Lower - Pipe To Rad.....	❖2 1/2" I.D.	

CUMMINS M11 DIESEL ENG.

Belts

Application	Mfr. Part No.	Belt No.
Fan; W/52" Belt O.C.....		K140516 ^{GS}
Fan; W/60" Belt O.C.....		K140594 ^{GS}
Alt.....		K050360 ^{GS}
A.C.; W/29" Belt O.C.....		9290 ^{GS}
A.C.; W/48" Belt O.C.....		9480 ^{GS}

Coolant Hose

Application	Molded or Strt.	Vulco-Flex [®]
Upper - Eng. To Pipe.....	❖2 1/4" I.D.	
Upper - Pipe To Rad.....	❖2 1/2" I.D.	
Lower - Eng. To Pipe.....	❖2" I.D.	
Lower - Pipe To Rad.....	❖2 1/2" I.D.	

CUMMINS N14 DIESEL ENG.

Belts

Application	Mfr. Part No.	Belt No.
Fan; W/1050 High Cooling; W/1300 Cooling.....	F6HZ 8620 M	K140429 ^{GS}
Fan; W/900 Cooling.....	F6HZ 8620 L	K140433 ^{GS}
Fan; W/V-Belt Drive.....		③TR22443 ^{GS}
Alt.....	E5HZ 8620 EA	9435 ^{GS}
P.S.....		②9447 ^{GS}
A.C.....	C9PZ 8620 BS	9420 ^{GS}

DETROIT DIESEL SERIES 60 DIESEL ENG.

Belts

Application	Mfr. Part No.	Belt No.
Fan.....		K140580 ^{GS}
Alt.; Optional Belt.....		②9485 ^{GS}
Alt.; Preferred Belt.....		2/9485FPB
A.C.....		9370 ^{GS}

Coolant Hose

Application	Molded or Strt.	Vulco-Flex [®]
Upper - Pipe To Rad.....	❖2 1/2" I.D.	
Upper - Pipe To Pipe.....	❖2 1/2" I.D.	
Lower.....	❖2 1/2" I.D.	

LL9000; LLS9000

CATERPILLAR 3406 DIESEL ENG.

Belts

Application	Mfr. Part No.	Belt No.
Serpentine; W/55" Belt O.C.....	F4HZ 8620 C	K140555 ^{GS}
Fan; W/51" Belt O.C.....	F1HZ 8620 H	K100510 ^{GS}
Fan; W/66" Belt O.C.....	F4HZ 8620 D	K140662 ^{GS}
Fan & A.C.; W/375 H.P. Eng. & Under.....	C9PZ 8620 FP	9490 ^{GS}
Fan, Alt. & A.C.; W/410 H.P. Eng. & Over.....	F4HZ 8620 B	9550 ^{GS}
Alt.....		②9545 ^{GS}

FORD - Continued

1997 - Continued

LL9000; LLS9000 - Continued

CATERPILLAR C12 DIESEL ENG.

Belts

Application	Mfr. Part No.	Belt No.
Fan.....		K140618 ^{GS}
Alt.....		9440 ^{GS}
A.C.....		9465 ^{GS}

Coolant Hose

Application	Molded or Strt.	Vulco-Flex [®]
Upper.....	2 1/2" I.D.	
Lower.....	2 1/2" I.D.	

CUMMINS 5.9 L DIESEL ENG.; FORD FD1060 DIESEL ENG.

Belts

Application	Mfr. Part No.	Belt No.
Alt.....	F3HZ 8620 M	K080839 ^{GS}

CUMMINS 8.3 L DIESEL ENG.; FORD FD1460 DIESEL ENG.

Belts

Application	Mfr. Part No.	Belt No.
Alt.....	F3HZ 8620 C	K080720 ^{GS}
A.C.....	F3HZ 8620 D	9640 ^{GS}

Coolant Hose

Application	Molded or Strt.	Vulco-Flex [®]
Upper - Eng. To Pipe.....	❖2 1/4" I.D.	
Upper - Pipe To Rad.....	❖2" I.D.	

CUMMINS N14 DIESEL ENG.

Belts

Application	Mfr. Part No.	Belt No.
Fan; W/V-Belt Drive.....		③TR22443 ^{GS}
Fan; W/V-Ribbed Belt Drive.....	F4HZ 8620 A	K140370 ^{GS}
Alt.....		②9435 ^{GS}
P.S.....		②9447 ^{GS}
A.C.....	C9PZ 8620 BS	9420 ^{GS}

LLA9000; LTLA9000; LTLS9000

CATERPILLAR 3176 DIESEL ENG.

Belts

Application	Mfr. Part No.	Belt No.
Fan; W/1050 High Cooling.....		K140682 ^{GS}
Fan; W/1050 Low Cooling; W/1300 Cooling.....		K140603 ^{GS}
Fan; W/900 Cooling.....		K140618 ^{GS}
Alt.; W/1050 High Cooling.....		9465 ^{GS}
Alt.; W/1050 Low Cooling; W/1300 Cooling.....		9435 ^{GS}
Alt.; W/900 Cooling.....		9412 ^{GS}
A.C.; W/1050 High Cooling.....		9435 ^{GS}
A.C.; W/1050 Low Cooling; W/1300 Cooling.....		9465 ^{GS}
A.C.; W/900 Cooling.....		9463 ^{GS}

CATERPILLAR 3306 DIESEL ENG.

Belts

Application	Mfr. Part No.	Belt No.
Fan.....		K080545 ^{GS}
Alt.....		9490 ^{GS}
A.C.....		9585 ^{GS}

- ② Two Required.
- ③ Three Required.
- ④ Four Required.

- ^{GS} Green Stripe[®] Construction.
- ✚ Use Notched Belt Only.
- ✂ Cut To Fit.

- ❖ Green Stripe[®] 4-Ply Coolant Hose Recommended.
- ⊕ Use Wire Inserted Green Stripe[®] Coolant Hose.
- ▲ Durion[®] Silicone Hose Recommended.
- ◆ PowerBand[®] Belt May Work, Use Template To Check.

For a maintenance free coolant connection, see PowerGrip[®] SB clamp application section.

Belts and Coolant Hose for Medium/Heavy Trucks (1990 And Newer)

FORD - Continued

1997 - Continued

LLA9000; LTLA9000; LTLS9000 - Continued

CATERPILLAR 3406 DIESEL ENG.

Belts

Application	Mfr. Part No.	Belt No.
Fan.....	F4HZ 8620 D	K140662 ^{GS}

CATERPILLAR C10 DIESEL ENG.

Belts

Application	Mfr. Part No.	Belt No.
Fan.....		K140618 ^{GS}
Alt.....		9440 ^{GS}
A.C.....		9463 ^{GS}

Coolant Hose

Application	Molded or Strt.	Vulco-Flex®
Upper.....	❖ 2 1/2" I.D.	
Lower.....	❖ 2 1/2" I.D.	

CATERPILLAR C12 DIESEL ENG.

Belts

Application	Mfr. Part No.	Belt No.
Fan.....		K140618 ^{GS}
Alt.....		9440 ^{GS}
A.C.....		9465 ^{GS}

Coolant Hose

Application	Molded or Strt.	Vulco-Flex®
Upper.....	2 1/2" I.D.	
Lower.....	2 1/2" I.D.	

CUMMINS 5.9 L DIESEL ENG.; FORD FD1060 DIESEL ENG.

Belts

Application	Mfr. Part No.	Belt No.
Fan.....		K080710 ^{GS}
Alt.....	F3HZ 8620 M	K080839 ^{GS}
A.C.....		9395 ^{GS}

CUMMINS 8.3 L DIESEL ENG.; FORD FD1460 DIESEL ENG.

Belts

Application	Mfr. Part No.	Belt No.
Alt.....	F3HZ 8620 C	K080720 ^{GS}
A.C.....	F3HZ 8620 D	9640 ^{GS}

Coolant Hose

Application	Molded or Strt.	Vulco-Flex®
Upper - Eng. To Pipe.....	❖ 2 1/4" I.D.	
Upper - Pipe To Rad.....	❖ 2" I.D.	

CUMMINS M11 DIESEL ENG.

Belts

Application	Mfr. Part No.	Belt No.
Fan; W/52" Belt O.C.....		K140516 ^{GS}
Fan; W/60" Belt O.C.....		K140594 ^{GS}
Alt.....		K050360 ^{GS}
A.C.; W/29" Belt O.C.....		9290 ^{GS}
A.C.; W/48" Belt O.C.....		9480 ^{GS}

Coolant Hose

Application	Molded or Strt.	Vulco-Flex®
Upper - Eng. To Pipe.....	❖ 2 1/4" I.D.	
Upper - Pipe To Rad.....	❖ 2 1/2" I.D.	
Lower - Eng. To Pipe.....	❖ 2" I.D.	
Lower - Pipe To Rad.....	❖ 2 1/2" I.D.	

FORD - Continued

1997 - Continued

LLA9000; LTLA9000; LTLS9000 - Continued

CUMMINS N14 DIESEL ENG.

Belts

Application	Mfr. Part No.	Belt No.
Fan; W/1050 High Cooling; W/1300 Cooling.....		K140429 ^{GS}
Fan; W/900 Cooling.....		K140433 ^{GS}
Fan; W/V-Belt Drive.....		③TR22443 ^{GS}
Alt.....		②9435 ^{GS}
P.S.....		②9447 ^{GS}
A.C.....		9420 ^{GS}

DETROIT DIESEL SERIES 60 DIESEL ENG.

Belts

Application	Mfr. Part No.	Belt No.
Fan.....		K140580 ^{GS}
Alt.; Optional Belt.....		②9485 ^{GS}
Alt.; Preferred Belt.....		2/9485FPB
A.C.....		9370 ^{GS}

Coolant Hose

Application	Molded or Strt.	Vulco-Flex®
Upper - Pipe To Rad.....	❖ 2 1/2" I.D.	
Upper - Pipe To Pipe.....	❖ 2 1/2" I.D.	
Lower.....	❖ 2 1/2" I.D.	

LN7000

CATERPILLAR 3406 DIESEL ENG.

Belts

Application	Mfr. Part No.	Belt No.
Fan.....	F4HZ 8620 D	K140662 ^{GS}

CUMMINS 5.9 L DIESEL ENG.; FORD FD1060 DIESEL ENG.

Belts

Application	Mfr. Part No.	Belt No.
Alt.....	F3HZ 8620 M	K080839 ^{GS}

CUMMINS 8.3 L DIESEL ENG.; FORD FD1460 DIESEL ENG.

Belts

Application	Mfr. Part No.	Belt No.
Alt.....	F3HZ 8620 C	K080720 ^{GS}
A.C.....	F3HZ 8620 D	9640 ^{GS}

CUMMINS N14 DIESEL ENG.

Belts

Application	Mfr. Part No.	Belt No.
Fan.....		③TR22443 ^{GS}
Alt.....		②9435 ^{GS}
P.S.....		②9447 ^{GS}
A.C.....	C9PZ 8620 BS	9420 ^{GS}

LN8000; LNT8000

CATERPILLAR 3406 DIESEL ENG.

Belts

Application	Mfr. Part No.	Belt No.
Fan.....	F4HZ 8620 D	K140662 ^{GS}

CUMMINS 5.9 L DIESEL ENG.; FORD FD1060 DIESEL ENG.

Belts

Application	Mfr. Part No.	Belt No.
Alt.....	F3HZ 8620 M	K080839 ^{GS}

- ② Two Required.
- ③ Three Required.
- ④ Four Required.

- ^{GS} Green Stripe® Construction.
- ✦ Use Notched Belt Only.
- ✂ Cut To Fit.

- ❖ Green Stripe® 4-Ply Coolant Hose Recommended.
- ⊕ Use Wire Inserted Green Stripe® Coolant Hose.
- ▲ Durion® Silicone Hose Recommended.
- ✦ PowerBand® Belt May Work, Use Template To Check.

For a maintenance free coolant connection, see PowerGrip® SB clamp application section.

Belts and Coolant Hose for Medium/Heavy Trucks (1990 And Newer)

FORD - Continued

1997 - Continued

LN8000; LNT8000 - Continued

CUMMINS 8.3 L DIESEL ENG.; FORD FD1460 DIESEL ENG.

Belts		
Application	Mfr. Part No.	Belt No.
Alt.....	F3HZ 8620 C	K080720^{GS}
A.C.....	F3HZ 8620 D	9640^{GS}

Coolant Hose		
Application	Molded or Strt.	Vulco-Flex®
Upper - Eng. To Pipe.....	❖2 1/4" I.D.	
Upper - Pipe To Rad.....	❖2" I.D.	

CUMMINS N14 DIESEL ENG.

Belts		
Application	Mfr. Part No.	Belt No.
Fan.....		③TR22443^{GS}
Alt.....		②9435^{GS}
P.S.....		②9447^{GS}
A.C.....	C9PZ 8620 BS	9420^{GS}

LN9000; LNT9000

CATERPILLAR 3406 DIESEL ENG.

Belts		
Application	Mfr. Part No.	Belt No.
Fan.....	F4HZ 8620 D	K140662^{GS}

CUMMINS 5.9 L DIESEL ENG.; FORD FD1060 DIESEL ENG.

Belts		
Application	Mfr. Part No.	Belt No.
Alt.....	F3HZ 8620 M	K080839^{GS}

CUMMINS 8.3 L DIESEL ENG.; FORD FD1460 DIESEL ENG.

Belts		
Application	Mfr. Part No.	Belt No.
Alt.....	F3HZ 8620 C	K080720^{GS}
A.C.....	F3HZ 8620 D	9640^{GS}

Coolant Hose		
Application	Molded or Strt.	Vulco-Flex®
Upper - Eng. To Pipe.....	❖2 1/4" I.D.	
Upper - Pipe To Rad.....	❖2" I.D.	

CUMMINS L10 DIESEL ENG.

Belts		
Application	Mfr. Part No.	Belt No.
Fan; W/14-Ribbed Belt.....	F6HT 8620 BA	K140516^{GS}
Fan; W/8-Ribbed Belt.....	F2HT 8620 HA	K080570^{GS}
Alt.....	E7HT 8620 GA	K050360^{GS}
A.C.....	D0HA 8620 AJ	9480^{GS}

Coolant Hose		
Application	Molded or Strt.	Vulco-Flex®
Upper - Eng. To Pipe.....	❖2 1/4" I.D.	
Upper - Pipe To Rad.....	❖2 1/2" I.D.	
Lower - Eng. To Pipe.....	❖2" I.D.	
Lower - Pipe To Rad.....	❖2 1/2" I.D.	

CUMMINS N14 DIESEL ENG.

Belts		
Application	Mfr. Part No.	Belt No.
Fan.....		③TR22443^{GS}
Alt.....		②9435^{GS}

FORD - Continued

1997 - Continued

LN9000; LNT9000 - Continued

CUMMINS N14 DIESEL ENG. - Continued

Belts - Continued		
Application	Mfr. Part No.	Belt No.
Alt.....		②9435^{GS}
P.S.....		②9447^{GS}
A.C.....	C9PZ 8620 BS	9420^{GS}

LS9000

CATERPILLAR C10 DIESEL ENG.

Belts		
Application	Mfr. Part No.	Belt No.
Fan.....		K140618^{GS}
Alt.....		9440^{GS}
A.C.....		9463^{GS}

Coolant Hose		
Application	Molded or Strt.	Vulco-Flex®
Upper.....	❖2 1/2" I.D.	
Lower.....	❖2 1/2" I.D.	

LT8000; LTS8000

CATERPILLAR 3406 DIESEL ENG.

Belts		
Application	Mfr. Part No.	Belt No.
Fan.....	F4HZ 8620 D	K140662^{GS}

CATERPILLAR C10 DIESEL ENG.

Belts		
Application	Mfr. Part No.	Belt No.
Fan.....		K140618^{GS}
Alt.....		9440^{GS}
A.C.....		9463^{GS}

Coolant Hose		
Application	Molded or Strt.	Vulco-Flex®
Upper.....	❖2 1/2" I.D.	
Lower.....	❖2 1/2" I.D.	

CUMMINS 5.9 L DIESEL ENG.; FORD FD1060 DIESEL ENG.

Belts		
Application	Mfr. Part No.	Belt No.
Alt.....	F3HZ 8620 M	K080839^{GS}

CUMMINS 8.3 L DIESEL ENG.; FORD FD1460 DIESEL ENG.

Belts		
Application	Mfr. Part No.	Belt No.
Fan & Alt.....	F6HT 8620 AYA	K080726^{GS}
Alt.....	F3HZ 8620 C	K080720^{GS}
P.S.....	F6HT 8620 ASA	9465^{GS}
A.C.....	F3HZ 8620 D	9640^{GS}

Coolant Hose		
Application	Molded or Strt.	Vulco-Flex®
Upper - Eng. To Pipe.....	❖2 1/4" I.D.	
Upper - Pipe To Rad.....	❖2" I.D.	

CUMMINS N14 DIESEL ENG.

Belts		
Application	Mfr. Part No.	Belt No.
Fan.....		③TR22443^{GS}
Alt.....		②9435^{GS}

- ② Two Required.
- ③ Three Required.
- ④ Four Required.

- ^{GS} Green Stripe® Construction.
- ✦ Use Notched Belt Only.
- ✂ Cut To Fit.

- ❖ Green Stripe® 4-Ply Coolant Hose Recommended.
- ⊛ Use Wire Inserted Green Stripe® Coolant Hose.
- ▲ Durion® Silicone Hose Recommended.
- ♦ PowerBand® Belt May Work, Use Template To Check.

For a maintenance free coolant connection, see PowerGrip® SB clamp application section.

Belts and Coolant Hose for Medium/Heavy Trucks (1990 And Newer)

FORD - Continued

1997 - Continued

LT8000; LTS8000 - Continued

CUMMINS N14 DIESEL ENG. - Continued

Belts - Continued

Application	Mfr. Part No.	Belt No.
P.S.....		②9447 ^{GS}
A.C.....	C9PZ 8620 BS	9420 ^{GS}

LT9000; LTL9000; LTS9000

CATERPILLAR 3176 DIESEL ENG.

Belts

Application	Mfr. Part No.	Belt No.
Fan.....	F6HZ 8620 B	K140627 ^{GS}
Alt.....	F6HZ 8620 NA	9455 ^{GS}
A.C.....	F6HZ 8620 R	9485 ^{GS}

CATERPILLAR 3406 DIESEL ENG.

Belts

Application	Mfr. Part No.	Belt No.
Fan.....	F4HZ 8620 D	K140662 ^{GS}
Alt.; Optional Belt.....		②9545 ^{GS}
Alt.; Preferred Belt.....		2/9545PB
A.C.....		9525 ^{GS}

CATERPILLAR C10 DIESEL ENG.

Belts

Application	Mfr. Part No.	Belt No.
Fan.....		K140618 ^{GS}
Alt.....		9440 ^{GS}
A.C.....		9463 ^{GS}

Coolant Hose

Application	Molded or Strt.	Vulco-Flex®
Upper.....	✖2 1/2" I.D.	
Lower.....	✖2 1/2" I.D.	

CATERPILLAR C12 DIESEL ENG.

Belts

Application	Mfr. Part No.	Belt No.
Fan.....		K140618 ^{GS}
Alt.....		9440 ^{GS}
A.C.....		9465 ^{GS}

Coolant Hose

Application	Molded or Strt.	Vulco-Flex®
Upper.....	2 1/2" I.D.	
Lower.....	2 1/2" I.D.	

CUMMINS 5.9 L DIESEL ENG.; FORD FD1060 DIESEL ENG.

Belts

Application	Mfr. Part No.	Belt No.
Alt.....	F3HZ 8620 M	K080839 ^{GS}

CUMMINS 8.3 L DIESEL ENG.; FORD FD1460 DIESEL ENG.

Belts

Application	Mfr. Part No.	Belt No.
Fan & Alt.....		K080726 ^{GS}
Alt.....	F3HZ 8620 C	K080720 ^{GS}
P.S.....		9465 ^{GS}
A.C.....		9640 ^{GS}

Coolant Hose

Application	Molded or Strt.	Vulco-Flex®
Upper - Eng. To Pipe.....	✖2 1/4" I.D.	

FORD - Continued

1997 - Continued

LT9000; LTL9000; LTS9000 - Continued

CUMMINS 8.3 L DIESEL ENG.; FORD FD1460 DIESEL ENG. - Continued

Coolant Hose - Continued

Application	Molded or Strt.	Vulco-Flex®
Upper - Pipe To Rad.....	✖2" I.D.	

CUMMINS L10 DIESEL ENG.

Belts

Application	Mfr. Part No.	Belt No.
Fan; W/14-Ribbed Belt.....	F6HT 8620 BA	K140516 ^{GS}
Fan; W/8-Ribbed Belt.....	F2HT 8620 HA	K080570 ^{GS}
Alt.....	E7HT 8620 GA	K050360 ^{GS}
A.C.....	D0HA 8620 AJ	9480 ^{GS}

Coolant Hose

Application	Molded or Strt.	Vulco-Flex®
Upper - Eng. To Pipe.....	✖2 1/4" I.D.	
Upper - Pipe To Rad.....	✖2 1/2" I.D.	
Lower - Eng. To Pipe.....	✖2" I.D.	
Lower - Pipe To Rad.....	✖2 1/2" I.D.	

CUMMINS N14 DIESEL ENG.

Belts

Application	Mfr. Part No.	Belt No.
Fan.....		③TR22443 ^{GS}
Alt.....		②9435 ^{GS}
P.S.....		②9447 ^{GS}
A.C.....	C9PZ 8620 BS	9420 ^{GS}

LTA9000

CUMMINS L10 DIESEL ENG.

Belts

Application	Mfr. Part No.	Belt No.
Fan; W/14-Ribbed Belt.....	F6HT 8620 BA	K140516 ^{GS}
Fan; W/8-Ribbed Belt.....	F2HT 8620 HA	K080570 ^{GS}
Alt.....	E7HT 8620 GA	K050360 ^{GS}
A.C.....	D0HA 8620 AJ	9480 ^{GS}

Coolant Hose

Application	Molded or Strt.	Vulco-Flex®
Upper - Eng. To Pipe.....	✖2 1/4" I.D.	
Upper - Pipe To Rad.....	✖2 1/2" I.D.	
Lower - Eng. To Pipe.....	✖2" I.D.	
Lower - Pipe To Rad.....	✖2 1/2" I.D.	

1996

CF7000; CF8000; CFT8000

CUMMINS 5.9 L DIESEL ENG.; FORD FD1060 DIESEL ENG.

Belts

Application	Mfr. Part No.	Belt No.
Fan & Alt.....	F3HZ 8620 K	K080585 ^{GS}

CUMMINS 8.3 L DIESEL ENG.; FORD FD1460 DIESEL ENG.

Belts

Application	Mfr. Part No.	Belt No.
Alt.....	F3HZ 8620 B	K080830 ^{GS}
A.C.....	F3HZ 8620 D	9640 ^{GS}

② Two Required.
 ③ Three Required.
 ④ Four Required.

^{GS} Green Stripe® Construction.
 ✚ Use Notched Belt Only.
 ≧ Cut To Fit.

✚ Green Stripe® 4-Ply Coolant Hose Recommended.
 ▲ Use Wire Inserted Green Stripe® Coolant Hose.
 ▲ Durion® Silicone Hose Recommended.
 ♦ PowerBand® Belt May Work, Use Template To Check.

For a maintenance free coolant connection, see PowerGrip® SB clamp application section.

Belts and Coolant Hose for Medium/Heavy Trucks (1990 And Newer)

FORD - Continued

1996 - Continued

F600

CUMMINS 5.9 L DIESEL ENG.; FORD FD1060 DIESEL ENG.

Belts		
Application	Mfr. Part No.	Belt No.
Fan & Alt.....	F3HT 8620 SA	K080830 GS
P.S.....	C6TA 8620 J	9420 GS
Hyd. Brake Boost Pump.....	F4HT 8620 GA	9412 GS

Coolant Hose

Application	Molded or Strt.	Vulco-Flex®
Upper - Eng. To Pipe.....	1 3/4" I.D.	
Upper - Pipe To Rad.....	❖2" I.D.	

F700

CUMMINS 5.9 L DIESEL ENG.; FORD FD1060 DIESEL ENG.

Belts		
Application	Mfr. Part No.	Belt No.
Fan & Alt.....	F3HT 8620 CS	K080830 GS
P.S.....	C6TA 8620 J	9420 GS
Hyd. Brake Boost Pump.....	F4HT 8620 GA	9412 GS

Coolant Hose

Application	Molded or Strt.	Vulco-Flex®
Upper - Eng. To Pipe.....	1 3/4" I.D.	
Upper - Pipe To Rad.....	❖2" I.D.	

CUMMINS 8.3 L DIESEL ENG.; FORD FD1460 DIESEL ENG.

Belts		
Application	Mfr. Part No.	Belt No.
Alt.....	F3HZ 8620 C	K080720 GS
A.C.....	F3HZ 8620 D	9640 GS

FORD V-8 7.0 L ENG.

Belts		
Application	Mfr. Part No.	Belt No.
Fan; W/High Mount Fan; W/Idler Pulley.....	C9PZ 8620 CD	9480 GS
Fan & Alt.; W/60A. Alt.....	D2TE 8620 AEA	9451 GS
Alt.; W/40A., 60A. Alt.; W/Fan Clutch; W/Cowl.....	C9PZ 8620 FN	9440 GS
Alt.; W/40A., 60A. Alt.; W/Fan Clutch; W/O Cowl.....	E6PZ 8620 F	9435 GS
Alt.; W/40A., 60A. Alt.; W/Fixed Fan; W/Cowl.....	D9PZ 8620 M	9447 GS
Alt.; W/40A., 60A. Alt.; W/Fixed Fan; W/O Cowl.....	E6PZ 8620 G	9451 GS
Alt.; W/75A. Alt.; W/Fan Clutch; W/Cowl.....	D9PZ 8620 M	9447 GS
Alt.; W/75A. Alt.; W/Fan Clutch; W/O Cowl.....	D9PZ 8620 M	9447 GS
Alt.; W/75A. Alt.; W/Fixed Fan.....	E2HZ 8620 C	9463 GS
Alt.; W/90A., 130A. Alt.; W/Fan Clutch.....	E6PZ 8620 G	9451 GS
Alt.; W/90A., 130A. Alt.; W/Fixed Fan.....	E2HZ 8620 C	9463 GS
P.S.; W/Dual Belt Drive.....		② 9580 GS
P.S.; W/Single Belt Drive.....	C9PZ 8620 CR	9540 GS
Air Compr.; W/Air Brakes.....	E8HZ 8620 A	9650 GS
Air Compr.; W/Hyd. Brakes.....	E0PZ 8620 G	9610 GS
Fan, P.S. & A.P.; Optional Belt.....		② 9635 GS
Fan, P.S. & A.P.; Preferred Belt.....		2/9640PB
Fan, A.P. & Air Brake Compr.; W/62" Belt O.C.....	E3TE 8620 KA	9620 GS
Fan, A.P. & Air Brake Compr.; W/65" Belt O.C.....	E8HT 8620 UA	9650 GS

- ② Two Required.
- ③ Three Required.
- ④ Four Required.

- GS Green Stripe® Construction.
- ↗ Use Notched Belt Only.
- ≠ Cut To Fit.

- ❖ Green Stripe® 4-Ply Coolant Hose Recommended.
- Ⓢ Use Wire Inserted Green Stripe® Coolant Hose.
- ▲ Durion® Silicone Hose Recommended.
- ♦ PowerBand® Belt May Work, Use Template To Check.

FORD - Continued

1996 - Continued

F800

CUMMINS 5.9 L DIESEL ENG.; FORD FD1060 DIESEL ENG.

Belts		
Application	Mfr. Part No.	Belt No.
Fan & Alt.....	F3HZ 8620 B	K080830 GS
P.S.....	C6TA 8620 J	9420 GS
A.C.....	F4HZ 8620 GA	9412 GS
Hyd. Brake Boost Pump.....	F4HT 8620 GA	9412 GS

CUMMINS 8.3 L DIESEL ENG.; FORD FD1460 DIESEL ENG.

Belts		
Application	Mfr. Part No.	Belt No.
Fan & Alt.....	F3HZ 8620 C	K080720 GS
A.C.....	F3HZ 8620 D	9640 GS

FORD V-8 7.0 L ENG.

Belts		
Application	Mfr. Part No.	Belt No.
Fan; W/High Mount Fan; W/Idler Pulley.....	C9PZ 8620 CD	9480 GS
Alt.; W/40A., 60A. Alt.; W/Fan Clutch; W/Cowl.....	C9PZ 8620 FN	9440 GS
Alt.; W/40A., 60A. Alt.; W/Fan Clutch; W/O Cowl.....	E6PZ 8620 F	9435 GS
Alt.; W/40A., 60A. Alt.; W/Fixed Fan; W/Cowl.....	D9PZ 8620 M	9447 GS
Alt.; W/40A., 60A. Alt.; W/Fixed Fan; W/O Cowl.....	E6PZ 8620 G	9451 GS
Alt.; W/75A. Alt.; W/Fan Clutch; W/Cowl.....	D9PZ 8620 M	9447 GS
Alt.; W/75A. Alt.; W/Fan Clutch; W/O Cowl.....	D9PZ 8620 M	9447 GS
Alt.; W/75A. Alt.; W/Fixed Fan.....	E2HZ 8620 C	9463 GS
Alt.; W/90A., 130A. Alt.; W/Fan Clutch.....	E6PZ 8620 G	9451 GS
Alt.; W/90A., 130A. Alt.; W/Fixed Fan.....	E2HZ 8620 C	9463 GS
P.S.; W/Dual Belt Drive.....		② 9580 GS
P.S.; W/Single Belt Drive.....	C9PZ 8620 CR	9540 GS
Air Compr.; W/Air Brakes.....	E8HZ 8620 A	9650 GS
Air Compr.; W/Hyd. Brakes.....	E0PZ 8620 G	9610 GS

FT900

CUMMINS 5.9 L DIESEL ENG.; FORD FD1060 DIESEL ENG.

Belts		
Application	Mfr. Part No.	Belt No.
Fan & Alt.....	F3HZ 8620 B	K080830 GS

CUMMINS 8.3 L DIESEL ENG.; FORD FD1460 DIESEL ENG.

Belts		
Application	Mfr. Part No.	Belt No.
Fan & Alt.....	F3HZ 8620 C	K080720 GS
A.C.....	F3HZ 8620 D	9640 GS

FORD V-8 7.0 L ENG.

Belts		
Application	Mfr. Part No.	Belt No.
Alt.; W/40A., 60A. Alt.; W/Fan Clutch; W/Cowl.....	C9PZ 8620 FN	9440 GS
Alt.; W/40A., 60A. Alt.; W/Fan Clutch; W/O Cowl.....	E6PZ 8620 F	9435 GS
Alt.; W/40A., 60A. Alt.; W/Fixed Fan; W/Cowl.....		② 9447 GS
Alt.; W/40A., 60A. Alt.; W/Fixed Fan; W/O Cowl.....	E6PZ 8620 G	9451 GS

For a maintenance free coolant connection, see PowerGrip® SB clamp application section.

Belts and Coolant Hose for Medium/Heavy Trucks (1990 And Newer)

FORD - Continued

1996 - Continued

FT900 - Continued

FORD V-8 7.0 L ENG. - Continued

Belts - Continued

Application	Mfr. Part No.	Belt No.
Alt.; W/75A. Alt.; W/Fan Clutch; W/Cowl.....		②9447 GS
Alt.; W/75A. Alt.; W/Fan Clutch; W/O Cowl.....	D9PZ 8620 M	9447 GS
Alt.; W/75A. Alt.; W/Fixed Fan.....	E2HZ 8620 C	9463 GS
Alt.; W/90A., 130A. Alt.; W/Fixed Fan..	E2HZ 8620 C	9463 GS
Alt.; W/High Mount Fan; W/Idler Pul- ley.....	C9PZ 8620 CD	9480 GS
P.S.; W/Dual Belt Drive.....		②9580 GS
P.S.; W/Single Belt Drive.....	C9PZ 8620 CR	9540 GS
A.P.; W/Hyd. Brakes.....	E0PZ 8620 G	9610 GS
Air Compr.; W/Air Brakes.....	E8HZ 8620 A	9650 GS

L8000; LA8000; LS8000

CATERPILLAR 3406 DIESEL ENG.

Belts

Application	Mfr. Part No.	Belt No.
Fan.....	F4HZ 8620 D	K140662 GS
Alt.....		②9530 GS

CUMMINS 5.9 L DIESEL ENG.; FORD FD1060 DIESEL ENG.

Belts

Application	Mfr. Part No.	Belt No.
Alt.....	F3HZ 8620 M	K080839 GS

CUMMINS 8.3 L DIESEL ENG.; FORD FD1460 DIESEL ENG.

Belts

Application	Mfr. Part No.	Belt No.
Fan & Alt.....	F3HT 8620 GA	K080720 GS
A.C.....	F3HZ 8620 D	9640 GS

CUMMINS M11 DIESEL ENG.

Belts

Application	Mfr. Part No.	Belt No.
Fan; W/52" Belt O.C.....		K140516 GS
Fan; W/60" Belt O.C.....		K140594 GS
Alt.....		K050360 GS
A.C.; W/29" Belt O.C.....		9290 GS
A.C.; W/48" Belt O.C.....		9480 GS

Coolant Hose

Application	Molded or Strt.	Vulco-Flex®
Upper - Eng. To Pipe.....	❖2 1/4" I.D.	
Upper - Pipe To Rad.....	❖2 1/2" I.D.	
Lower - Eng. To Pipe.....	❖2" I.D.	
Lower - Pipe To Rad.....	❖2 1/2" I.D.	

CUMMINS N14 DIESEL ENG.

Belts

Application	Mfr. Part No.	Belt No.
Fan; W/1050 High Cooling; W/1300 Cooling.....		K140429 GS
Fan; W/900 Cooling.....	F6HZ 8620 L	K140433 GS
Fan; W/V-Belt Drive.....		③TR22443 GS
Alt.....		②9435 GS
P.S.....		②9447 GS
A.C.....	C9PZ 8620 BS	9420 GS

FORD - Continued

1996 - Continued

L8000; LA8000; LS8000 - Continued

DETROIT DIESEL SERIES 60 DIESEL ENG.

Belts

Application	Mfr. Part No.	Belt No.
Fan; W/50" Belt O.C.....		K140496 GS
Fan; W/52" Belt O.C.....		K140516 GS
Alt.; Optional Belt.....		②9485 GS
Alt.; Preferred Belt.....		2/9485FPB
A.C.....		9370 GS

L8500; L9500

CATERPILLAR 3176 DIESEL ENG.

Belts

Application	Mfr. Part No.	Belt No.
Fan.....	F6HZ 8620 B	K140627 GS
Alt.....	F6HZ 8620 NA	9455 GS
A.C.....	F6HZ 8620 R	9485 GS

L9000; LS9000

CATERPILLAR 3176 DIESEL ENG.

Belts

Application	Mfr. Part No.	Belt No.
Alt.....	FOHZ 8620 A	K080780 GS
A.C.; W/Bendix Fan Clutch.....	D9PZ 8620 M	9447 GS
A.C.; W/Eaton Clutch.....	E2HZ 8620 C	9463 GS

Coolant Hose

Application	Molded or Strt.	Vulco-Flex®
Lower; W/Man. Trans.....	22188	

CATERPILLAR 3306 DIESEL ENG.

Belts

Application	Mfr. Part No.	Belt No.
Fan; W/8-Ribbed Belt.....	F6HT 8620 ALV	K080594 GS
Fan; W/V-Belt Drive.....		②9590 GS
Alt.; Optional Belt.....		②9520 GS
Alt.; Preferred Belt.....	C8HA 8620 E1	2/9520PB
A.C.....	C9PZ 8620 CD	9480 GS

Coolant Hose

Application	Molded or Strt.	Vulco-Flex®
Upper - Eng. To Pipe.....	20987	
Upper - Pipe To Rad.....	❖2 1/2" I.D.	
Coolant Reservoir.....	1" I.D.	
Heater Hose; W/5/8" I.D. Hose.....	5/8" I.D.	

CATERPILLAR 3406 DIESEL ENG.

Belts

Application	Mfr. Part No.	Belt No.
Fan; W/62" Belt O.C.....	F1HZ 8620 G	K100618 GS
Fan; W/67" Belt O.C.....	F4HZ 8620 D	K140662 GS
Alt.....		②9530 GS
A.C.....	F4HT 8620 EA	9455 GS

CUMMINS 5.9 L DIESEL ENG.; FORD FD1060 DIESEL ENG.

Belts

Application	Mfr. Part No.	Belt No.
Alt.....	F3HZ 8620 M	K080839 GS

CUMMINS 8.3 L DIESEL ENG.; FORD FD1460 DIESEL ENG.

Belts

Application	Mfr. Part No.	Belt No.
Alt.....	F3HZ 8620 C	K080720 GS

- ② Two Required.
- ③ Three Required.
- ④ Four Required.

- GS Green Stripe® Construction.
- ✦ Use Notched Belt Only.
- ✂ Cut To Fit.

- ❖ Green Stripe® 4-Ply Coolant Hose Recommended.
- ❖ Use Wire Inserted Green Stripe® Coolant Hose.
- ▲ Durion® Silicone Hose Recommended.
- ♦ PowerBand® Belt May Work, Use Template To Check.

For a maintenance free coolant connection, see PowerGrip® SB clamp application section.

Belts and Coolant Hose for Medium/Heavy Trucks (1990 And Newer)

FORD - Continued

1996 - Continued

LS9000; LS9000 - Continued

CUMMINS 8.3 L DIESEL ENG.; FORD FD1460 DIESEL ENG. - Continued

Belts - Continued

Application	Mfr. Part No.	Belt No.
A.C.....	F3HZ 8620 D	9640 GS

CUMMINS L10 DIESEL ENG.

Coolant Hose

Application	Molded or Strt.	Vulco-Flex®
Upper - Eng. To Pipe.....	❖2 1/4" I.D.	
Upper - Pipe To Rad.....	❖2 1/2" I.D.	
Lower - Eng. To Pipe.....	❖2" I.D.	
Lower - Pipe To Rad.....	❖2 1/2" I.D.	

CUMMINS M11 DIESEL ENG.

Belts

Application	Mfr. Part No.	Belt No.
Fan.....		K140516 GS
Alt.....		K050360 GS
A.C.....		9480 GS

Coolant Hose

Application	Molded or Strt.	Vulco-Flex®
Upper - Eng. To Pipe.....	❖2 1/4" I.D.	
Upper - Pipe To Rad.....	❖2 1/2" I.D.	
Lower - Eng. To Pipe.....	❖2" I.D.	
Lower - Pipe To Rad.....	❖2 1/2" I.D.	

CUMMINS N14 DIESEL ENG.

Belts

Application	Mfr. Part No.	Belt No.
Fan.....		③TR22443 GS
Alt.....		②9435 GS
P.S.....		②9447 GS
A.C.....	C9PZ 8620 BS	9420 GS

LA9000; LTA9000

CATERPILLAR 3406 DIESEL ENG.

Belts

Application	Mfr. Part No.	Belt No.
Fan; W/56" Belt O.C.....	F4HT 8620 AA	K140555 GS
Fan; W/60" Belt O.C.....	F6HT 8620 ATA	K140594 GS
Fan; W/67" Belt O.C.....	F4HZ 8620 D	K140662 GS
Fan & A.C.....	F2HZ 8620 F	9505 GS
Alt.; W/50 1/2" Belt O.C.....	F6HZ 8620 RA	9500 GS
Alt.; W/55 1/4" Belt O.C.; Optional Belt.....		②9545 GS
Alt.; W/55 1/4" Belt O.C.; Preferred Belt.....	E6HT 8620 AA	2/9545PB
A.C.; W/51 1/2" Belt O.C.....	E4HT 8620 DA	9505 GS
A.C.; W/53" Belt O.C.....	D0HA 8620 AG	9525 GS

Coolant Hose

Application	Molded or Strt.	Vulco-Flex®
Upper - Eng. To Pipe.....	❖2 1/2" I.D.	
Lower - Eng. To Pipe.....	❖3" I.D.	
Lower - Pipe To Rad.....	❖2 1/2" I.D.	

CUMMINS 5.9 L DIESEL ENG.; FORD FD1060 DIESEL ENG.

Belts

Application	Mfr. Part No.	Belt No.
Alt.....	F3HZ 8620 M	K080839 GS

FORD - Continued

1996 - Continued

LA9000; LTA9000 - Continued

CUMMINS 8.3 L DIESEL ENG.; FORD FD1460 DIESEL ENG.

Belts

Application	Mfr. Part No.	Belt No.
Fan.....	F6HZ 8620 N	K080733 GS
Alt.....	F3HZ 8620 C	K080720 GS
A.C.....	F3HZ 8620 D	9640 GS

CUMMINS L10 DIESEL ENG.

Belts

Application	Mfr. Part No.	Belt No.
Fan.....		K140516 GS
Alt.....		K050360 GS
A.C.....		9480 GS

Coolant Hose

Application	Molded or Strt.	Vulco-Flex®
Upper - Eng. To Pipe.....	❖2 1/4" I.D.	
Upper - Pipe To Rad.....	❖2 1/2" I.D.	
Lower - Eng. To Pipe.....	❖2" I.D.	
Lower - Pipe To Rad.....	❖2 1/2" I.D.	

CUMMINS M11 DIESEL ENG.

Belts

Application	Mfr. Part No.	Belt No.
Fan; W/52" Belt O.C.....		K140516 GS
Fan; W/60" Belt O.C.....		K140594 GS
Alt.....		K050360 GS
A.C.; W/29" Belt O.C.....		9290 GS
A.C.; W/48" Belt O.C.....		9480 GS

Coolant Hose

Application	Molded or Strt.	Vulco-Flex®
Upper - Eng. To Pipe.....	❖2 1/4" I.D.	
Upper - Pipe To Rad.....	❖2 1/2" I.D.	
Lower - Eng. To Pipe.....	❖2" I.D.	
Lower - Pipe To Rad.....	❖2 1/2" I.D.	

CUMMINS N14 DIESEL ENG.

Belts

Application	Mfr. Part No.	Belt No.
Fan.....		③TR22443 GS
Alt.....		②9435 GS
P.S.....		②9447 GS
A.C.....	C9PZ 8620 BS	9420 GS

DETROIT DIESEL SERIES 60 DIESEL ENG.

Belts

Application	Mfr. Part No.	Belt No.
Fan; W/50" Belt O.C.....	F6HT 8620 LA	K140496 GS
Fan; W/52" Belt O.C.....	F6HZ 8620 K	K140516 GS
Alt.; Optional Belt.....		②9485 GS
Alt.; Preferred Belt.....	F7HT 8620 VA	2/9485FPB
A.C.....	C8TA 8620 D	9370 GS

LL9000; LLS9000

CATERPILLAR 3176 DIESEL ENG.

Belts

Application	Mfr. Part No.	Belt No.
Fan & Alt.; W/70 1/2" Belt O.C.....	F3HT 8620 L	K140700 GS
Fan & Alt.; W/78 1/2" Belt O.C.....	FOHT 8620 CA	K080780 GS
A.C.....	D2TE 8620 ADA	9447 GS

- ② Two Required.
- ③ Three Required.
- ④ Four Required.

- GS Green Stripe® Construction.
- ✂ Use Notched Belt Only.
- ✂ Cut To Fit.

- ❖ Green Stripe® 4-Ply Coolant Hose Recommended.
- ⊛ Use Wire Inserted Green Stripe® Coolant Hose.
- ▲ Durion® Silicone Hose Recommended.
- ♦ PowerBand® Belt May Work, Use Template To Check.

For a maintenance free coolant connection, see PowerGrip® SB clamp application section.

Belts and Coolant Hose for Medium/Heavy Trucks (1990 And Newer)

FORD - Continued

1996 - Continued

LL9000; LLS9000 - Continued

CATERPILLAR 3176 DIESEL ENG. - Continued

Coolant Hose

Application	Molded or Strt.	Vulco-Flex®
Lower; W/Man. Trans.....	22188	

CATERPILLAR 3406 DIESEL ENG.

Belts

Application	Mfr. Part No.	Belt No.
Serpentine; W/55" Belt O.C.....	F4HZ 8620 C	K140555 GS
Fan; W/51 1/2" Belt O.C.....	F1HZ 8620 H	K100510 GS
Fan; W/66" Belt O.C.....	F4HZ 8620 D	K140662 GS
Fan & A.C.; W/375 H.P. Eng. & Under.....	C9PZ 8620 FP	9490 GS
Fan, Alt. & A.C.; W/410 H.P. Eng. & Over.....	F4HZ 8620 B	9550 GS
Alt.....		②9545 GS

CUMMINS 5.9 L DIESEL ENG.; FORD FD1060 DIESEL ENG.

Belts

Application	Mfr. Part No.	Belt No.
Alt.....	F3HZ 8620 M	K080839 GS

CUMMINS 8.3 L DIESEL ENG.; FORD FD1460 DIESEL ENG.

Belts

Application	Mfr. Part No.	Belt No.
Alt.....	F3HZ 8620 C	K080720 GS
A.C.....	F3HZ 8620 D	9640 GS

CUMMINS N14 DIESEL ENG.

Belts

Application	Mfr. Part No.	Belt No.
Fan; W/V-Belt Drive.....		③TR22443 GS
Fan; W/V-Ribbed Belt Drive.....	F4HZ 8620 A	K140370 GS
Alt.....		②9435 GS
P.S.....		②9447 GS
A.C.....	C9PZ 8620 BS	9420 GS

LLA9000; LTLA9000; LTLS9000

CATERPILLAR 3176 DIESEL ENG.

Belts

Application	Mfr. Part No.	Belt No.
Fan; W/1050 Low Cooling; W/1300 Cooling.....	F6HZ 8620 B	K140627 GS
Fan; W/900 Cooling.....	F6HZ 8620 AD	K140618 GS
Fan & Alt.; W/70 1/2" Belt O.C.....	F3HT 8620 L	K140700 GS
Fan & Alt.; W/78 1/2" Belt O.C.....	FOHT 8620 CA	K080780 GS
Fan & Alt.; W/78" Belt O.C.....		K080774 GS
Alt.; W/1050 Low Cooling; W/1300 Cooling.....	F6HZ 8620 NA	9455 GS
Alt.; W/900 Cooling.....	F6HZ 8620 EB	9412 GS
A.C.; W/1050 Low Cooling; W/1300 Cooling.....	F6HZ 8620 R	9485 GS
A.C.; W/45" Belt O.C.....	D2TE 8620 ADA	9447 GS
A.C.; W/900 Cooling.....	E2HZ 8620 C	9463 GS

CATERPILLAR 3406 DIESEL ENG.

Belts

Application	Mfr. Part No.	Belt No.
Fan; W/56" Belt O.C.....	F4HT 8620 AA	K140555 GS
Fan; W/67" Belt O.C.....	F4HZ 8620 D	K140662 GS
Alt.; Optional Belt.....		②9545 GS
Alt.; Preferred Belt.....	E6HT 8620 AA	2/9545PB
A.C.....	DOHA 8620 AG	9525 GS

FORD - Continued

1996 - Continued

LLA9000; LTLA9000; LTLS9000 - Continued

CUMMINS 5.9 L DIESEL ENG.; FORD FD1060 DIESEL ENG.

Belts

Application	Mfr. Part No.	Belt No.
Alt.....	F3HZ 8620 M	K080839 GS

CUMMINS 8.3 L DIESEL ENG.; FORD FD1460 DIESEL ENG.

Belts

Application	Mfr. Part No.	Belt No.
Fan & Alt.....	F6HT 8620 AYA	K080726 GS
A.C.; W/47" Belt O.C.....	F6HT 8620 ASA	9465 GS
A.C.; W/64 1/2" Belt O.C.....	F3HZ 8620 D	9640 GS

Coolant Hose

Application	Molded or Strt.	Vulco-Flex®
Upper - Eng. To Pipe.....	❖2 1/4" I.D.	
Upper - Pipe To Rad.....	❖2" I.D.	

CUMMINS M11 DIESEL ENG.

Belts

Application	Mfr. Part No.	Belt No.
Fan; W/52" Belt O.C.....		K140516 GS
Fan; W/60" Belt O.C.....		K140594 GS
Alt.....		K050360 GS
A.C.; W/29" Belt O.C.....		9290 GS
A.C.; W/48" Belt O.C.....		9480 GS

Coolant Hose

Application	Molded or Strt.	Vulco-Flex®
Upper - Eng. To Pipe.....	❖2 1/4" I.D.	
Upper - Pipe To Rad.....	❖2 1/2" I.D.	
Lower - Eng. To Pipe.....	❖2" I.D.	
Lower - Pipe To Rad.....	❖2 1/2" I.D.	

CUMMINS N14 DIESEL ENG.

Belts

Application	Mfr. Part No.	Belt No.
Fan; W/1050 High Cooling; W/1300 Cooling.....		K140429 GS
Fan; W/900 Cooling.....		K140433 GS
Fan; W/V-Belt Drive.....		③TR22443 GS
Alt.....		②9435 GS
P.S.....		②9447 GS
A.C.....	C9PZ 8620 BS	9420 GS

DETROIT DIESEL SERIES 60 DIESEL ENG.

Belts

Application	Mfr. Part No.	Belt No.
Fan; W/50" Belt O.C.....		K140496 GS
Fan; W/52" Belt O.C.....		K140516 GS
Alt.; Optional Belt.....		②9485 GS
Alt.; Preferred Belt.....		2/9485FPB
A.C.....		9370 GS

LN7000

CATERPILLAR 3406 DIESEL ENG.

Belts

Application	Mfr. Part No.	Belt No.
Fan.....	F4HZ 8620 D	K140662 GS

- ② Two Required.
- ③ Three Required.
- ④ Four Required.

- GS Green Stripe® Construction.
- ↗ Use Notched Belt Only.
- ✂ Cut To Fit.

- ❖ Green Stripe® 4-Ply Coolant Hose Recommended.
- ⬆ Use Wire Inserted Green Stripe® Coolant Hose.
- ▲ Durion® Silicone Hose Recommended.
- ♦ PowerBand® Belt May Work, Use Template To Check.

For a maintenance free coolant connection, see PowerGrip® SB clamp application section.

Belts and Coolant Hose for Medium/Heavy Trucks (1990 And Newer)

FORD - Continued

1996 - Continued

LN7000 - Continued

CUMMINS 5.9 L DIESEL ENG.; FORD FD1060 DIESEL ENG.

Belts		
Application	Mfr. Part No.	Belt No.
Fan & Alt.....	F3HZ 8620 M	K080839 ^{GS}
P.S.....	C6TA 8620 J	9420 ^{GS}
Hyd. Brake Boost Pump.....	F4HT 8620 GA	9412 ^{GS}

Coolant Hose

Application	Molded or Strt.	Vulco-Flex®
Upper - Eng. To Pipe.....	1 3/4" I.D.	
Upper - Pipe To Rad.....	2" I.D.	

CUMMINS 8.3 L DIESEL ENG.; FORD FD1460 DIESEL ENG.

Belts		
Application	Mfr. Part No.	Belt No.
Alt.....	F3HZ 8620 C	K080720 ^{GS}
A.C.....	F3HZ 8620 D	9640 ^{GS}

CUMMINS N14 DIESEL ENG.

Belts		
Application	Mfr. Part No.	Belt No.
Fan.....		③TR22443 ^{GS}
Alt.....		②9435 ^{GS}
P.S.....		②9447 ^{GS}
A.C.....	C9PZ 8620 BS	9420 ^{GS}

LN8000; LNT8000

CATERPILLAR 3406 DIESEL ENG.

Belts		
Application	Mfr. Part No.	Belt No.
Fan.....	F4HZ 8620 D	K140662 ^{GS}

CUMMINS 5.9 L DIESEL ENG.; FORD FD1060 DIESEL ENG.

Belts		
Application	Mfr. Part No.	Belt No.
Alt.....	F3HZ 8620 M	K080839 ^{GS}

CUMMINS 8.3 L DIESEL ENG.; FORD FD1460 DIESEL ENG.

Belts		
Application	Mfr. Part No.	Belt No.
Fan & Alt.....	F3HZ 8620 C	K080720 ^{GS}
A.C.....	F3HZ 8620 D	9640 ^{GS}

CUMMINS N14 DIESEL ENG.

Belts		
Application	Mfr. Part No.	Belt No.
Fan.....		③TR22443 ^{GS}
Alt.....		②9435 ^{GS}
P.S.....		②9447 ^{GS}
A.C.....	C9PZ 8620 BS	9420 ^{GS}

LN9000; LNT9000

CATERPILLAR 3406 DIESEL ENG.

Belts		
Application	Mfr. Part No.	Belt No.
Fan.....	F4HZ 8620 D	K140662 ^{GS}

FORD - Continued

1996 - Continued

LN9000; LNT9000 - Continued

CUMMINS 5.9 L DIESEL ENG.; FORD FD1060 DIESEL ENG.

Belts		
Application	Mfr. Part No.	Belt No.
Alt.....	F3HZ 8620 M	K080839 ^{GS}

CUMMINS 8.3 L DIESEL ENG.; FORD FD1460 DIESEL ENG.

Belts		
Application	Mfr. Part No.	Belt No.
Alt.....	F3HZ 8620 C	K080720 ^{GS}
A.C.....	F3HZ 8620 D	9640 ^{GS}

CUMMINS L10 DIESEL ENG.

Belts		
Application	Mfr. Part No.	Belt No.
Fan; W/8-Ribbed Belt.....		K080570 ^{GS}
Alt.; W/Delco Alt.....		K050360 ^{GS}
A.C.....		9480 ^{GS}

Coolant Hose

Application	Molded or Strt.	Vulco-Flex®
Upper - Eng. To Pipe.....	2 1/4" I.D.	
Upper - Pipe To Rad.....	2 1/2" I.D.	
Lower - Eng. To Pipe.....	2" I.D.	
Lower - Pipe To Rad.....	2 1/2" I.D.	

CUMMINS N14 DIESEL ENG.

Belts		
Application	Mfr. Part No.	Belt No.
Fan.....		③TR22443 ^{GS}
Alt.....		②9435 ^{GS}
P.S.....		②9447 ^{GS}
A.C.....	C9PZ 8620 BS	9420 ^{GS}

LTS8000; LTS8000

CATERPILLAR 3406 DIESEL ENG.

Belts		
Application	Mfr. Part No.	Belt No.
Fan.....	F4HZ 8620 D	K140662 ^{GS}

CUMMINS 5.9 L DIESEL ENG.; FORD FD1060 DIESEL ENG.

Belts		
Application	Mfr. Part No.	Belt No.
Alt.....	F3HZ 8620 M	K080839 ^{GS}

CUMMINS 8.3 L DIESEL ENG.; FORD FD1460 DIESEL ENG.

Belts		
Application	Mfr. Part No.	Belt No.
Fan & Alt.....	F3HT 8620 GA	K080720 ^{GS}
Alt.....		K080720 ^{GS}
A.C.....		9640 ^{GS}
A.C.; W/63 1/2" Belt O.C.....	E7HT 8620 CA	9630 ^{GS}
A.C.; W/64 1/2" Belt O.C.....	F3HT 8620 D	9640 ^{GS}

CUMMINS N14 DIESEL ENG.

Belts		
Application	Mfr. Part No.	Belt No.
Fan.....		③TR22443 ^{GS}
Alt.....		②9435 ^{GS}
P.S.....		②9447 ^{GS}
A.C.....	C9PZ 8620 BS	9420 ^{GS}

- ② Two Required.
- ③ Three Required.
- ④ Four Required.

- ^{GS} Green Stripe® Construction.
- ↗ Use Notched Belt Only.
- ✂ Cut To Fit.

- ✦ Green Stripe® 4-Ply Coolant Hose Recommended.
- ▲ Use Wire Inserted Green Stripe® Coolant Hose.
- ▲ Durion® Silicone Hose Recommended.
- ◆ PowerBand® Belt May Work, Use Template To Check.

For a maintenance free coolant connection, see PowerGrip® SB clamp application section.

Belts and Coolant Hose for Medium/Heavy Trucks (1990 And Newer)

FORD - Continued

1996 - Continued

LT9000; LTL9000; LTS9000

CATERPILLAR 3176 DIESEL ENG.

Belts		
Application	Mfr. Part No.	Belt No.
Fan & Alt.; W/70 1/2" Belt O.C.....	F3HT 8620 L	K140700 ^{GS}
Fan & Alt.; W/78 1/2" Belt O.C.....	FOHT 8620 CA	K080780 ^{GS}
A.C.....	D2TE 8620 ADA	9447 ^{GS}

Coolant Hose

Application	Molded or Strt.	Vulco-Flex®
Lower; W/Man. Trans.....	22188	

CATERPILLAR 3306 DIESEL ENG.

Belts		
Application	Mfr. Part No.	Belt No.
Fan.....	E8HT 8620 VA	9605 ^{GS}
Alt.; Optional Belt.....		29540 ^{GS}
Alt.; Preferred Belt.....	E8HT 8620 AAA	2/9540PB

Coolant Hose

Application	Molded or Strt.	Vulco-Flex®
Upper - Eng. To Pipe.....	20987	
Upper - Pipe To Rad.....	2 1/2" I.D.	
Coolant Reservoir.....	1" I.D.	
Heater Hose; W/5/8" I.D. Hose.....	5/8" I.D.	

CATERPILLAR 3406 DIESEL ENG.

Belts		
Application	Mfr. Part No.	Belt No.
Fan; W/14-Ribbed Belt.....		K140662 ^{GS}
Alt.....	E4HT 8620 AAA	9530 ^{GS}
Alt.; Optional Belt.....		29545 ^{GS}
Alt.; Preferred Belt.....		2/9545PB
A.C.....		9525 ^{GS}

CUMMINS 5.9 L DIESEL ENG.; FORD FD1060 DIESEL ENG.

Belts		
Application	Mfr. Part No.	Belt No.
Alt.....	F3HZ 8620 M	K080839 ^{GS}

CUMMINS 8.3 L DIESEL ENG.; FORD FD1460 DIESEL ENG.

Belts		
Application	Mfr. Part No.	Belt No.
Alt.....	F3HZ 8620 C	K080720 ^{GS}
A.C.....	F3HZ 8620 D	9640 ^{GS}

CUMMINS L10 DIESEL ENG.

Coolant Hose

Application	Molded or Strt.	Vulco-Flex®
Upper - Eng. To Pipe.....	2 1/4" I.D.	
Upper - Pipe To Rad.....	2 1/2" I.D.	
Lower - Eng. To Pipe.....	2 1/2" I.D.	
Lower - Pipe To Rad.....	2 1/2" I.D.	

CUMMINS N14 DIESEL ENG.

Belts		
Application	Mfr. Part No.	Belt No.
Fan.....		3TR22443 ^{GS}
Alt.....		29435 ^{GS}

FORD - Continued

1996 - Continued

LTA9000

CUMMINS L10 DIESEL ENG.

Belts		
Application	Mfr. Part No.	Belt No.
Fan; W/14-Ribbed Belt.....		K140516 ^{GS}
Fan; W/8-Ribbed Belt.....		K080570 ^{GS}
Alt.....		K050360 ^{GS}
A.C.....		9480 ^{GS}

Coolant Hose

Application	Molded or Strt.	Vulco-Flex®
Upper - Eng. To Pipe.....	2 1/4" I.D.	
Upper - Pipe To Rad.....	2 1/2" I.D.	
Lower - Eng. To Pipe.....	2" I.D.	
Lower - Pipe To Rad.....	2 1/2" I.D.	

1995

CF7000; CF8000; CFT8000

CUMMINS 5.9 L DIESEL ENG.; FORD FD1060 DIESEL ENG.

Belts		
Application	Mfr. Part No.	Belt No.
Fan & Alt.....	F3HZ 8620 K	K080585 ^{GS}

CUMMINS 8.3 L DIESEL ENG.; FORD FD1460 DIESEL ENG.

Belts		
Application	Mfr. Part No.	Belt No.
Alt.....	F3HZ 8620 B	K080830 ^{GS}
A.C.....	F3HZ 8620 D	9640 ^{GS}

F600

CUMMINS 5.9 L DIESEL ENG.; FORD FD1060 DIESEL ENG.

Belts		
Application	Mfr. Part No.	Belt No.
Fan & Alt.....	F3HT 8620 SA	K080830 ^{GS}
P.S.....	C6TA 8620 J	9420 ^{GS}
Hyd. Brake Boost Pump.....	F4HT 8620 GA	9412 ^{GS}

Coolant Hose

Application	Molded or Strt.	Vulco-Flex®
Upper - Eng. To Pipe.....	1 3/4" I.D.	
Upper - Pipe To Rad.....	2" I.D.	
Lower - Pipe To Cooler.....	2" I.D.	

F700

CUMMINS 5.9 L DIESEL ENG.; FORD FD1060 DIESEL ENG.

Belts		
Application	Mfr. Part No.	Belt No.
Fan & Alt.....	F3HT 8620 CS	K080830 ^{GS}
Alt.; W/210 H.P., 230 H.P. Eng.....	F3HZ 8620 M	K080839 ^{GS}
P.S.....	C6TA 8620 J	9420 ^{GS}
Hyd. Brake Boost Pump.....	F4HT 8620 GA	9412 ^{GS}

Coolant Hose

Application	Molded or Strt.	Vulco-Flex®
Upper - Eng. To Pipe.....	1 3/4" I.D.	
Upper - Pipe To Rad.....	2" I.D.	
Lower - Pipe To Cooler.....	2" I.D.	

② Two Required.
③ Three Required.
④ Four Required.

^{GS} Green Stripe® Construction.
* Use Notched Belt Only.
∞ Cut To Fit.

✦ Green Stripe® 4-Ply Coolant Hose Recommended.
⊛ Use Wire Inserted Green Stripe® Coolant Hose.
▲ Durion® Silicone Hose Recommended.
♦ PowerBand® Belt May Work, Use Template To Check.

For a maintenance free coolant connection, see PowerGrip® SB clamp application section.

Belts and Coolant Hose for Medium/Heavy Trucks (1990 And Newer)

FORD - Continued

1995 - Continued

F700 - Continued

CUMMINS 8.3 L DIESEL ENG.; FORD FD1460 DIESEL ENG.

Belts		
Application	Mfr. Part No.	Belt No.
Alt.....	F3HZ 8620 C	K080720 ^{GS}
A.C.....	F3HZ 8620 D	9640 ^{GS}

FORD V-8 7.0 L ENG.

Belts		
Application	Mfr. Part No.	Belt No.
Fan; W/High Mount Fan; W/Idler Pulley.....	C9PZ 8620 CD	9480 ^{GS}
Alt.; W/40A., 60A. Alt.; W/Fan Clutch; W/Cowl.....	C9PZ 8620 FN	9440 ^{GS}
Alt.; W/40A., 60A. Alt.; W/Fan Clutch; W/O Cowl.....	E6PZ 8620 F	9435 ^{GS}
Alt.; W/40A., 60A. Alt.; W/Fixed Fan; W/Cowl.....	D9PZ 8620 M	9447 ^{GS}
Alt.; W/40A., 60A. Alt.; W/Fixed Fan; W/O Cowl.....	E6PZ 8620 G	9451 ^{GS}
Alt.; W/75A. Alt.; W/Fan Clutch; W/Cowl.....	D9PZ 8620 M	9447 ^{GS}
Alt.; W/75A. Alt.; W/Fan Clutch; W/O Cowl.....	D9PZ 8620 M	9447 ^{GS}
Alt.; W/75A. Alt.; W/Fixed Fan.....	E2HZ 8620 C	9463 ^{GS}
Alt.; W/90A., 130A. Alt.; W/Fan Clutch.....	E6PZ 8620 G	9451 ^{GS}
Alt.; W/90A., 130A. Alt.; W/Fixed Fan.....	E2HZ 8620 C	9463 ^{GS}
P.S.; W/Dual Belt Drive.....		②9580 ^{GS}
P.S.; W/Single Belt Drive.....	C9PZ 8620 CR	9540 ^{GS}
Air Compr.; W/Air Brakes.....	E8HZ 8620 A	9650 ^{GS}
Air Compr.; W/Hyd. Brakes.....	E0PZ 8620 G	9610 ^{GS}
Fan, P.S. & A.P.; Optional Belt.....		②9635 ^{GS}
Fan, P.S. & A.P.; Preferred Belt.....		2/9640PB
Fan, A.P. & Air Brake Compr.....	E3TE 8620 KA	9620 ^{GS}

F800

CUMMINS 5.9 L DIESEL ENG.; FORD FD1060 DIESEL ENG.

Belts		
Application	Mfr. Part No.	Belt No.
Fan & Alt.....	F3HZ 8620 B	K080830 ^{GS}
Fan & Alt.; W/210 H.P., 230 H.P. Eng.....	F3HZ 8620 M	K080839 ^{GS}
P.S.....	C6TA 8620 J	9420 ^{GS}
A.C.....	F4HZ 8620 GA	9412 ^{GS}
Hyd. Brake Boost Pump.....	F4HT 8620 GA	9412 ^{GS}

CUMMINS 8.3 L DIESEL ENG.; FORD FD1460 DIESEL ENG.

Belts		
Application	Mfr. Part No.	Belt No.
Fan & Alt.....	F3HZ 8620 C	K080720 ^{GS}
A.C.....	F3HT 8620 D	9640 ^{GS}

FORD V-8 7.0 L ENG.

Belts		
Application	Mfr. Part No.	Belt No.
Fan; W/High Mount Fan; W/Idler Pulley.....	C9PZ 8620 CD	9480 ^{GS}
Alt.; W/40A., 60A. Alt.; W/Fan Clutch; W/Cowl.....	C9PZ 8620 FN	9440 ^{GS}
Alt.; W/40A., 60A. Alt.; W/Fan Clutch; W/O Cowl.....	E6PZ 8620 F	9435 ^{GS}
Alt.; W/40A., 60A. Alt.; W/Fixed Fan; W/Cowl.....	D9PZ 8620 M	9447 ^{GS}
Alt.; W/40A., 60A. Alt.; W/Fixed Fan; W/O Cowl.....	E6PZ 8620 G	9451 ^{GS}
Alt.; W/75A. Alt.; W/Fan Clutch; W/Cowl.....	D9PZ 8620 M	9447 ^{GS}

FORD - Continued

1995 - Continued

F800 - Continued

FORD V-8 7.0 L ENG. - Continued

Belts - Continued		
Application	Mfr. Part No.	Belt No.
Alt.; W/75A. Alt.; W/Fan Clutch; W/O Cowl.....	D9PZ 8620 M	9447 ^{GS}
Alt.; W/75A. Alt.; W/Fixed Fan.....	E2HZ 8620 C	9463 ^{GS}
Alt.; W/90A., 130A. Alt.; W/Fan Clutch.....	E6PZ 8620 G	9451 ^{GS}
Alt.; W/90A., 130A. Alt.; W/Fixed Fan.....	E2HZ 8620 C	9463 ^{GS}
P.S.; W/Dual Belt Drive.....		②9580 ^{GS}
P.S.; W/Single Belt Drive.....	C9PZ 8620 CR	9540 ^{GS}
Air Compr.; W/Air Brakes.....	E8HZ 8620 A	9650 ^{GS}
Air Compr.; W/Hyd. Brakes.....	E0PZ 8620 G	9610 ^{GS}

FT900

CUMMINS 5.9 L DIESEL ENG.; FORD FD1060 DIESEL ENG.

Belts		
Application	Mfr. Part No.	Belt No.
Fan & Alt.....	F3HZ 8620 B	K080830 ^{GS}
Fan & Alt.; W/210 H.P., 230 H.P. Eng.....	F3HZ 8620 M	K080839 ^{GS}

CUMMINS 8.3 L DIESEL ENG.; FORD FD1460 DIESEL ENG.

Belts		
Application	Mfr. Part No.	Belt No.
Fan & Alt.....	F3HZ 8620 C	K080720 ^{GS}
A.C.....	F3HZ 8620 D	9640 ^{GS}

FORD V-8 7.0 L ENG.

Belts		
Application	Mfr. Part No.	Belt No.
Alt.; W/40A., 60A. Alt.; W/Fan Clutch; W/Cowl.....	C9PZ 8620 FN	9440 ^{GS}
Alt.; W/40A., 60A. Alt.; W/Fan Clutch; W/O Cowl.....	E6PZ 8620 F	9435 ^{GS}
Alt.; W/40A., 60A. Alt.; W/Fixed Fan; W/Cowl.....		②9447 ^{GS}
Alt.; W/40A., 60A. Alt.; W/Fixed Fan; W/O Cowl.....	E6PZ 8620 G	9451 ^{GS}
Alt.; W/75A. Alt.; W/Fan Clutch; W/Cowl.....		②9447 ^{GS}
Alt.; W/75A. Alt.; W/Fan Clutch; W/O Cowl.....	D9PZ 8620 M	9447 ^{GS}
Alt.; W/75A. Alt.; W/Fixed Fan.....	E2HZ 8620 C	9463 ^{GS}
Alt.; W/90A., 130A. Alt.; W/Fixed Fan.....	E2HZ 8620 C	9463 ^{GS}
Alt.; W/High Mount Fan; W/Idler Pulley.....	C9PZ 8620 CD	9480 ^{GS}
P.S.; W/Dual Belt Drive.....		②9580 ^{GS}
P.S.; W/Single Belt Drive.....	C9PZ 8620 CR	9540 ^{GS}
A.P.; W/Hyd. Brakes.....	E0PZ 8620 G	9610 ^{GS}
Air Compr.; W/Air Brakes.....	E8HZ 8620 A	9650 ^{GS}

L8000; LA8000; LS8000

CATERPILLAR 3406 DIESEL ENG.

Belts		
Application	Mfr. Part No.	Belt No.
Fan.....	F4HZ 8620 D	K140662 ^{GS}
Alt.....		②9530 ^{GS}

CUMMINS 5.9 L DIESEL ENG.; FORD FD1060 DIESEL ENG.

Belts		
Application	Mfr. Part No.	Belt No.
Alt.....	F3HZ 8620 M	K080839 ^{GS}

- ② Two Required.
- ③ Three Required.
- ④ Four Required.

- ^{GS} Green Stripe * Construction.
- ↗ Use Notched Belt Only.
- ✂ Cut To Fit.

- ✦ Green Stripe * 4-Ply Coolant Hose Recommended.
- ⊕ Use Wire Inserted Green Stripe * Coolant Hose.
- ▲ Durion * Silicone Hose Recommended.
- ⬄ PowerBand * Belt May Work, Use Template To Check.

For a maintenance free coolant connection, see PowerGrip® SB clamp application section.

Belts and Coolant Hose for Medium/Heavy Trucks (1990 And Newer)

FORD - Continued

1995 - Continued

L8000; LA8000; LS8000 - Continued

CUMMINS 8.3 L DIESEL ENG.; FORD FD1460 DIESEL ENG.

Belts		
Application	Mfr. Part No.	Belt No.
Fan & Alt.....	F3HZ 8620 C	K080720 ^{GS}
A.C.....	F3HZ 8620 D	9640 ^{GS}

CUMMINS N14 DIESEL ENG.

Belts		
Application	Mfr. Part No.	Belt No.
Fan.....		③TR22443 ^{GS}
Alt.....		②9435 ^{GS}
P.S.....		②9447 ^{GS}
A.C.....	C9PZ 8620 BS	9420 ^{GS}

L9000; LS9000

CATERPILLAR 3176 DIESEL ENG.

Belts		
Application	Mfr. Part No.	Belt No.
Fan & Alt.; W/70 1/2" Belt O.C.....	F3HT 8620 L	K140700 ^{GS}
Fan & Alt.; W/78 1/2" Belt O.C.....	FOHT 8620 CA	K080780 ^{GS}
A.C.; W/Bendix Fan Clutch.....	D9PZ 8620 M	9447 ^{GS}
A.C.; W/Eaton Clutch.....	E2HZ 8620 C	9463 ^{GS}

Coolant Hose

Application	Molded or Srtl.	Vulco-Flex®
Lower; W/Man. Trans.....	22188	

CATERPILLAR 3306 DIESEL ENG.

Belts		
Application	Mfr. Part No.	Belt No.
Fan; Optional Belt.....		②9590 ^{GS}
Fan; Preferred Belt.....	E4HT 8620 YA	2/9590PB
Alt.....		②9530 ^{GS}
A.C.....	C9PZ 8620 CD	9480 ^{GS}

CATERPILLAR 3406 DIESEL ENG.

Belts		
Application	Mfr. Part No.	Belt No.
Fan; W/10 Ribbed Belt.....	F1HZ 8620 G	K100618 ^{GS}
Fan; W/14-Ribbed Belt.....	F4HZ 8620 D	K140662 ^{GS}
Alt.....		②9530 ^{GS}

Coolant Hose

Application	Molded or Srtl.	Vulco-Flex®
Upper; W/P.S.....	22194	

CUMMINS 5.9 L DIESEL ENG.; FORD FD1060 DIESEL ENG.

Belts		
Application	Mfr. Part No.	Belt No.
Alt.....	F3HZ 8620 M	K080839 ^{GS}

CUMMINS 8.3 L DIESEL ENG.; FORD FD1460 DIESEL ENG.

Belts		
Application	Mfr. Part No.	Belt No.
Alt.....	F3HZ 8620 C	K080720 ^{GS}
A.C.....	F3HZ 8620 D	9640 ^{GS}

FORD - Continued

1995 - Continued

L9000; LS9000 - Continued

CUMMINS L10 DIESEL ENG.

Belts		
Application	Mfr. Part No.	Belt No.
Fan.....	F1HT 8620 AAA	K080575 ^{GS}
Alt.; W/Delco Alt.....	E4FZ 8620 C	K050360 ^{GS}
Alt.; W/Motorcraft Alt.....	F1HT 8620 BA	K050345 ^{GS}
A.C.....		9480 ^{GS}

CUMMINS N14 DIESEL ENG.

Belts		
Application	Mfr. Part No.	Belt No.
Fan.....		③TR22443 ^{GS}
Alt.....		②9435 ^{GS}
P.S.....		②9447 ^{GS}
A.C.....	C9PZ 8620 BS	9420 ^{GS}

LA9000; LTA9000

CATERPILLAR 3176 DIESEL ENG.

Belts		
Application	Mfr. Part No.	Belt No.
Fan & Alt.; W/70 1/2" Belt O.C.....	F3HT 8620 L	K140700 ^{GS}
Fan & Alt.; W/78 1/2" Belt O.C.....	FOHT 8620 CA	K080780 ^{GS}
A.C.....	D2TE 8620 ADA	9447 ^{GS}

CATERPILLAR 3406 DIESEL ENG.

Belts		
Application	Mfr. Part No.	Belt No.
Fan; W/10 Ribbed Belt.....	F1HZ 8620 H	K100510 ^{GS}
Fan; W/14 Ribbed Belt.....	F4HZ 8620 D	K140662 ^{GS}

CUMMINS 5.9 L DIESEL ENG.; FORD FD1060 DIESEL ENG.

Belts		
Application	Mfr. Part No.	Belt No.
Alt.....	F3HZ 8620 M	K080839 ^{GS}

CUMMINS 8.3 L DIESEL ENG.; FORD FD1460 DIESEL ENG.

Belts		
Application	Mfr. Part No.	Belt No.
Alt.....	F3HZ 8620 C	K080720 ^{GS}
A.C.....	F3HZ 8620 D	9640 ^{GS}

CUMMINS L10 DIESEL ENG.

Belts		
Application	Mfr. Part No.	Belt No.
Fan.....	F1HT 8620 AAA	K080575 ^{GS}
Alt.; W/Delco Alt.....	E4FZ 8620 C	K050360 ^{GS}
Alt.; W/Motorcraft Alt.....	F1HT 8620 BA	K050345 ^{GS}
A.C.....		9480 ^{GS}

CUMMINS N14 DIESEL ENG.

Belts		
Application	Mfr. Part No.	Belt No.
Fan.....		③TR22443 ^{GS}
Alt.....		②9435 ^{GS}
P.S.....		②9447 ^{GS}
A.C.....	C9PZ 8620 BS	9420 ^{GS}

LL9000; LLS9000

CATERPILLAR 3176 DIESEL ENG.

Belts		
Application	Mfr. Part No.	Belt No.
Fan & Alt.; W/70 1/2" Belt O.C.....	F3HT 8620 L	K140700 ^{GS}
Fan & Alt.; W/78 1/2" Belt O.C.....	FOHT 8620 CA	K080780 ^{GS}

- ② Two Required.
- ③ Three Required.
- ④ Four Required.

- ^{GS} Green Stripe® Construction.
- ↗ Use Notched Belt Only.
- ✂ Cut To Fit.

- ✦ Green Stripe® 4-Ply Coolant Hose Recommended.
- ⊛ Use Wire Inserted Green Stripe® Coolant Hose.
- ▲ Durion® Silicone Hose Recommended.
- ◆ PowerBand® Belt May Work, Use Template To Check.

For a maintenance free coolant connection, see PowerGrip® SB clamp application section.

Belts and Coolant Hose for Medium/Heavy Trucks (1990 And Newer)

FORD - Continued

1995 - Continued

LL9000; LLS9000 - Continued

CATERPILLAR 3176 DIESEL ENG. - Continued

Belts - Continued

Application	Mfr. Part No.	Belt No.
A.C.....	D2TE 8620 ADA	9447 GS

Coolant Hose

Application	Molded or Strt.	Vulco-Flex®
Lower; W/Man. Trans.....	22188	
Lower - Pipe To Rad.....	22191	

CATERPILLAR 3406 DIESEL ENG.

Belts

Application	Mfr. Part No.	Belt No.
Serpentine; W/55" Belt O.C.....	F4HZ 8620 C	K140555 GS
Fan; W/10 Ribbed Belt.....	F1HZ 8620 H	K100510 GS
Fan; W/14 Ribbed Belt.....	F4HZ 8620 D	K140662 GS
Fan & A.C.; W/375 H.P. Eng. & Under.....	F4HZ 8620 B	9550 GS
Fan, Alt. & A.C.; W/410 H.P. Eng. & Over.....	C9PZ 8620 FP	9490 GS ②9545 GS
Alt.; Optional Belt.....		
Alt.; Preferred Belt.....	E6HT 8620 AA	2/9545PB

CUMMINS 5.9 L DIESEL ENG.; FORD FD1060 DIESEL ENG.

Belts

Application	Mfr. Part No.	Belt No.
Alt.....	F3HZ 8620 M	K080839 GS

CUMMINS 8.3 L DIESEL ENG.; FORD FD1460 DIESEL ENG.

Belts

Application	Mfr. Part No.	Belt No.
Alt.....	F3HZ 8620 C	K080720 GS
A.C.....	F3HZ 8620 D	9640 GS

CUMMINS N14 DIESEL ENG.

Belts

Application	Mfr. Part No.	Belt No.
Fan; W/V-Belt Drive.....		③TR22443 GS K140370 GS
Fan; W/V-Ribbed Belt Drive.....	F4HZ 8620 A	
Alt.....		②9435 GS
P.S.....		②9447 GS
A.C.....	C9PZ 8620 BS	9420 GS

LLA9000; LTLA9000; LTLS9000

CATERPILLAR 3176 DIESEL ENG.

Belts

Application	Mfr. Part No.	Belt No.
Fan & Alt.; W/70 1/2" Belt O.C.....	F3HT 8620 L	K140700 GS
Fan & Alt.; W/78 1/2" Belt O.C.....	FOHT 8620 CA	K080780 GS
A.C.....	D2TE 8620 ADA	9447 GS

CATERPILLAR 3406 DIESEL ENG.

Belts

Application	Mfr. Part No.	Belt No.
Fan.....	F4HZ 8620 D	K140662 GS
Alt.; Optional Belt.....		②9545 GS
Alt.; Preferred Belt.....	E6HT 8620 AA	2/9545PB
A.C.....	D0HA 8620 AG	9525 GS

FORD - Continued

1995 - Continued

LLA9000; LTLA9000; LTLS9000 - Continued

CUMMINS 5.9 L DIESEL ENG.; FORD FD1060 DIESEL ENG.

Belts

Application	Mfr. Part No.	Belt No.
Alt.....	F3HZ 8620 M	K080839 GS

CUMMINS 8.3 L DIESEL ENG.; FORD FD1460 DIESEL ENG.

Belts

Application	Mfr. Part No.	Belt No.
Alt.....	F3HZ 8620 C	K080720 GS
A.C.....	F3HZ 8620 D	9640 GS

CUMMINS N14 DIESEL ENG.

Belts

Application	Mfr. Part No.	Belt No.
Fan.....		③TR22443 GS
Alt.....		②9435 GS
P.S.....		②9447 GS
A.C.....	C9PZ 8620 BS	9420 GS

DETROIT DIESEL SERIES 60 DIESEL ENG.

Belts

Application	Mfr. Part No.	Belt No.
Fan.....	F2HZ 8620 C	K140451 GS
P.S.....		9505 GS
A.C.....	E2HZ 8620 C	9463 GS

LN7000

CATERPILLAR 3406 DIESEL ENG.

Belts

Application	Mfr. Part No.	Belt No.
Fan.....	F4HZ 8620 D	K140662 GS

CUMMINS 5.9 L DIESEL ENG.; FORD FD1060 DIESEL ENG.

Belts

Application	Mfr. Part No.	Belt No.
Fan & Alt.....	F3HT 8620 SA	K080830 GS
Alt.....	F3HZ 8620 M	K080839 GS
P.S.....	C6TA 8620 J	9420 GS
Hyd. Brake Boost Pump.....	F4HT 8620 GA	9412 GS

Coolant Hose

Application	Molded or Strt.	Vulco-Flex®
Upper - Eng. To Pipe.....	1 3/4" I.D.	
Upper - Pipe To Rad.....	❖2" I.D.	
Lower - Pipe To Cooler.....	❖2" I.D.	

CUMMINS 8.3 L DIESEL ENG.; FORD FD1460 DIESEL ENG.

Belts

Application	Mfr. Part No.	Belt No.
Alt.....	F3HZ 8620 C	K080720 GS
A.C.....	F3HZ 8620 D	9640 GS

CUMMINS N14 DIESEL ENG.

Belts

Application	Mfr. Part No.	Belt No.
Fan.....		③TR22443 GS
Alt.....		②9435 GS
P.S.....		②9447 GS
A.C.....	C9PZ 8620 BS	9420 GS

② Two Required.
③ Three Required.
④ Four Required.

GS Green Stripe ® Construction.
↗ Use Notched Belt Only.
≍ Cut To Fit.

❖ Green Stripe ® 4-Ply Coolant Hose Recommended.
▲ Use Wire Inserted Green Stripe ® Coolant Hose.
▲ Durion ® Silicone Hose Recommended.
◆ PowerBand ® Belt May Work, Use Template To Check.

For a maintenance free coolant connection, see PowerGrip® SB clamp application section.

Belts and Coolant Hose for Medium/Heavy Trucks (1990 And Newer)

FORD - Continued

1995 - Continued

LN8000; LNT8000

CATERPILLAR 3406 DIESEL ENG.

Belts

Application	Mfr. Part No.	Belt No.
Fan.....	F4HZ 8620 D	K140662 ^{GS}

CUMMINS 5.9 L DIESEL ENG.; FORD FD1060 DIESEL ENG.

Belts

Application	Mfr. Part No.	Belt No.
Alt.....	F3HZ 8620 M	K080839 ^{GS}

CUMMINS 8.3 L DIESEL ENG.; FORD FD1460 DIESEL ENG.

Belts

Application	Mfr. Part No.	Belt No.
Fan & Alt.....	F1HT 8620 SA	K080710 ^{GS}
Alt.....	F3HZ 8620 C	K080720 ^{GS}
A.C.....	E8HT 8620 KA	9640 ^{GS}

CUMMINS N14 DIESEL ENG.

Belts

Application	Mfr. Part No.	Belt No.
Fan.....		③TR22443 ^{GS}
Alt.....		②9435 ^{GS}
P.S.....		②9447 ^{GS}
A.C.....	C9PZ 8620 BS	9420 ^{GS}

LN9000; LNT9000

CATERPILLAR 3176 DIESEL ENG.

Belts

Application	Mfr. Part No.	Belt No.
Fan & Alt.; W/70 1/2" Belt O.C.....	F3HT 8620 L	K140700 ^{GS}
Fan & Alt.; W/78 1/2" Belt O.C.....	FOHT 8620 CA	K080780 ^{GS}
A.C.....	D2TE 8620 ADA	9447 ^{GS}

Coolant Hose

Application	Molded or Strt.	Vulco-Flex®
Lower; W/Man. Trans.....	22188	

CATERPILLAR 3406 DIESEL ENG.

Belts

Application	Mfr. Part No.	Belt No.
Fan.....	F4HZ 8620 D	K140662 ^{GS}

Coolant Hose

Application	Molded or Strt.	Vulco-Flex®
Upper; W/P.S.....	22194	

CUMMINS 5.9 L DIESEL ENG.; FORD FD1060 DIESEL ENG.

Belts

Application	Mfr. Part No.	Belt No.
Alt.....	F3HZ 8620 M	K080839 ^{GS}

CUMMINS 8.3 L DIESEL ENG.; FORD FD1460 DIESEL ENG.

Belts

Application	Mfr. Part No.	Belt No.
Alt.....	F3HZ 8620 C	K080720 ^{GS}
A.C.....	F3HZ 8620 D	9640 ^{GS}

FORD - Continued

1995 - Continued

LN9000; LNT9000 - Continued

CUMMINS L10 DIESEL ENG.

Belts

Application	Mfr. Part No.	Belt No.
Fan.....	F1HT 8620 AAA	K080575 ^{GS}
Alt.; W/Delco Alt.....	E4FZ 8620 C	K050360 ^{GS}
Alt.; W/Motorcraft Alt.; W/34 1/2" Belt O.C.....	E4HT 8620 KB	K050340 ^{GS}
Alt.; W/Motorcraft Alt.; W/35" Belt O.C.....	F1HT 8620 BA	K050345 ^{GS}
A.C.....		9480 ^{GS}

CUMMINS N14 DIESEL ENG.

Belts

Application	Mfr. Part No.	Belt No.
Fan.....		③TR22443 ^{GS}
Alt.....		②9435 ^{GS}
P.S.....		②9447 ^{GS}
A.C.....	C9PZ 8620 BS	9420 ^{GS}

LTS8000; LTS8000

CATERPILLAR 3406 DIESEL ENG.

Belts

Application	Mfr. Part No.	Belt No.
Fan.....	F4HZ 8620 D	K140662 ^{GS}

CUMMINS 5.9 L DIESEL ENG.; FORD FD1060 DIESEL ENG.

Belts

Application	Mfr. Part No.	Belt No.
Alt.....	F3HZ 8620 M	K080839 ^{GS}

CUMMINS 8.3 L DIESEL ENG.; FORD FD1460 DIESEL ENG.

Belts

Application	Mfr. Part No.	Belt No.
Fan & Alt.....	F1HT 8620 SA	K080710 ^{GS}
Alt.....	F3HZ 8620 C	K080720 ^{GS}
A.C.....	F3HZ 8620 D	9640 ^{GS}

CUMMINS N14 DIESEL ENG.

Belts

Application	Mfr. Part No.	Belt No.
Fan.....		③TR22443 ^{GS}
Alt.....		②9435 ^{GS}
P.S.....		②9447 ^{GS}
A.C.....	C9PZ 8620 BS	9420 ^{GS}

LTS9000; LTL9000; LTS9000

CATERPILLAR 3176 DIESEL ENG.

Belts

Application	Mfr. Part No.	Belt No.
Fan & Alt.; W/70 1/2" Belt O.C.....	F3HT 8620 L	K140700 ^{GS}
Fan & Alt.; W/78 1/2" Belt O.C.....	FOHT 8620 CA	K080780 ^{GS}
A.C.....	D2TE 8620 ADA	9447 ^{GS}

Coolant Hose

Application	Molded or Strt.	Vulco-Flex®
Lower; W/Man. Trans.....	22188	
Lower - Pipe To Rad.....	22191	

CATERPILLAR 3306 DIESEL ENG.

Belts

Application	Mfr. Part No.	Belt No.
Fan; Optional Belt.....		②9590 ^{GS}

② Two Required.
③ Three Required.
④ Four Required.

^{GS} Green Stripe® Construction.
✚ Use Notched Belt Only.
✂ Cut To Fit.

✚ Green Stripe® 4-Ply Coolant Hose Recommended.
✚ Use Wire Inserted Green Stripe® Coolant Hose.
▲ Durion® Silicone Hose Recommended.
✚ PowerBand® Belt May Work, Use Template To Check.

For a maintenance free coolant connection, see PowerGrip® SB clamp application section.

Belts and Coolant Hose for Medium/Heavy Trucks (1990 And Newer)

FORD - Continued

1995 - Continued

LT9000; LTL9000; LTS9000 - Continued

CATERPILLAR 3306 DIESEL ENG. - Continued

Belts - Continued

Application	Mfr. Part No.	Belt No.
Fan; Preferred Belt	E4HT 8620 YA	2/9590PB
Alt.; Optional Belt		2/9540^{GS}
Alt.; Preferred Belt		2/9540PB

CATERPILLAR 3406 DIESEL ENG.

Belts

Application	Mfr. Part No.	Belt No.
Fan; W/10 Ribbed Belt	F1HZ 8620 H	K100510^{GS}
Fan; W/14-Ribbed Belt	F4HZ 8620 D	K140662^{GS}
Alt.; Optional Belt		2/9545^{GS}
Alt.; Preferred Belt	E6HT 8620 AA	2/9545PB
A.C.	D0HA 8620 AG	9525^{GS}

Coolant Hose

Application	Molded or Strt.	Vulco-Flex®
Upper; W/P.S.	22194	

CUMMINS 5.9 L DIESEL ENG.; FORD FD1060 DIESEL ENG.

Belts

Application	Mfr. Part No.	Belt No.
Alt.	F3HZ 8620 M	K080839^{GS}

CUMMINS 8.3 L DIESEL ENG.; FORD FD1460 DIESEL ENG.

Belts

Application	Mfr. Part No.	Belt No.
Alt.	F3HZ 8620 C	K080720^{GS}
A.C.	F3HZ 8620 D	9640^{GS}

CUMMINS L10 DIESEL ENG.

Belts

Application	Mfr. Part No.	Belt No.
Fan	F1HT 8620 AAA	K080575^{GS}
Alt.; W/Delco Alt.	E4FZ 8620 C	K050360^{GS}
Alt.; W/Motorcraft Alt.	F1HT 8620 BA	K050345^{GS}
A.C.		9480^{GS}

CUMMINS N14 DIESEL ENG.

Belts

Application	Mfr. Part No.	Belt No.
Fan		3/2R22443^{GS}
Alt.		2/9435^{GS}
P.S.		2/9447^{GS}
A.C.	C9PZ 8620 BS	9420^{GS}

LTA9000

CUMMINS L10 DIESEL ENG.

Belts

Application	Mfr. Part No.	Belt No.
Fan	F1HT 8620 AAA	K080575^{GS}
Alt.; W/Delco Alt.	E4FZ 8620 C	K050360^{GS}
Alt.; W/Motorcraft Alt.	F1HT 8620 BA	K050345^{GS}
A.C.		9480^{GS}

FORD - Continued

1994

CF7000; CF8000; CFT8000

CUMMINS 5.9 L DIESEL ENG.; FORD FD1060 DIESEL ENG.

Belts

Application	Mfr. Part No.	Belt No.
Fan & Alt.	F3HT 8620 TA	K080585^{GS}

Coolant Hose

Application	Molded or Strt.	Vulco-Flex®
Upper	2" I.D.	
Lower	2" I.D.	
Lower - Pipe To Rad.	2" I.D.	

CUMMINS 8.3 L DIESEL ENG.; FORD FD1460 DIESEL ENG.

Belts

Application	Mfr. Part No.	Belt No.
Fan & Alt.; W/72 7/8" Belt O.C.	F3HT 8620 GA	K080720^{GS}
Alt.	F3HZ 8620 B	K080830^{GS}
A.C.	F3HZ 8620 D	9640^{GS}

CF8000

CUMMINS 8.3 L DIESEL ENG.; FORD FD1460 DIESEL ENG.

Coolant Hose

Application	Molded or Strt.	Vulco-Flex®
Upper	2" I.D.	
Lower - Pipe To Rad.	2" I.D.	

CFT8000

CUMMINS 8.3 L DIESEL ENG.; FORD FD1460 DIESEL ENG.

Coolant Hose

Application	Molded or Strt.	Vulco-Flex®
Upper	2" I.D.	
Lower - Pipe To Rad.	2" I.D.	

F600

CUMMINS 5.9 L DIESEL ENG.; FORD FD1060 DIESEL ENG.

Belts

Application	Mfr. Part No.	Belt No.
Fan & Alt.	F3HT 8620 SA	K080830^{GS}
Fan & Alt.; W/210 H.P., 230 H.P. Eng.	F3HZ 8620 M	K080839^{GS}
P.S.	C6TA 8620 J	9420^{GS}
Hyd. Brake Boost Pump	F4HT 8620 GA	9412^{GS}

Coolant Hose

Application	Molded or Strt.	Vulco-Flex®
Upper - Eng. To Pipe	1 3/4" I.D.	
Upper - Pipe To Rad.	2" I.D.	
Lower	2" I.D.	
Lower - Pipe To Cooler	2" I.D.	
Heater Hose; W/3/4" I.D. Hose	3/4" I.D.	

- ② Two Required.
- ③ Three Required.
- ④ Four Required.

- ^{GS} Green Stripe® Construction.
- ✦ Use Notched Belt Only.
- ✂ Cut To Fit.

- ✦ Green Stripe® 4-Ply Coolant Hose Recommended.
- ✦ Use Wire Inserted Green Stripe® Coolant Hose.
- ▲ Durion® Silicone Hose Recommended.
- ✦ PowerBand® Belt May Work, Use Template To Check.

For a maintenance free coolant connection, see PowerGrip® SB clamp application section.

Belts and Coolant Hose for Medium/Heavy Trucks (1990 And Newer)

FORD - Continued

1994 - Continued

F600 - Continued

CUMMINS 8.3 L DIESEL ENG.; FORD FD1460 DIESEL ENG.

Belts		
Application	Mfr. Part No.	Belt No.
Alt.....	F3HZ 8620 G	K080720 ^{GS}
A.C.....	F3HZ 8620 D	9640 ^{GS}

FORD V-8 7.0 L ENG.

Belts		
Application	Mfr. Part No.	Belt No.
Fan; W/High Mount Fan; W/Idler Pulley.....	C9PZ 8620 CD	9480 ^{GS}
Fan & Alt.; W/40A., 60A. Alt.; W/Fan Clutch; W/Cowl.....	C9PZ 8620 FN	9440 ^{GS}
Fan & Alt.; W/40A., 60A. Alt.; W/Fan Clutch; W/O Cowl.....	E6PZ 8620 F	9435 ^{GS}
Fan & Alt.; W/40A., 60A. Alt.; W/Fixed Fan; W/Cowl.....	D9PZ 8620 M	9447 ^{GS}
Fan & Alt.; W/40A., 60A. Alt.; W/Fixed Fan; W/O Cowl.....	E6PZ 8620 G	9451 ^{GS}
Fan & Alt.; W/75A. Alt.; W/Fan Clutch; W/Cowl.....	D9PZ 8620 M	9447 ^{GS}
Fan & Alt.; W/75A. Alt.; W/Fan Clutch; W/O Cowl.....	D9PZ 8620 M	9447 ^{GS}
Fan & Alt.; W/75A. Alt.; W/Fixed Fan.....	E2HZ 8620 C	9463 ^{GS}
Fan & Alt.; W/90A., 130A. Alt.; W/Fan Clutch.....	E6PZ 8620 G	9451 ^{GS}
Fan & Alt.; W/90A., 130A. Alt.; W/Fixed Fan.....	E2HZ 8620 C	9463 ^{GS}
P.S.; W/Dual Belt Drive.....		②9580 ^{GS}
P.S.; W/Single Belt Drive.....	C9PZ 8620 CR	9540 ^{GS}
A.C.; W/1/2" Belt T.W.....	E5TE 8620 GA	9355 ^{GS}
A.C.; W/3/8" Belt T.W.....	F1HZ 8620 E	7660
Fan, A.C. & A.P.....		9640 ^{GS}
Air Compr.; W/Air Brakes.....	E8HZ 8620 A	9650 ^{GS}
Air Compr.; W/Hyd. Brakes.....	E0PZ 8620 G	9610 ^{GS}
Fan, P.S. & A.P.; Optional Belt.....		②9635 ^{GS}
Fan, P.S. & A.P.; Preferred Belt.....		2/9640PB
Idler.....	D4HE 8620 CA	9480 ^{GS}

Coolant Hose

Application	Molded or Strt.	Vulco-Flex®
Upper; W/Auto. Trans.; W/O P.T.O.....	21938	
Upper; W/Man. Trans.....	21938	
By Pass.....	>21942	
Heater Hose; W/5/8" I.D. Hose.....	5/8" I.D.	

F700

CUMMINS 5.9 L DIESEL ENG.; FORD FD1060 DIESEL ENG.

Belts		
Application	Mfr. Part No.	Belt No.
Fan & Alt.....	F3HZ 8620 B	K080830 ^{GS}
Fan & Alt.; W/210 H.P., 230 H.P. Eng.....	F3HZ 8620 M	K080839 ^{GS}
P.S.....	C6TA 8620 J	9420 ^{GS}
Hyd. Brake Boost Pump.....	F4HT 8620 GA	9412 ^{GS}

Coolant Hose

Application	Molded or Strt.	Vulco-Flex®
Upper - Eng. To Pipe.....	1 3/4" I.D.	
Upper - Pipe To Rad.....	②2" I.D.	
Lower.....	②2" I.D.	
Lower - Pipe To Cooler.....	②2" I.D.	
Heater Hose; W/3/4" I.D. Hose.....	3/4" I.D.	

- ② Two Required.
- ③ Three Required.
- ④ Four Required.

- ^{GS} Green Stripe® Construction.
- ↗ Use Notched Belt Only.
- ∞ Cut To Fit.

- ✦ Green Stripe® 4-Ply Coolant Hose Recommended.
- ⊙ Use Wire Inserted Green Stripe® Coolant Hose.
- ▲ Durion® Silicone Hose Recommended.
- ◆ PowerBand® Belt May Work, Use Template To Check.

For a maintenance free coolant connection, see PowerGrip® SB clamp application section.

FORD - Continued

1994 - Continued

F700 - Continued

CUMMINS 8.3 L DIESEL ENG.; FORD FD1460 DIESEL ENG.

Belts		
Application	Mfr. Part No.	Belt No.
Alt.....	F3HZ 8620 G	K080720 ^{GS}
A.C.....	F3HZ 8620 D	9640 ^{GS}

FORD V-8 7.0 L ENG.

Belts		
Application	Mfr. Part No.	Belt No.
Fan; W/High Mount Fan; W/Idler Pulley.....	C9PZ 8620 CD	9480 ^{GS}
Alt.; W/40A., 60A. Alt.; W/Fan Clutch; W/Cowl.....	C9PZ 8620 FN	9440 ^{GS}
Alt.; W/40A., 60A. Alt.; W/Fan Clutch; W/O Cowl.....	E6PZ 8620 F	9435 ^{GS}
Alt.; W/40A., 60A. Alt.; W/Fixed Fan; W/Cowl.....	D9PZ 8620 M	9447 ^{GS}
Alt.; W/40A., 60A. Alt.; W/Fixed Fan; W/O Cowl.....	E6PZ 8620 G	9451 ^{GS}
Alt.; W/75A. Alt.; W/Fan Clutch; W/Cowl.....	D9PZ 8620 M	9447 ^{GS}
Alt.; W/75A. Alt.; W/Fan Clutch; W/O Cowl.....	D9PZ 8620 M	9447 ^{GS}
Alt.; W/75A. Alt.; W/Fixed Fan.....	E2HZ 8620 C	9463 ^{GS}
Alt.; W/90A., 130A. Alt.; W/Fan Clutch.....	E6PZ 8620 G	9451 ^{GS}
Alt.; W/90A., 130A. Alt.; W/Fixed Fan..	E2HZ 8620 C	9463 ^{GS}
P.S.; W/Dual Belt Drive.....		②9580 ^{GS}
P.S.; W/Single Belt Drive.....	C9PZ 8620 CR	9540 ^{GS}
A.C.....	F1HZ 8620 E	7660
Air Compr.; W/Air Brakes.....	E8HZ 8620 A	9650 ^{GS}
Air Compr.; W/Hyd. Brakes.....	E0PZ 8620 G	9610 ^{GS}
Fan, P.S. & A.P.; Optional Belt.....		②9635 ^{GS}
Fan, P.S. & A.P.; Preferred Belt.....		2/9640PB

Coolant Hose

Application	Molded or Strt.	Vulco-Flex®
Upper; W/Auto. Trans.; W/O P.T.O.....	21938	
Upper; W/Man. Trans.....	21938	
By Pass.....	>21942	
Heater Hose; W/5/8" I.D. Hose.....	5/8" I.D.	

F800

CUMMINS 5.9 L DIESEL ENG.; FORD FD1060 DIESEL ENG.

Belts		
Application	Mfr. Part No.	Belt No.
Fan & Alt.....	F3HZ 8620 B	K080830 ^{GS}
Fan & Alt.; W/210 H.P., 230 H.P. Eng.....	F3HZ 8620 M	K080839 ^{GS}
P.S.....	C6TA 8620 J	9420 ^{GS}
Hyd. Brake Boost Pump.....	F4HT 8620 GA	9412 ^{GS}

CUMMINS 8.3 L DIESEL ENG.; FORD FD1460 DIESEL ENG.

Belts		
Application	Mfr. Part No.	Belt No.
Fan & Alt.....	F3HT 8620 GA	K080720 ^{GS}
Alt.....	F3HZ 8620 C	K080720 ^{GS}
A.C.....	F3HT 8620 D	9640 ^{GS}

FORD V-8 7.0 L ENG.

Belts		
Application	Mfr. Part No.	Belt No.
Fan; W/High Mount Fan; W/Idler Pulley.....	C9PZ 8620 CD	9480 ^{GS}
Alt.; W/40A., 60A. Alt.; W/Fan Clutch; W/Cowl.....	C9PZ 8620 FN	9440 ^{GS}

Belts and Coolant Hose for Medium/Heavy Trucks (1990 And Newer)

FORD - Continued

1994 - Continued

F800 - Continued

FORD V-8 7.0 L ENG. - Continued

Belts - Continued

Application	Mfr. Part No.	Belt No.
Alt.; W/40A., 60A. Alt.; W/Fan Clutch; W/O Cowl.....	E6PZ 8620 F	9435 GS
Alt.; W/40A., 60A. Alt.; W/Fixed Fan; W/Cowl.....	D9PZ 8620 M	9447 GS
Alt.; W/40A., 60A. Alt.; W/Fixed Fan; W/O Cowl.....	E6PZ 8620 G	9451 GS
Alt.; W/75A. Alt.; W/Fan Clutch; W/Cowl.....	D9PZ 8620 M	9447 GS
Alt.; W/75A. Alt.; W/Fan Clutch; W/O Cowl.....	D9PZ 8620 M	9447 GS
Alt.; W/75A. Alt.; W/Fixed Fan.....	E2HZ 8620 C	9463 GS
Alt.; W/90A., 130A. Alt.; W/Fan Clutch.....	E6PZ 8620 G	9451 GS
Alt.; W/90A., 130A. Alt.; W/Fixed Fan.. P.S.....	E2HZ 8620 C	9463 GS
A.C.....	C9PZ 8620 CR	9540 GS
Air Compr.; W/Air Brakes.....	F1HZ 8620 E	7660
Air Compr.; W/Hyd. Brakes.....	E8HZ 8620 A	9650 GS
	E0PZ 8620 G	9610 GS

Coolant Hose

Application	Molded or Strt.	Vulco-Flex®
Upper; W/Auto. Trans.; W/O P.T.O.....	21938	
Upper; W/Man. Trans.....	21938	
By Pass.....	>21942	
Heater Hose; W/5/8" I.D. Hose.....	5/8" I.D.	

F900

CUMMINS 8.3 L DIESEL ENG.; FORD FD1460 DIESEL ENG.

Belts

Application	Mfr. Part No.	Belt No.
Fan & Alt.....	F3HT 8620 GA	K080720 GS
A.C.....	F3HT 8620 D	9640 GS

FT900

CUMMINS 5.9 L DIESEL ENG.; FORD FD1060 DIESEL ENG.

Belts

Application	Mfr. Part No.	Belt No.
Alt.....	F3HZ 8620 B	K080830 GS
Alt.; W/210 H.P., 230 H.P. Eng.....	F3HZ 8620 M	K080839 GS

CUMMINS 8.3 L DIESEL ENG.; FORD FD1460 DIESEL ENG.

Belts

Application	Mfr. Part No.	Belt No.
Alt.....	F3HZ 8620 C	K080720 GS
A.C.....	F3HZ 8620 D	9640 GS

FORD V-8 7.0 L ENG.

Belts

Application	Mfr. Part No.	Belt No.
Alt.; W/40A., 60A. Alt.; W/Fan Clutch; W/Cowl.....	C9PZ 8620 FN	9440 GS
Alt.; W/40A., 60A. Alt.; W/Fan Clutch; W/O Cowl.....	E6PZ 8620 F	9435 GS
Alt.; W/40A., 60A. Alt.; W/Fixed Fan; W/Cowl.....		②9447 GS
Alt.; W/40A., 60A. Alt.; W/Fixed Fan; W/O Cowl.....	E6PZ 8620 G	9451 GS
Alt.; W/75A. Alt.; W/Fan Clutch; W/Cowl.....		②9447 GS
Alt.; W/75A. Alt.; W/Fan Clutch; W/O Cowl.....	D9PZ 8620 M	9447 GS
Alt.; W/75A. Alt.; W/Fixed Fan.....	E2HZ 8620 C	9463 GS

FORD - Continued

1994 - Continued

FT900 - Continued

FORD V-8 7.0 L ENG. - Continued

Belts - Continued

Application	Mfr. Part No.	Belt No.
Alt.; W/90A., 130A. Alt.; W/Fixed Fan.. Alt.; W/High Mount Fan; W/Idler Pulley.....	E2HZ 8620 C	9463 GS
P.S.; W/Dual Belt Drive.....	C9PZ 8620 CD	9480 GS
P.S.; W/Single Belt Drive.....	C9PZ 8620 CR	②9580 GS
A.P.; W/Hyd. Brakes.....	E0PZ 8620 G	9540 GS
Air Compr.; W/Air Brakes.....	E8HZ 8620 A	9610 GS
		9650 GS

L8000; LA8000; LS8000

CATERPILLAR 3406 DIESEL ENG.

Belts

Application	Mfr. Part No.	Belt No.
Fan.....	F4HZ 8620 D	K140662 GS
Alt.....		②9530 GS

CUMMINS 5.9 L DIESEL ENG.; FORD FD1060 DIESEL ENG.

Belts

Application	Mfr. Part No.	Belt No.
Alt.....	F3HZ 8620 M	K080839 GS

CUMMINS 8.3 L DIESEL ENG.; FORD FD1460 DIESEL ENG.

Belts

Application	Mfr. Part No.	Belt No.
Fan & Alt.....	F3HT 8620 GA	K080720 GS
A.C.....	E7HT 8620 CA	9630 GS

Coolant Hose

Application	Molded or Strt.	Vulco-Flex®
Upper - Eng. To Pipe.....	❖2 1/4" I.D.	
Upper - Pipe To Rad.....	❖2" I.D.	
Lower - Eng. To Pipe.....	21901	
Lower - Pipe To Rad.....	❖2 1/2" I.D.	

CUMMINS N14 DIESEL ENG.

Belts

Application	Mfr. Part No.	Belt No.
Fan.....		③TR22443 GS
Alt.....		②9435 GS
P.S.....		②9447 GS
A.C.....	C9PZ 8620 BS	9420 GS

L9000; LS9000

CATERPILLAR 3176 DIESEL ENG.

Belts

Application	Mfr. Part No.	Belt No.
Fan & Alt.; W/70 1/2" Belt O.C.....	F3HT 8620 L	K140700 GS
Fan & Alt.; W/78 1/2" Belt O.C.....	FOHT 8620 CA	K080780 GS
A.C.....	D2TE 8620 ADA	9447 GS

CATERPILLAR 3306 DIESEL ENG.

Belts

Application	Mfr. Part No.	Belt No.
Fan; Optional Belt.....		②9590 GS
Fan; Preferred Belt.....	E4HT 8620 YA	2/9590PB
Alt.; Optional Belt.....		②9540 GS
Alt.; Preferred Belt.....		2/9540PB
A.C.....	C9PZ 8620 CD	9480 GS

- ② Two Required.
- ③ Three Required.
- ④ Four Required.

- GS Green Stripe® Construction.
- ↗ Use Notched Belt Only.
- ✂ Cut To Fit.

- ❖ Green Stripe® 4-Ply Coolant Hose Recommended.
- ⊛ Use Wire Inserted Green Stripe® Coolant Hose.
- ▲ Durion® Silicone Hose Recommended.
- ✦ PowerBand® Belt May Work, Use Template To Check.

For a maintenance free coolant connection, see PowerGrip® SB clamp application section.

Belts and Coolant Hose for Medium/Heavy Trucks (1990 And Newer)

FORD - Continued

1994 - Continued

L9000; LS9000 - Continued

CATERPILLAR 3406 DIESEL ENG.

Belts

Application	Mfr. Part No.	Belt No.
Fan; W/10 Ribbed Belt	F1HZ 8620 H	K100510 GS
Fan; W/14-Ribbed Belt	F4HZ 8620 D	K140662 GS
Alt.....		Ⓣ 9530 GS

Coolant Hose

Application	Molded or Strt.	Vulco-Flex®
Upper; W/P.S.	22194	

CUMMINS 5.9 L DIESEL ENG.; FORD FD1060 DIESEL ENG.

Belts

Application	Mfr. Part No.	Belt No.
Alt.....	F3HZ 8620 M	K080839 GS

CUMMINS 8.3 L DIESEL ENG.; FORD FD1460 DIESEL ENG.

Belts

Application	Mfr. Part No.	Belt No.
Alt.....	F3HZ 8620 C	K080720 GS
A.C.....	F3HZ 8620 D	9640 GS

CUMMINS L10 DIESEL ENG.

Belts

Application	Mfr. Part No.	Belt No.
Fan; Dec. 2, 1991 & Newer	F1HT 8620 AAA	K080575 GS
Alt.; W/Delco Alt.....	E4FZ 8620 C	K050360 GS
Alt.; W/Motorcraft Alt.....	F1HT 8620 BA	K050345 GS
A.C.....		9480 GS

Coolant Hose

Application	Molded or Strt.	Vulco-Flex®
Upper - Eng. To Pipe.....	✳ 2 1/4" I.D.	

CUMMINS N14 DIESEL ENG.

Belts

Application	Mfr. Part No.	Belt No.
W.P.....	3076492	K060425 GS
Fan.....		③ TR22443 GS
Alt.; Optional Belt.....		② 9435 GS
Alt.; Preferred Belt.....	E6PZ 8620 F	2/9435PB
P.S.....		② 9447 GS
A.C.....	C9PZ 8620 BS	9420 GS

Coolant Hose

Application	Molded or Strt.	Vulco-Flex®
Upper - Eng. To Pipe.....	✳ 2 1/4" I.D.	

LA9000; LTA9000

CATERPILLAR 3176 DIESEL ENG.

Belts

Application	Mfr. Part No.	Belt No.
Fan & Alt.; W/70 1/2" Belt O.C.....	F3HT 8620 L	K140700 GS
Fan & Alt.; W/78 1/2" Belt O.C.....	FOHT 8620 CA	K080780 GS
A.C.....	D2TE 8620 ADA	9447 GS

CATERPILLAR 3406 DIESEL ENG.

Belts

Application	Mfr. Part No.	Belt No.
Fan.....	F4HZ 8620 D	K100510 GS

FORD - Continued

1994 - Continued

LA9000; LTA9000 - Continued

CUMMINS 5.9 L DIESEL ENG.; FORD FD1060 DIESEL ENG.

Belts

Application	Mfr. Part No.	Belt No.
Alt.....	F3HZ 8620 M	K080839 GS

CUMMINS 8.3 L DIESEL ENG.; FORD FD1460 DIESEL ENG.

Belts

Application	Mfr. Part No.	Belt No.
Alt.....	F3HZ 8620 C	K080720 GS
A.C.....	F3HZ 8620 D	9640 GS

CUMMINS L10 DIESEL ENG.

Belts

Application	Mfr. Part No.	Belt No.
Fan; Dec. 2, 1991 & Newer	F1HT 8620 AAA	K080575 GS
Alt.; W/Delco Alt.....	E4FZ 8620 C	K050360 GS
Alt.; W/Motorcraft Alt.....	F1HT 8620 BA	K050345 GS
A.C.....		9480 GS

Coolant Hose

Application	Molded or Strt.	Vulco-Flex®
Upper - Eng. To Pipe.....	✳ 2 1/4" I.D.	

CUMMINS N14 DIESEL ENG.

Belts

Application	Mfr. Part No.	Belt No.
Fan.....		③ TR22443 GS
Alt.....		② 9435 GS
P.S.....		② 9447 GS
A.C.....	C9PZ 8620 BS	9420 GS

LL9000; LLS9000

CATERPILLAR 3176 DIESEL ENG.

Belts

Application	Mfr. Part No.	Belt No.
Fan & Alt.; W/70 1/2" Belt O.C.....	F3HT 8620 L	K140700 GS
Fan & Alt.; W/78 1/2" Belt O.C.....	FOHT 8620 CA	K080780 GS
A.C.....	D2TE 8620 ADA	9447 GS

Coolant Hose

Application	Molded or Strt.	Vulco-Flex®
Lower - Pipe To Rad.....	22191	

CATERPILLAR 3406 DIESEL ENG.

Belts

Application	Mfr. Part No.	Belt No.
Serpentine; W/55" Belt O.C.....	F4HZ 8620 C	K140555 GS
Fan; W/51 1/2" Belt O.C.....	F1HZ 8620 H	K100510 GS
Fan; W/66" Belt O.C.....	F4HZ 8620 D	K140662 GS
Fan & A.C.....	C9PZ 8620 FP	9490 GS
Fan, Alt. & A.C.....	F4HZ 8620 B	9550 GS
Alt.; Optional Belt.....		② 9545 GS
Alt.; Preferred Belt.....	E6HT 8620 AA	2/9545PB
A.C.....	D0HA 8620 AG	9525 GS

CUMMINS 5.9 L DIESEL ENG.; FORD FD1060 DIESEL ENG.

Belts

Application	Mfr. Part No.	Belt No.
Alt.....	F3HZ 8620 M	K080839 GS

- ② Two Required.
- ③ Three Required.
- ④ Four Required.

- GS Green Stripe® Construction.
- ✳ Use Notched Belt Only.
- ✂ Cut To Fit.

- ✳ Green Stripe® 4-Ply Coolant Hose Recommended.
- Ⓣ Use Wire Inserted Green Stripe® Coolant Hose.
- ▲ Durion® Silicone Hose Recommended.
- ✧ PowerBand® Belt May Work, Use Template To Check.

For a maintenance free coolant connection, see PowerGrip® SB clamp application section.

Belts and Coolant Hose for Medium/Heavy Trucks (1990 And Newer)

FORD - Continued

1994 - Continued

LL9000; LLS9000 - Continued

CUMMINS 8.3 L DIESEL ENG.; FORD FD1460 DIESEL ENG.

Belts		
Application	Mfr. Part No.	Belt No.
Alt.....	F3HZ 8620 C	K080720 ^{GS}
A.C.....	F3HZ 8620 D	9640 ^{GS}

CUMMINS N14 DIESEL ENG.

Belts		
Application	Mfr. Part No.	Belt No.
W.P.....	3076492	K060425 ^{GS}
Fan; W/V-Belt Drive.....		③TR22443 ^{GS}
Fan; W/V-Ribbed Belt Drive.....	F4HZ 8620 A	K140370 ^{GS}
Alt.; Optional Belt.....		②9435 ^{GS}
Alt.; Preferred Belt.....	E6PZ 8620 F	2/9435PB
P.S.....		②9447 ^{GS}
A.C.....	C9PZ 8620 BS	9420 ^{GS}

LLA9000; LTLA9000; LTLS9000

CATERPILLAR 3176 DIESEL ENG.

Belts		
Application	Mfr. Part No.	Belt No.
Fan & Alt.; W/70 1/2" Belt O.C.....	F3HT 8620 L	K140700 ^{GS}

CATERPILLAR 3406 DIESEL ENG.

Belts		
Application	Mfr. Part No.	Belt No.
Fan.....	F4HZ 8620 D	K140662 ^{GS}
Alt.; Optional Belt.....		②9545 ^{GS}
Alt.; Preferred Belt.....	E6HT 8620 AA	2/9545PB
A.C.....	D0HA 8620 AG	9525 ^{GS}

CUMMINS 5.9 L DIESEL ENG.; FORD FD1060 DIESEL ENG.

Belts		
Application	Mfr. Part No.	Belt No.
Alt.; W/210 H.P., 230 H.P. Eng.....	F3HZ 8620 M	K080839 ^{GS}

CUMMINS 8.3 L DIESEL ENG.; FORD FD1460 DIESEL ENG.

Belts		
Application	Mfr. Part No.	Belt No.
Alt.....	F3HZ 8620 C	K080720 ^{GS}
A.C.....	F3HZ 8620 D	9640 ^{GS}

CUMMINS N14 DIESEL ENG.

Belts		
Application	Mfr. Part No.	Belt No.
Fan.....		③TR22443 ^{GS}
Alt.....		②9435 ^{GS}
P.S.....		②9447 ^{GS}
A.C.....	C9PZ 8620 BS	9420 ^{GS}

DETROIT DIESEL SERIES 60 DIESEL ENG.

Belts		
Application	Mfr. Part No.	Belt No.
Fan.....	F2HZ 8620 C	K140451 ^{GS}
P.S.....		9505 ^{GS}
A.C.....	E2HZ 8620 C	9463 ^{GS}

FORD - Continued

1994 - Continued

LN7000

CATERPILLAR 3406 DIESEL ENG.

Belts		
Application	Mfr. Part No.	Belt No.
Fan.....	F4HZ 8620 D	K140662 ^{GS}

CUMMINS 5.9 L DIESEL ENG.; FORD FD1060 DIESEL ENG.

Belts		
Application	Mfr. Part No.	Belt No.
Fan & Alt.....	F3HT 8620 SA	K080830 ^{GS}
P.S.....	C6TA 8620 J	9420 ^{GS}
Hyd. Brake Boost Pump.....	F4HT 8620 GA	9412 ^{GS}

Coolant Hose

Application	Molded or Strt.	Vulco-Flex®
Upper - Eng. To Pipe.....	1 3/4" I.D.	
Upper - Pipe To Rad.....	❖2" I.D.	
Lower.....	❖2" I.D.	
Heater Hose; W/3/4" I.D. Hose.....	3/4" I.D.	

CUMMINS 8.3 L DIESEL ENG.; FORD FD1460 DIESEL ENG.

Belts		
Application	Mfr. Part No.	Belt No.
Alt.....	F3HZ 8620 C	K080720 ^{GS}
A.C.....	F3HZ 8620 D	9640 ^{GS}

CUMMINS N14 DIESEL ENG.

Belts		
Application	Mfr. Part No.	Belt No.
Fan.....		③TR22443 ^{GS}
Alt.....		②9435 ^{GS}
P.S.....		②9447 ^{GS}
A.C.....	C9PZ 8620 BS	9420 ^{GS}

LN8000; LNT8000

CATERPILLAR 3406 DIESEL ENG.

Belts		
Application	Mfr. Part No.	Belt No.
Fan.....	F4HZ 8620 D	K140662 ^{GS}

CUMMINS 5.9 L DIESEL ENG.; FORD FD1060 DIESEL ENG.

Belts		
Application	Mfr. Part No.	Belt No.
Alt.....	F3HZ 8620 M	K080839 ^{GS}

CUMMINS 8.3 L DIESEL ENG.; FORD FD1460 DIESEL ENG.

Belts		
Application	Mfr. Part No.	Belt No.
Fan & Alt.....	F3HZ 8620 C	K080720 ^{GS}
A.C.....	F3HZ 8620 D	9640 ^{GS}

Coolant Hose

Application	Molded or Strt.	Vulco-Flex®
Upper - Eng. To Pipe.....	❖2 1/4" I.D.	
Upper - Pipe To Rad.....	❖2" I.D.	
Lower - Eng. To Pipe.....	21901	
Lower - Pipe To Rad.....	❖2 1/2" I.D.	

- ② Two Required.
- ③ Three Required.
- ④ Four Required.

- ^{GS} Green Stripe® Construction.
- ✦ Use Notched Belt Only.
- ✂ Cut To Fit.

- ✦ Green Stripe® 4-Ply Coolant Hose Recommended.
- ✦ Use Wire Inserted Green Stripe® Coolant Hose.
- ▲ Durion® Silicone Hose Recommended.
- ✦ PowerBand® Belt May Work, Use Template To Check.

For a maintenance free coolant connection, see PowerGrip® SB clamp application section.

Belts and Coolant Hose for Medium/Heavy Trucks (1990 And Newer)

FORD - Continued

1994 - Continued

LN8000; LNT8000 - Continued

CUMMINS N14 DIESEL ENG.

Belts		
Application	Mfr. Part No.	Belt No.
Fan.....		③TR22443 ^{GS}
Alt.....		②9435 ^{GS}
P.S.....		②9447 ^{GS}
A.C.....	C9PZ 8620 BS	9420 ^{GS}

LN9000; LNT9000

CATERPILLAR 3176 DIESEL ENG.

Belts		
Application	Mfr. Part No.	Belt No.
Fan & Alt.; W/70 1/2" Belt O.C.....	F3HT 8620 L	K140700 ^{GS}
Fan & Alt.; W/78 1/2" Belt O.C.....	FOHT 8620 CA	K080780 ^{GS}
A.C.....	D2TE 8620 ADA	9447 ^{GS}

CATERPILLAR 3406 DIESEL ENG.

Belts		
Application	Mfr. Part No.	Belt No.
Fan.....	F4HZ 8620 D	K140662 ^{GS}

Coolant Hose

Application	Molded or Strt.	Vulco-Flex®
Upper; W/P.S.....	22194	

CUMMINS 5.9 L DIESEL ENG.; FORD FD1060 DIESEL ENG.

Belts		
Application	Mfr. Part No.	Belt No.
Alt.....	F3HZ 8620 M	K080839 ^{GS}

CUMMINS 8.3 L DIESEL ENG.; FORD FD1460 DIESEL ENG.

Belts		
Application	Mfr. Part No.	Belt No.
Alt.....	F3HZ 8620 C	K080720 ^{GS}
A.C.....	F3HZ 8620 D	9640 ^{GS}

CUMMINS L10 DIESEL ENG.

Belts		
Application	Mfr. Part No.	Belt No.
Fan; Dec. 2, 1991 & Newer.....	F1HT 8620 AAA	K080575 ^{GS}
Alt.; W/Delco Alt.....	E4FZ 8620 C	K050360 ^{GS}
Alt.; W/Motorcraft Alt.....	F1HT 8620 BA	K050345 ^{GS}
A.C.....		9480 ^{GS}

Coolant Hose

Application	Molded or Strt.	Vulco-Flex®
Upper - Eng. To Pipe.....	❖2 1/4" I.D.	

CUMMINS N14 DIESEL ENG.

Belts		
Application	Mfr. Part No.	Belt No.
W/P.....	3076492	K060425 ^{GS}
Fan.....		③TR22443 ^{GS}
Alt.; Optional Belt.....		②9435 ^{GS}
Alt.; Preferred Belt.....	E6PZ 8620 F	2/9435PB
P.S.....		②9447 ^{GS}
A.C.....	C9PZ 8620 BS	9420 ^{GS}

FORD - Continued

1994 - Continued

LS8000

CUMMINS 8.3 L DIESEL ENG.; FORD FD1460 DIESEL ENG.

Belts		
Application	Mfr. Part No.	Belt No.
Fan & Alt.....	F3HT 8620 GA	K080720 ^{GS}
A.C.; W/63 1/2" Belt O.C.....	E7HT 8620 CA	9630 ^{GS}
A.C.; W/64 1/2" Belt O.C.....	F3HT 8620 D	9640 ^{GS}

LS9000

CATERPILLAR 3406 DIESEL ENG.

Belts		
Application	Mfr. Part No.	Belt No.
Fan.....	F1HZ 8620 H	K100510 ^{GS}

CUMMINS N14 DIESEL ENG.

Coolant Hose

Application	Molded or Strt.	Vulco-Flex®
Upper - Eng. To Pipe.....	❖2 1/4" I.D.	

LT8000; LTS8000

CATERPILLAR 3406 DIESEL ENG.

Belts		
Application	Mfr. Part No.	Belt No.
Fan.....	F4HZ 8620 D	K140662 ^{GS}

CUMMINS 5.9 L DIESEL ENG.; FORD FD1060 DIESEL ENG.

Belts		
Application	Mfr. Part No.	Belt No.
Alt.....	F3HZ 8620 M	K080839 ^{GS}

CUMMINS 8.3 L DIESEL ENG.; FORD FD1460 DIESEL ENG.

Belts		
Application	Mfr. Part No.	Belt No.
Fan & Alt.....	F3HT 8620 GA	K080720 ^{GS}
A.C.....	F3HZ 8620 D	9640 ^{GS}
A.C.; W/63 1/2" Belt O.C.....	E7HT 8620 CA	9630 ^{GS}
A.C.; W/64 1/2" Belt O.C.....	F3HT 8620 D	9640 ^{GS}

Coolant Hose

Application	Molded or Strt.	Vulco-Flex®
Upper - Eng. To Pipe.....	❖2 1/4" I.D.	
Upper - Pipe To Rad.....	❖2" I.D.	
Lower - Eng. To Pipe.....	21901	
Lower - Pipe To Rad.....	❖2 1/2" I.D.	

CUMMINS N14 DIESEL ENG.

Belts		
Application	Mfr. Part No.	Belt No.
Fan.....		③TR22443 ^{GS}
Alt.....		②9435 ^{GS}
P.S.....		②9447 ^{GS}
A.C.....	C9PZ 8620 BS	9420 ^{GS}

LT9000; LTL9000; LTS9000

CATERPILLAR 3176 DIESEL ENG.

Belts		
Application	Mfr. Part No.	Belt No.
Fan & Alt.; W/70 1/2" Belt O.C.....	F3HT 8620 L	K140700 ^{GS}
Fan & Alt.; W/78 1/2" Belt O.C.....	FOHT 8620 CA	K080780 ^{GS}
A.C.....	D2TE 8620 ADA	9447 ^{GS}

② Two Required.
③ Three Required.
④ Four Required.

^{GS} Green Stripe® Construction.
➤ Use Notched Belt Only.
✂ Cut To Fit.

❖ Green Stripe® 4-Ply Coolant Hose Recommended.
▲ Use Wire Inserted Green Stripe® Coolant Hose.
▲ Durion® Silicone Hose Recommended.
♦ PowerBand® Belt May Work, Use Template To Check.

For a maintenance free coolant connection, see PowerGrip® SB clamp application section.

Belts and Coolant Hose for Medium/Heavy Trucks (1990 And Newer)

FORD - Continued

1994 - Continued

LT9000; LTL9000; LTS9000 - Continued

CATERPILLAR 3176 DIESEL ENG. - Continued

Coolant Hose

Application	Molded or Strt.	Vulco-Flex®
Lower - Pipe To Rad.....	22191	

CATERPILLAR 3306 DIESEL ENG.

Belts

Application	Mfr. Part No.	Belt No.
Fan; Optional Belt.....		②9590 ^{GS}
Fan; Preferred Belt.....	E4HT 8620 YA	2/9590PB
Alt.; Optional Belt.....		②9540 ^{GS}
Alt.; Preferred Belt.....		2/9540PB

CATERPILLAR 3406 DIESEL ENG.

Belts

Application	Mfr. Part No.	Belt No.
Fan; W/10 Ribbed Belt.....	F1HZ 8620 H	K100510 ^{GS}
Fan; W/14-Ribbed Belt.....	F4HZ 8620 D	K140662 ^{GS}
Alt.; Optional Belt.....		②9545 ^{GS}
Alt.; Preferred Belt.....	E6HT 8620 AA	2/9545PB
A.C.....	DOHA 8620 AG	9525 ^{GS}

Coolant Hose

Application	Molded or Strt.	Vulco-Flex®
Upper; W/P.S.....	22194	

CUMMINS 5.9 L DIESEL ENG.; FORD FD1060 DIESEL ENG.

Belts

Application	Mfr. Part No.	Belt No.
Alt.....	F3HZ 8620 M	K080839 ^{GS}

CUMMINS 8.3 L DIESEL ENG.; FORD FD1460 DIESEL ENG.

Belts

Application	Mfr. Part No.	Belt No.
Alt.....	F3HZ 8620 C	K080720 ^{GS}
A.C.....	F3HZ 8620 D	9640 ^{GS}

CUMMINS L10 DIESEL ENG.

Belts

Application	Mfr. Part No.	Belt No.
Fan; Dec. 2, 1991 & Newer.....	F1HT 8620 AAA	K080575 ^{GS}
Alt.; W/Delco Alt.....	E4FZ 8620 C	K050360 ^{GS}
Alt.; W/Motorcraft Alt.....	F1HT 8620 BA	K050345 ^{GS}
A.C.....		9480 ^{GS}

Coolant Hose

Application	Molded or Strt.	Vulco-Flex®
Upper - Eng. To Pipe.....	❖2 1/4" I.D.	

CUMMINS N14 DIESEL ENG.

Belts

Application	Mfr. Part No.	Belt No.
W.P.....	3076492	K060425 ^{GS}
Fan.....		③TR22443 ^{GS}
Alt.; Optional Belt.....		②9435 ^{GS}
Alt.; Preferred Belt.....	E6PZ 8620 F	2/9435PB
P.S.....		②9447 ^{GS}
A.C.....	C9PZ 8620 BS	9420 ^{GS}

Coolant Hose

Application	Molded or Strt.	Vulco-Flex®
Upper - Eng. To Pipe.....	❖2 1/4" I.D.	

FORD - Continued

1994 - Continued

LT9000; LTL9000; LTS9000 - Continued

DETROIT DIESEL SERIES 60 DIESEL ENG.

Belts

Application	Mfr. Part No.	Belt No.
Fan.....	F2HZ 8620 C	K140451 ^{GS}
P.S.....		9505 ^{GS}
A.C.....	E0HZ 8620 K	9430 ^{GS}

Coolant Hose

Application	Molded or Strt.	Vulco-Flex®
Upper - Eng. To Pipe.....	❖2 1/2" I.D.	

1993

CF7000; CF8000; CFT8000

CUMMINS 5.9 L DIESEL ENG.; FORD FD1060 DIESEL ENG.

Belts

Application	Mfr. Part No.	Belt No.
Fan & Alt.....	F3HT 8620 TA	K080585 ^{GS}

Coolant Hose

Application	Molded or Strt.	Vulco-Flex®
Upper.....	❖2" I.D.	
Lower.....	❖2" I.D.	

CUMMINS 8.3 L DIESEL ENG.; FORD FD1460 DIESEL ENG.

Belts

Application	Mfr. Part No.	Belt No.
Fan & Alt.....	F3HT 8620 GA	K080720 ^{GS}
Alt.....	F3HZ 8620 B	K080830 ^{GS}
A.C.....	F3HZ 8620 D	9640 ^{GS}

Coolant Hose

Application	Molded or Strt.	Vulco-Flex®
Upper.....	❖2" I.D.	
Lower - Pipe To Rad.....	❖2" I.D.	

FORD 6.6 L DIESEL ENG.

Belts

Application	Mfr. Part No.	Belt No.
Fan, W.P. & Air Brake Compr.; W/2150 Air Brake Compr.....	E7HT 8620 CA	9630 ^{GS}
Fan, W.P. & Air Brake Compr.; W/501 Air Brake Compr.....	E7HT 8620 DA	9640 ^{GS}
Alt.; W/60A. Alt.; Optional Belt.....		②9570 ^{GS}
Alt.; W/60A. Alt.; Preferred Belt.....	E7HT 8620 M	2/9570PB
Alt.; W/70A., 90A. Alt.....		②9710 ^{GS}
Air Compr.; W/2150 Air Brake Compr.....	E7HZ 8620 B	9630 ^{GS}
Air Compr.; W/501 Air Brake Compr.....	E7HZ 8620 C	9640 ^{GS}
Idler.....	E8HZ 8620 G	9650 ^{GS}

FORD 7.8 L DIESEL ENG.

Belts

Application	Mfr. Part No.	Belt No.
W.P. & Air Brake Compr.....	E8HT 8620 HA	9650 ^{GS}
Alt.; W/60A. Alt.....		②9580 ^{GS}
Alt.; W/75A., 90A., 130A. Alt.....		②9585 ^{GS}
A.C.; W/58" Belt O.C.....		A56
A.C.; W/59" Belt O.C.....		9585 ^{GS}
Air Compr.; W/Air Brakes.....	E8HZ 8620 HA	9650 ^{GS}
W.P. To Air Compr.....	E9HZ 8620 C	9650 ^{GS}
Idler.....	E8HZ 8620 G	9650 ^{GS}

- ② Two Required.
- ③ Three Required.
- ④ Four Required.

- ^{GS} Green Stripe® Construction.
- ✚ Use Notched Belt Only.
- ✂ Cut To Fit.

- ❖ Green Stripe® 4-Ply Coolant Hose Recommended.
- ⊕ Use Wire Inserted Green Stripe® Coolant Hose.
- ▲ Durion® Silicone Hose Recommended.
- ♦ PowerBand® Belt May Work, Use Template To Check.

For a maintenance free coolant connection, see PowerGrip® SB clamp application section.

Belts and Coolant Hose for Medium/Heavy Trucks (1990 And Newer)

FORD - Continued

1993 - Continued

F600

CUMMINS 5.9 L DIESEL ENG.; FORD FD1060 DIESEL ENG.

Belts

Application	Mfr. Part No.	Belt No.
Fan & Alt.	F3HZ 8620 B	K080830 ^{GS}
Fan & Alt.; W/210 H.P., 230 H.P. Eng.	F3HZ 8620 M	K080839 ^{GS}
P.S.	C6TA 8620 J	9420 ^{GS}
Hyd. Brake Boost Pump	F4HT 8620 GA	9412 ^{GS}

Coolant Hose

Application	Molded or Strt.	Vulco-Flex®
Upper - Eng. To Pipe	1 3/4" I.D.	
Upper - Pipe To Rad.	❖2" I.D.	
Lower	❖2" I.D.	
Lower - Pipe To Cooler	❖2" I.D.	
Heater Hose; W/3/4" I.D. Hose	3/4" I.D.	

CUMMINS 8.3 L DIESEL ENG.; FORD FD1460 DIESEL ENG.

Belts

Application	Mfr. Part No.	Belt No.
Alt.	F3HZ 8620 G	K080720 ^{GS}
A.C.	F3HZ 8620 D	9640 ^{GS}

FORD 6.6 L DIESEL ENG.

Belts

Application	Mfr. Part No.	Belt No.
Fan & Alt.; W/130A. Alt.; W/High Mount Fan		② 7570
Fan & Alt.; W/130A. Alt.; W/Low Mount Fan		② 9625 ^{GS}
Fan & Alt.; W/60A., 75A., 90A. Alt.; Preferred Belt		2/9610PB
Fan & Alt.; W/60A., 75A., 90A. Alt.; Optional Belt		② 9610 ^{GS}
Fan & Alt.; W/60A., 75A., 90A. Alt.; W/High Mount Fan; Optional Belt		② 9690 ^{GS}
Fan & Alt.; W/60A., 75A., 90A. Alt.; W/High Mount Fan; Preferred Belt	E4HT 8620 SA	2/9690PB
Fan & A.C.	F1HT 8620 GB	7660
Fan & P.S.	E6HZ 8620 E	9545 ^{GS}
P.S.	E6HT 8620 AA	9545 ^{GS}
W.P. & P.S.	E7HT 8620 CA	9630 ^{GS}
A.C.; W/58 1/2" Belt O.C.	C9PZ 8620 CZ	9580 ^{GS}
A.C.; W/59 1/2" Belt O.C.	E8HZ 8620 N	9590 ^{GS}
Air Compr.; W/2150 Air Brake Compr.; W/A.C.	E7HZ 8620 B	9630 ^{GS}
Air Compr.; W/2150 Air Brake Compr.; W/O A.C.	C9PZ 8620 GN	9550 ^{GS}
Air Compr.; W/550 Air Brake Compr. ..	E3AZ 8620 D	9565 ^{GS}
Fan, A.P. & Hyd. Brake Boost Pump ..	FOTE 8620 AA	7312
Idler	E8HZ 8620 HA	9650 ^{GS}

Coolant Hose

Application	Molded or Strt.	Vulco-Flex®
Upper	❖21943	
Lower; W/Man. Trans.; W/P.T.O.	21845	
By Pass	1 1/2" I.D.	

FORD 7.8 L DIESEL ENG.

Belts

Application	Mfr. Part No.	Belt No.
Alt.; W/High Mount Fan		② 9710 ^{GS}
A.C.	E8HZ 8620 N	9590 ^{GS}
Air Compr.	E8HZ 8620 Y	9630 ^{GS}
Idler	E8HZ 8620 G	9650 ^{GS}

FORD - Continued

1993 - Continued

F600 - Continued

FORD V-8 7.0 L ENG.

Belts

Application	Mfr. Part No.	Belt No.
Fan; W/High Mount Fan; W/Idler Pulley	C9PZ 8620 CD	9480 ^{GS}
Fan & Alt.; W/40A., 60A. Alt.; W/Fan Clutch; W/Cowl	C9PZ 8620 FN	9440 ^{GS}
Fan & Alt.; W/40A., 60A. Alt.; W/Fan Clutch; W/O Cowl	E6PZ 8620 F	9435 ^{GS}
Fan & Alt.; W/40A., 60A. Alt.; W/Fixed Fan; W/Cowl	D9PZ 8620 M	9447 ^{GS}
Fan & Alt.; W/40A., 60A. Alt.; W/Fixed Fan; W/O Cowl	E6PZ 8620 G	9451 ^{GS}
Fan & Alt.; W/75A. Alt.; W/Fan Clutch; W/Cowl	D9PZ 8620 M	9447 ^{GS}
Fan & Alt.; W/75A. Alt.; W/Fan Clutch; W/O Cowl	D9PZ 8620 M	9447 ^{GS}
Fan & Alt.; W/75A. Alt.; W/Fixed Fan ..	E2HZ 8620 C	9463 ^{GS}
Fan & Alt.; W/90A., 130A. Alt.; W/Fan Clutch	E6PZ 8620 G	9451 ^{GS}
Fan & Alt.; W/90A., 130A. Alt.; W/Fixed Fan	E2HZ 8620 C	9463 ^{GS}
P.S.; W/Dual Belt Drive		② 9580 ^{GS}
P.S.; W/Single Belt Drive	C9PZ 8620 CR	9540 ^{GS}
A.C.	F1HZ 8620 E	7660
Fan, A.C. & A.P.		9640 ^{GS}
Air Compr.; W/Air Brakes	E8HZ 8620 A	9650 ^{GS}
Air Compr.; W/Hyd. Brakes	E0PZ 8620 G	9610 ^{GS}
Fan, P.S. & A.P.; Optional Belt		② 9635 ^{GS}
Fan, P.S. & A.P.; Preferred Belt		2/9640PB
Idler	D4HE 8620 CA	9480 ^{GS}

Coolant Hose

Application	Molded or Strt.	Vulco-Flex®
Upper; W/Auto. Trans.; W/O P.T.O.	21938	
Upper; W/Man. Trans.	21938	
By Pass	❖21942	
Heater Hose; W/5/8" I.D. Hose	5/8" I.D.	

F700

CUMMINS 5.9 L DIESEL ENG.; FORD FD1060 DIESEL ENG.

Belts

Application	Mfr. Part No.	Belt No.
Fan & Alt.	F3HT 8620 CS	K080830 ^{GS}
Fan & Alt.; W/210 H.P., 230 H.P. Eng.	F3HZ 8620 M	K080839 ^{GS}
P.S.	C6TA 8620 J	9420 ^{GS}
Hyd. Brake Boost Pump	F4HT 8620 GA	9412 ^{GS}

Coolant Hose

Application	Molded or Strt.	Vulco-Flex®
Upper - Eng. To Pipe	1 3/4" I.D.	
Upper - Pipe To Rad.	❖2" I.D.	
Lower	❖2" I.D.	
Lower - Pipe To Cooler	❖2" I.D.	
Heater Hose; W/3/4" I.D. Hose	3/4" I.D.	

CUMMINS 8.3 L DIESEL ENG.; FORD FD1460 DIESEL ENG.

Belts

Application	Mfr. Part No.	Belt No.
Alt.	F3HZ 8620 C	K080720 ^{GS}

- ② Two Required.
- ③ Three Required.
- ④ Four Required.

- ^{GS} Green Stripe® Construction.
- ✦ Use Notched Belt Only.
- ✂ Cut To Fit.

- ❖ Green Stripe® 4-Ply Coolant Hose Recommended.
- ⊗ Use Wire Inserted Green Stripe® Coolant Hose.
- ▲ Durion® Silicone Hose Recommended.
- ♦ PowerBand® Belt May Work, Use Template To Check.

For a maintenance free coolant connection, see PowerGrip® SB clamp application section.

Belts and Coolant Hose for Medium/Heavy Trucks (1990 And Newer)

FORD - Continued 1993 - Continued F700 - Continued

FORD 6.6 L DIESEL ENG.

Belts

Application	Mfr. Part No.	Belt No.
Fan & Alt.; W/130A. Alt.; W/High Mount Fan.....		②7570
Fan & Alt.; W/130A. Alt.; W/Low Mount Fan.....		②9625 GS
Fan & Alt.; W/60A., 75A., 90A. Alt.; W/High Mount Fan; Optional Belt.....		②9690 GS
Fan & Alt.; W/60A., 75A., 90A. Alt.; W/High Mount Fan; Preferred Belt.....	E4HT 8620 SA	2/9690PB
Fan & Alt.; W/60A., 75A., 90A. Alt.; W/Low Mount Fan; Optional Belt.....		②9610 GS
Fan & Alt.; W/60A., 75A., 90A. Alt.; W/Low Mount Fan; Preferred Belt.....		2/9610PB
Fan & A.C.....	F1HT 8620 GB	7660
Fan & P.S.....	E6HZ 8620 E	9545 GS
W.P. & P.S.....	E7HT 8620 CA	9630 GS
A.C.; W/58 1/2" Belt O.C.....	C9PZ 8620 CZ	9580 GS
A.C.; W/59 1/2" Belt O.C.....	E8HZ 8620 N	9590 GS
Air Compr.; W/2150 Air Brake Compr.; W/A.C.....	E7HZ 8620 B	9630 GS
Air Compr.; W/2150 Air Brake Compr.; W/O A.C.....	C9PZ 8620 GN	9550 GS
Air Compr.; W/550 Air Brake Compr. ..	E3AZ 8620 D	9565 GS
Fan, A.P. & Hyd. Brake Boost Pump ..	FOTE 8620 AA	7312
Idler.....	E8HZ 8620 HA	9650 GS

Coolant Hose

Application	Molded or Strt.	Vulco-Flex®
Upper.....	>21943	
Lower; W/Man. Trans.; W/P.T.O.....	21845	
By Pass.....	1 1/2" I.D.	

FORD 7.8 L DIESEL ENG.

Belts

Application	Mfr. Part No.	Belt No.
W.P. & Hyd. Brake Boost Pump.....	E7HT 8620 CA	9630 GS
W.P. & Air Brake Compr.; W/Air Brakes.....	E8HT 8620 Y	9630 GS
Fan & Alt.; W/130A. Alt.; W/High Mount Fan; Optional Belt.....		②9690 GS
Fan & Alt.; W/130A. Alt.; W/High Mount Fan; Preferred Belt.....	E4HT 8620 SA	2/9690PB
Fan & Alt.; W/130A. Alt.; W/W.P. Mount Fan.....		9625 GS
Fan & Alt.; W/O 130A. Alt.; W/High Mount Fan; Optional Belt.....		②9710 GS
Fan & Alt.; W/O 130A. Alt.; W/High Mount Fan; Preferred Belt.....	E8HT 8620 GA	2/9710PB
Fan & Alt.; W/O 130A. Alt.; W/Low Mount Fan; Optional Belt.....		②9610 GS
Fan & Alt.; W/O 130A. Alt.; W/Low Mount Fan; Preferred Belt.....		2/9610PB
A.C.; W/Dealer Inst. A.C.....		7597
A.C.; W/Factory Inst. A.C.....	E8HZ 8620 N	9590 GS
Hyd. Brake Boost Pump.....		9550 GS
Idler.....	E8HZ 8620 G	9650 GS

Coolant Hose

Application	Molded or Strt.	Vulco-Flex®
Upper.....	>21943	
Lower; W/Man. Trans.; W/O P.T.O.....	21845	

FORD V-8 7.0 L ENG.

Belts

Application	Mfr. Part No.	Belt No.
Fan; W/High Mount Fan; W/Idler Pulley.....	C9PZ 8620 CD	9480 GS
Fan & Alt.; W/40A., 60A. Alt.; W/Fan Clutch; W/Cowl.....	C9PZ 8620 FN	9440 GS

FORD - Continued 1993 - Continued F700 - Continued

FORD V-8 7.0 L ENG. - Continued

Belts - Continued

Application	Mfr. Part No.	Belt No.
Fan & Alt.; W/40A., 60A. Alt.; W/Fan Clutch; W/O Cowl.....	E6PZ 8620 F	9435 GS
Fan & Alt.; W/40A., 60A. Alt.; W/Fixed Fan; W/Cowl.....	D9PZ 8620 M	9447 GS
Fan & Alt.; W/40A., 60A. Alt.; W/Fixed Fan; W/O Cowl.....	E6PZ 8620 G	9451 GS
Fan & Alt.; W/75A. Alt.; W/Fan Clutch; W/Cowl.....	D9PZ 8620 M	9447 GS
Fan & Alt.; W/75A. Alt.; W/Fan Clutch; W/O Cowl.....	D9PZ 8620 M	9447 GS
Fan & Alt.; W/75A. Alt.; W/Fixed Fan..	E2HZ 8620 C	9463 GS
Fan & Alt.; W/90A., 130A. Alt.; W/Fan Clutch.....	E6PZ 8620 G	9451 GS
Fan & Alt.; W/90A., 130A. Alt.; W/Fixed Fan.....	E2HZ 8620 C	9463 GS
P.S.; W/Dual Belt Drive.....		②9580 GS
P.S.; W/Single Belt Drive.....	C9PZ 8620 CR	9540 GS
A.C.....	F1HZ 8620 E	7660
Fan, A.C. & A.P.....		9640 GS
Air Compr.; W/Air Brakes.....	E8HZ 8620 A	9650 GS
Air Compr.; W/Hyd. Brakes.....	E0PZ 8620 G	9610 GS
Fan, P.S. & A.P.; Optional Belt.....		②9635 GS
Fan, P.S. & A.P.; Preferred Belt.....		2/9640PB
Idler.....	D4HE 8620 CA	9480 GS

Coolant Hose

Application	Molded or Strt.	Vulco-Flex®
Upper; W/Auto. Trans.; W/O P.T.O.....	21938	
Upper; W/Man. Trans.....	21938	
By Pass.....	>21942	
Heater Hose; W/5/8" I.D. Hose.....	5/8" I.D.	

F800

CUMMINS 5.9 L DIESEL ENG.; FORD FD1060 DIESEL ENG.

Belts

Application	Mfr. Part No.	Belt No.
Fan & Alt.....	F3HT 8620 SA	K080830 GS
Fan & Alt.; W/210 H.P., 230 H.P. Eng.....	F3HZ 8620 M	K080839 GS
P.S.....	C6TA 8620 J	9420 GS
Hyd. Brake Boost Pump.....	F4HT 8620 GA	9412 GS

CUMMINS 8.3 L DIESEL ENG.; FORD FD1460 DIESEL ENG.

Belts

Application	Mfr. Part No.	Belt No.
Fan & Alt.....	F3HT 8620 GA	K080720 GS
A.C.....	F3HZ 8620 D	9640 GS

Coolant Hose

Application	Molded or Strt.	Vulco-Flex®
Upper - Eng. To Pipe.....	❖ 2 1/4" I.D.	
Upper - Pipe To Rad.....	❖ 2" I.D.	
Lower - Eng. To Pipe; W/Auto. Trans.....	21901	
Lower - Pipe To Rad.; W/Man. Trans..	❖ 2" I.D.	

FORD 6.6 L DIESEL ENG.

Belts

Application	Mfr. Part No.	Belt No.
Fan & Alt.; W/130A. Alt.; W/High Mount Fan.....		②7570
Fan & Alt.; W/130A. Alt.; W/Low Mount Fan.....		②9625 GS

- ② Two Required.
- ③ Three Required.
- ④ Four Required.

- GS Green Stripe® Construction.
- ↗ Use Notched Belt Only.
- ✂ Cut To Fit.

- ❖ Green Stripe® 4-Ply Coolant Hose Recommended.
- ⊛ Use Wire Inserted Green Stripe® Coolant Hose.
- ▲ Durion® Silicone Hose Recommended.
- ♦ PowerBand® Belt May Work, Use Template To Check.

For a maintenance free coolant connection, see PowerGrip® SB clamp application section.

Belts and Coolant Hose for Medium/Heavy Trucks (1990 And Newer)

FORD - Continued 1993 - Continued F800 - Continued

FORD 6.6 L DIESEL ENG. - Continued

Belts - Continued

Application	Mfr. Part No.	Belt No.
Fan & Alt.; W/60A., 75A., 90A. Alt.; W/High Mount Fan; Optional Belt.....		② 9690 GS
Fan & Alt.; W/60A., 75A., 90A. Alt.; W/High Mount Fan; Preferred Belt.....	E4HT 8620 SA	2/9690PB
Fan & Alt.; W/60A., 75A., 90A. Alt.; W/Low Mount Fan; Optional Belt.....		② 9610 GS
Fan & Alt.; W/60A., 75A., 90A. Alt.; W/Low Mount Fan; Preferred Belt.....		2/9610PB
Fan & A.C.	F1HT 8620 GB	7660
Fan & P.S.	E6HZ 8620 E	9545 GS
W.P. & P.S.	E7HT 8620 CA	9630 GS
A.C.; W/58 1/2" Belt O.C.	C9PZ 8620 CZ	9580 GS
A.C.; W/59 1/2" Belt O.C.	E8HZ 8620 N	9590 GS
Fan, P.S. & A.P.; W/2150 Air Brake Compr.; W/A.C.	E7HZ 8620 B	9630 GS
Fan, P.S. & A.P.; W/2150 Air Brake Compr.; W/O A.C.	C9PZ 8620 GN	9550 GS
Fan, P.S. & A.P.; W/550 Air Brake Compr.	E3AZ 8620 D	9565 GS
Fan, A.P. & Hyd. Brake Boost Pump..	FOTE 8620 AA	7312
Idler.....	E8HZ 8620 HA	9650 GS

Coolant Hose

Application	Molded or Strt.	Vulco-Flex®
Upper.....	➤ 21943	
Lower; W/Man. Trans.; W/P.T.O.	21845	
By Pass.....	1 1/2" I.D.	

FORD 7.8 L DIESEL ENG.

Belts

Application	Mfr. Part No.	Belt No.
W.P. & Hyd. Brake Boost Pump; W/63 1/2" Belt O.C.	E7HT 8620 CA	9630 GS
W.P. & Air Brake Compr.; W/65 1/2" Belt O.C.	E8HT 8620 HA	9650 GS
Fan & Alt.; W/130A. Alt.; W/High Mount Fan; Optional Belt.....		② 9690 GS
Fan & Alt.; W/130A. Alt.; W/High Mount Fan; Preferred Belt.....	E4HT 8620 SA	2/9690PB
Fan & Alt.; W/130A. Alt.; W/Low Mount Fan.....		9625 GS
Fan & Alt.; W/O 130A. Alt.; W/High Mount Fan; Optional Belt.....		② 9710 GS
Fan & Alt.; W/O 130A. Alt.; W/High Mount Fan; Preferred Belt.....	E8HT 8620 GA	2/9710PB
Fan & Alt.; W/O 130A. Alt.; W/Low Mount Fan; Optional Belt.....		② 9610 GS
Fan & Alt.; W/O 130A. Alt.; W/Low Mount Fan; Preferred Belt.....		2/9610PB
A.C.; W/Dealer Inst. A.C.		7597
A.C.; W/Factory Inst. A.C.		9590 GS
Air Compr.; W/Air Brakes.....	E8HZ 8620 Y	9630 GS
Hyd. Brake Boost Pump.....		9550 GS
Idler.....	E8HZ 8620 G	9650 GS

Coolant Hose

Application	Molded or Strt.	Vulco-Flex®
Upper.....	➤ 21943	
Lower; W/Man. Trans.; W/O P.T.O.	21845	

FORD V-8 7.0 L ENG.

Belts

Application	Mfr. Part No.	Belt No.
Fan; W/High Mount Fan; W/Idler Pulley.....	C9PZ 8620 CD	9480 GS
Alt.; W/40A., 60A. Alt.; W/Fan Clutch; W/Cowl.....	C9PZ 8620 FN	9440 GS
Alt.; W/40A., 60A. Alt.; W/Fan Clutch; W/O Cowl.....	E6PZ 8620 F	9435 GS

FORD - Continued 1993 - Continued F800 - Continued

FORD V-8 7.0 L ENG. - Continued

Belts - Continued

Application	Mfr. Part No.	Belt No.
Alt.; W/40A., 60A. Alt.; W/Fixed Fan; W/Cowl.....	D9PZ 8620 M	9447 GS
Alt.; W/40A., 60A. Alt.; W/Fixed Fan; W/O Cowl.....	E6PZ 8620 G	9451 GS
Alt.; W/75A. Alt.; W/Fan Clutch; W/Cowl.....	D9PZ 8620 M	9447 GS
Alt.; W/75A. Alt.; W/Fan Clutch; W/O Cowl.....	D9PZ 8620 M	9447 GS
Alt.; W/75A. Alt.; W/Fixed Fan.....	E2HZ 8620 C	9463 GS
Alt.; W/90A., 130A. Alt.; W/Fan Clutch	E6PZ 8620 G	9451 GS
Alt.; W/90A., 130A. Alt.; W/Fixed Fan..	E2HZ 8620 C	9463 GS
P.S.	C9PZ 8620 CR	9540 GS
A.C.	F1HZ 8620 E	7660
Air Compr.; W/Air Brakes.....	E8HZ 8620 G	9650 GS
Air Compr.; W/Hyd. Brakes.....	E0PZ 8620 G	9610 GS

Coolant Hose

Application	Molded or Strt.	Vulco-Flex®
Upper; W/Auto. Trans.; W/O P.T.O.....	21938	
Upper; W/Man. Trans.....	21938	
By Pass.....	➤ 21942	
Heater Hose; W/5/8" I.D. Hose.....	5/8" I.D.	

F900

CUMMINS 8.3 L DIESEL ENG.; FORD FD1460 DIESEL ENG.

Belts

Application	Mfr. Part No.	Belt No.
Fan & Alt.	F3HT 8620 GA	K080720 GS
A.C.	F3HT 8620 D	9640 GS

Coolant Hose

Application	Molded or Strt.	Vulco-Flex®
Upper - Eng. To Pipe.....	❖ 2 1/4" I.D.	
Upper - Pipe To Rad.....	❖ 2" I.D.	
Lower - Eng. To Pipe; W/Auto. Trans.	21901	
Lower - Pipe To Rad.; W/Man. Trans..	❖ 2" I.D.	

FT800

FORD 6.6 L DIESEL ENG.

Belts

Application	Mfr. Part No.	Belt No.
P.S.; W/High Mount Fan.....	E8HZ 8620 Y	9630 GS

FORD V-8 6.1 L ENG.

Belts

Application	Mfr. Part No.	Belt No.
P.S.		② 9580 GS

FT900

CUMMINS 5.9 L DIESEL ENG.; FORD FD1060 DIESEL ENG.

Belts

Application	Mfr. Part No.	Belt No.
Fan & Alt.	F3HZ 8620 B	K080830 GS
Fan & Alt.; W/210 H.P., 230 H.P.		
Eng.....	F3HZ 8620 M	K080839 GS

- ② Two Required.
- ③ Three Required.
- ④ Four Required.

- GS Green Stripe® Construction.
- Use Notched Belt Only.
- ✂ Cut To Fit.

- ❖ Green Stripe® 4-Ply Coolant Hose Recommended.
- ⊙ Use Wire Inserted Green Stripe® Coolant Hose.
- ▲ Durion® Silicone Hose Recommended.
- ◆ PowerBand® Belt May Work, Use Template To Check.

For a maintenance free coolant connection, see PowerGrip® SB clamp application section.

Belts and Coolant Hose for Medium/Heavy Trucks (1990 And Newer)

FORD - Continued 1993 - Continued FT900 - Continued

CUMMINS 8.3 L DIESEL ENG.; FORD FD1460 DIESEL ENG.

Application	Mfr. Part No.	Belt No.
Fan & Alt.	F3HT 8620 GA	K080720 GS
A.C.	F3HZ 8620 D	9640 GS

FORD 6.6 L DIESEL ENG.

Application	Mfr. Part No.	Belt No.
Alt.; W/130A. Alt.; W/High Mount Fan.		②9625 GS
Alt.; W/60A., 75A., 90A. Alt.; W/High Mount Fan		②9690 GS
Alt.; W/60A., 75A., 90A. Alt.; W/Low Mount Fan		②9610 GS
P.S.	E8HZ 8620 Y	9630 GS
A.C.	C9PZ 8620 CZ	9580 GS
Air Compr.; W/2150 Air Brake Compr.; W/A.C.; W/Man. Trans.	E7HZ 8620 B	9630 GS
Air Compr.; W/2150 Air Brake Compr.; W/O A.C.; W/Man. Trans.	C9PZ 8620 GN	9550 GS
Air Compr.; W/550 Air Brake Compr. Idler; W/Air Brakes	E3AZ 8620 D	9565 GS
Idler; W/Hyd. Brakes	E8HZ 8620 HA	9650 GS
Idler; W/Hyd. Brakes	E8HZ 8620 H	9650 GS

FORD 7.8 L DIESEL ENG.

Application	Mfr. Part No.	Belt No.
W.P. & Hyd. Brake Boost Pump; W/63 1/2" Belt O.C.	E7HT 8620 CA	9630 GS
W.P. & Hyd. Brake Boost Pump; W/64 1/2" Belt O.C.	E8HT 8620 RA	9640 GS
W.P. & Air Brake Compr.; W/65 1/2" Belt O.C.	E8HT 8620 UA	9650 GS
Fan & Alt.; W/130A. Alt.; W/High Mount Fan; Optional Belt		②9690 GS
Fan & Alt.; W/130A. Alt.; W/High Mount Fan; Preferred Belt	E4HT 8620 SA	2/9690PB
Fan & Alt.; W/130A. Alt.; W/Low Mount Fan		9625 GS
Fan & Alt.; W/O 130A. Alt.; W/High Mount Fan; Optional Belt		②9710 GS
Fan & Alt.; W/O 130A. Alt.; W/High Mount Fan; Preferred Belt	E8HT 8620 GA	2/9710PB
Fan & Alt.; W/O 130A. Alt.; W/Low Mount Fan; Optional Belt		②9610 GS
Fan & Alt.; W/O 130A. Alt.; W/Low Mount Fan; Preferred Belt		2/9610PB
A.C.; W/Dealer Inst. A.C.		7597
A.C.; W/Dual Belt Drive		②7575
A.C.; W/Factory Inst. A.C.; W/59 1/2" Belt O.C.		9590 GS
Hyd. Brake Boost Pump		9550 GS
Idler	E8HZ 8620 HA	9650 GS

Coolant Hose

Application	Molded or Strt.	Vulco-Flex®
Upper	➤21943	
Lower; W/Man. Trans.; W/O P.T.O.	21845	

FORD V-8 7.0 L ENG.

Application	Mfr. Part No.	Belt No.
Alt.; W/40A., 60A. Alt.; W/Fan Clutch; W/Cowl	C9PZ 8620 FN	9440 GS
Alt.; W/40A., 60A. Alt.; W/Fan Clutch; W/O Cowl	E6PZ 8620 F	9435 GS
Alt.; W/40A., 60A. Alt.; W/Fixed Fan; W/Cowl		②9447 GS
Alt.; W/40A., 60A. Alt.; W/Fixed Fan; W/O Cowl	E6PZ 8620 G	9451 GS

FORD - Continued 1993 - Continued FT900 - Continued

FORD V-8 7.0 L ENG. - Continued

Belts - Continued

Application	Mfr. Part No.	Belt No.
Alt.; W/75A. Alt.; W/Fan Clutch; W/Cowl		②9447 GS
Alt.; W/75A. Alt.; W/Fan Clutch; W/O Cowl	D9PZ 8620 M	9447 GS
Alt.; W/75A. Alt.; W/Fixed Fan	E2HZ 8620 C	9463 GS
Alt.; W/90A., 130A. Alt.; W/Fixed Fan	E2HZ 8620 C	9463 GS
Alt.; W/High Mount Fan; W/Idler Pulley	C9PZ 8620 CD	9480 GS
P.S.; W/Dual Belt Drive		②9580 GS
P.S.; W/Single Belt Drive	C9PZ 8620 CR	9540 GS
A.P.; W/Hyd. Brakes	E0PZ 8620 G	9610 GS
Air Compr.; W/Air Brakes	E8HZ 8620 A	9650 GS

L8000; LA8000; LS8000

CATERPILLAR 3406 DIESEL ENG.

Belts

Application	Mfr. Part No.	Belt No.
Alt.		②9530 GS

CUMMINS 5.9 L DIESEL ENG.; FORD FD1060 DIESEL ENG.

Belts

Application	Mfr. Part No.	Belt No.
Alt.; W/210 H.P., 230 H.P. Eng.	F3HZ 8620 M	K080839 GS

CUMMINS 8.3 L DIESEL ENG.; FORD FD1460 DIESEL ENG.

Belts

Application	Mfr. Part No.	Belt No.
Fan & Alt.	F3HT 8620 GA	K080720 GS
A.C.	E7HT 8620 CA	9630 GS
A.C.; W/64 1/2" Belt O.C.	F3HT 8620 D	9640 GS

Coolant Hose

Application	Molded or Strt.	Vulco-Flex®
Upper - Eng. To Pipe	✙2 1/4" I.D.	
Upper - Pipe To Rad.	✙2" I.D.	
Lower - Eng. To Pipe	21901	
Lower - Pipe To Rad.	✙2 1/2" I.D.	

CUMMINS N14 DIESEL ENG.

Belts

Application	Mfr. Part No.	Belt No.
Fan		③TR22443 GS
Alt.		②9435 GS
P.S.		②9447 GS
A.C.	C9PZ 8620 BS	9420 GS

FORD 6.6 L DIESEL ENG.

Belts

Application	Mfr. Part No.	Belt No.
Alt.		②BSX690
P.S.	E8HZ 8620 Y	9630 GS
Air Compr.; W/Air Brakes	E7HZ 8620 C	9640 GS
Idler	E8HZ 8620 G	9650 GS

FORD 7.8 L DIESEL ENG.

Belts

Application	Mfr. Part No.	Belt No.
W.P. & Hyd. Brake Boost Pump	E7HT 8620 CA	9630 GS
W.P. & Air Brake Compr.	E8HT 8620 UA	9650 GS
Fan & Alt.; Optional Belt		②9710 GS
Fan & Alt.; Preferred Belt	E8HT 8620 SA	2/9710PB
P.S.	E8HZ 8620 G	9650 GS

- ② Two Required.
- ③ Three Required.
- ④ Four Required.

- GS Green Stripe® Construction.
- Use Notched Belt Only.
- ✙ Cut To Fit.

- ✙ Green Stripe® 4-Ply Coolant Hose Recommended.
- ✙ Use Wire Inserted Green Stripe® Coolant Hose.
- ▲ Durion® Silicone Hose Recommended.
- ✙ PowerBand® Belt May Work, Use Template To Check.

For a maintenance free coolant connection, see PowerGrip® SB clamp application section.

Belts and Coolant Hose for Medium/Heavy Trucks (1990 And Newer)

FORD - Continued

1993 - Continued

L8000; LA8000; LS8000 - Continued

FORD 7.8 L DIESEL ENG. - Continued

Belts - Continued

Application	Mfr. Part No.	Belt No.
A.C.; W/Dealer Inst. A.C.		7585
A.C.; W/Factory Inst. A.C.	E4PZ 8620 W	9590 ^{GS}
Idler; W/Air Brakes.....	E8HZ 8620 G	9650 ^{GS}

Coolant Hose

Application	Molded or Strt.	Vulco-Flex®
Upper.....	21854	
Lower; W/Man. Trans.....	21846	
By Pass.....	1 1/2" I.D.	

L9000; LS9000

CATERPILLAR 3176 DIESEL ENG.

Belts

Application	Mfr. Part No.	Belt No.
Fan & Alt.	F3HT 8620 L	K140700 ^{GS}
Alt.....	FOHZ 8620 A	K080780 ^{GS}
A.C.; W/Bendix Fan Clutch.....	D9PZ 8620 M	9447 ^{GS}
A.C.; W/Eaton Clutch.....	E2HZ 8620 C	9463 ^{GS}

Coolant Hose

Application	Molded or Strt.	Vulco-Flex®
Upper.....	22189	

CATERPILLAR 3306 DIESEL ENG.

Belts

Application	Mfr. Part No.	Belt No.
Fan; Optional Belt.....		②9590 ^{GS}
Fan; Preferred Belt.....	E4HT 8620 YA	2/9590PB
Alt.; Optional Belt.....		②9530 ^{GS}
Alt.; Preferred Belt.....	E4HT 8620 AAA	2/9530PB
A.C.....	C9PZ 8620 CD	9480 ^{GS}

Coolant Hose

Application	Molded or Strt.	Vulco-Flex®
Coolant Reservoir.....	1" I.D.	
Oil Cooler.....	✘2 1/2" I.D.	
Heater Hose; W/5/8" I.D. Hose.....	5/8" I.D.	
Filter By Pass.....	3/8" I.D.	

CATERPILLAR 3406 DIESEL ENG.

Belts

Application	Mfr. Part No.	Belt No.
Fan.....	F1HZ 8620 G	K100618 ^{GS}
Alt.....		②9530 ^{GS}
A.C.....	D2TE 8620 ADA	9447 ^{GS}

Coolant Hose

Application	Molded or Strt.	Vulco-Flex®
Upper; W/P.S.	22194	

CUMMINS 5.9 L DIESEL ENG.; FORD FD1060 DIESEL ENG.

Belts

Application	Mfr. Part No.	Belt No.
Alt.....	F3HZ 8620 M	K080839 ^{GS}

FORD - Continued

1993 - Continued

L9000; LS9000 - Continued

CUMMINS 8.3 L DIESEL ENG.; FORD FD1460 DIESEL ENG.

Belts

Application	Mfr. Part No.	Belt No.
Alt.....	F3HZ 8620 C	K080720 ^{GS}
A.C.....	F3HZ 8620 D	9640 ^{GS}

CUMMINS L10 DIESEL ENG.

Belts

Application	Mfr. Part No.	Belt No.
Fan.....	F1HT 8620 AAA	K080575 ^{GS}
Alt.; W/Delco Alt.	E4FZ 8620 C	K050360 ^{GS}
Alt.; W/Motorcraft Alt.	F1HT 8620 BA	K050345 ^{GS}
A.C.....		9480 ^{GS}

Coolant Hose

Application	Molded or Strt.	Vulco-Flex®
Upper - Eng. To Pipe.....	✘2 1/4" I.D.	

CUMMINS N14 DIESEL ENG.

Belts

Application	Mfr. Part No.	Belt No.
W.P.....	3076492	K060425 ^{GS}
Fan.....		③TR22443 ^{GS}
Alt.; Optional Belt.....		②9435 ^{GS}
Alt.; Preferred Belt.....	E6PZ 8620 F	2/9435PB
P.S.....		②9447 ^{GS}
A.C.....	C9PZ 8620 BS	9420 ^{GS}

Coolant Hose

Application	Molded or Strt.	Vulco-Flex®
Upper - Eng. To Pipe.....	✘2 1/4" I.D.	

DETROIT DIESEL SERIES 60 DIESEL ENG.

Belts

Application	Mfr. Part No.	Belt No.
Fan.....	FOHS 8620 AA	K140524 ^{GS}
Alt.....	E4HT 8A615 FA	2/9500PB
A.C.; W/42 1/2" Belt O.C.....	C6TA 8620 J	9420 ^{GS}
A.C.; W/46 1/2" Belt O.C.....	E2HT 8620 BA	9463 ^{GS}

Coolant Hose

Application	Molded or Strt.	Vulco-Flex®
Upper - Eng. To Pipe.....	✘2 1/2" I.D.	
Upper - Pipe To Rad.....	✘2 1/2" I.D.	

FORD 6.6 L DIESEL ENG.

Belts

Application	Mfr. Part No.	Belt No.
Alt.....		②BSX690
P.S.....	E8HZ 8620 Y	9630 ^{GS}
Air Compr.; W/Air Brakes.....	E7HZ 8620 C	9640 ^{GS}
Idler.....	E8HZ 8620 G	9650 ^{GS}

FORD 7.8 L DIESEL ENG.

Belts

Application	Mfr. Part No.	Belt No.
Alt.....		②9710 ^{GS}
P.S.....	E8HZ 8620 G	9650 ^{GS}
A.C.....	E4PZ 8620 W	9590 ^{GS}
Air Compr.; W/Air Brakes.....	E8HZ 8620 G	9650 ^{GS}
Idler; W/Air Brakes.....	E8HZ 8620 G	9650 ^{GS}

② Two Required.
③ Three Required.
④ Four Required.

^{GS} Green Stripe® Construction.
✘ Use Notched Belt Only.
✂ Cut To Fit.

✦ Green Stripe® 4-Ply Coolant Hose Recommended.
✦ Use Wire Inserted Green Stripe® Coolant Hose.
▲ Durion® Silicone Hose Recommended.
♦ PowerBand® Belt May Work, Use Template To Check.

For a maintenance free coolant connection, see PowerGrip® SB clamp application section.

Belts and Coolant Hose for Medium/Heavy Trucks (1990 And Newer)

FORD - Continued

1993 - Continued

LA9000; LTA9000

CATERPILLAR 3176 DIESEL ENG.

Belts

Application	Mfr. Part No.	Belt No.
Fan & Alt.....	F3HT 8620 L	K140700 ^{GS}
A.C.....	D2TE 8620 ADA	9447 ^{GS}

CUMMINS 5.9 L DIESEL ENG.; FORD FD1060 DIESEL ENG.

Belts

Application	Mfr. Part No.	Belt No.
Alt.; W/210 H.P., 230 H.P. Eng.....	F3HZ 8620 M	K080839 ^{GS}

CUMMINS 8.3 L DIESEL ENG.; FORD FD1460 DIESEL ENG.

Belts

Application	Mfr. Part No.	Belt No.
Alt.....	F3HZ 8620 C	K080720 ^{GS}
A.C.....	F3HZ 8620 D	9640 ^{GS}

CUMMINS L10 DIESEL ENG.

Belts

Application	Mfr. Part No.	Belt No.
Fan.....	F1HT 8620 AAA	K080575 ^{GS}
Alt.; W/Delco Alt.....	E4FZ 8620 C	K050360 ^{GS}
Alt.; W/Motorcraft Alt.....	F1HT 8620 BA	K050345 ^{GS}
A.C.....		9480 ^{GS}

Coolant Hose

Application	Molded or Strt.	Vulco-Flex®
Upper - Eng. To Pipe.....	✚ 1/4" I.D.	

CUMMINS N14 DIESEL ENG.

Belts

Application	Mfr. Part No.	Belt No.
Fan.....		③TR22443 ^{GS}
Alt.....		②9435 ^{GS}
P.S.....		②9447 ^{GS}
A.C.....	C9PZ 8620 BS	9420 ^{GS}

FORD 6.6 L DIESEL ENG.

Belts

Application	Mfr. Part No.	Belt No.
Alt.....		②BSX690
P.S.....	E8HZ 8620 Y	9630 ^{GS}
Air Compr.; W/Air Brakes.....	E7HZ 8620 C	9640 ^{GS}
Idler.....	E8HZ 8620 G	9650 ^{GS}

FORD 7.8 L DIESEL ENG.

Belts

Application	Mfr. Part No.	Belt No.
Alt.....		②9710 ^{GS}
P.S.....	E8HZ 8620 G	9650 ^{GS}
A.C.....	E4PZ 8620 W	9590 ^{GS}
Air Compr.; W/Air Brakes.....	E8HZ 8620 G	9650 ^{GS}
Idler; W/Air Brakes.....	E8HZ 8620 G	9650 ^{GS}

LL9000; LLS9000

CATERPILLAR 3176 DIESEL ENG.

Belts

Application	Mfr. Part No.	Belt No.
Fan & Alt.; W/70 1/2" Belt O.C.....	F3HT 8620 L	K140700 ^{GS}
A.C.....	D2TE 8620 ADA	9447 ^{GS}

FORD - Continued

1993 - Continued

LL9000; LLS9000 - Continued

CATERPILLAR 3176 DIESEL ENG. - Continued

Coolant Hose

Application	Molded or Strt.	Vulco-Flex®
Lower.....	22190	

CATERPILLAR 3406 DIESEL ENG.

Belts

Application	Mfr. Part No.	Belt No.
Fan; W/V-Belt Drive.....	E4HT 8A615 DA	TR22635 ^{GS}
Fan; W/V-Ribbed Belt Drive.....	F1HZ 8620 H	K100510 ^{GS}
Fan & A.C.....	C9PZ 8620 FP	9490 ^{GS}
Alt.; W/53 1/2" Belt O.C.; Optional Belt.....		②9530 ^{GS}
Alt.; W/53 1/2" Belt O.C.; Preferred Belt.....	E4HT 8620 AAA	2/9530PB
Alt.; W/55" Belt O.C.; Optional Belt.....		②9545 ^{GS}
Alt.; W/55" Belt O.C.; Preferred Belt....	E6HT 8620 AA	2/9545PB
Alt.; W/57 1/2" Belt O.C.; Optional Belt.....		②9570 ^{GS}
Alt.; W/57 1/2" Belt O.C.; Preferred Belt.....	C7TA 8620 M	2/9570PB
A.C.....	D0HA 8620 AG	9525 ^{GS}
A.C.; W/45" Belt O.C.....	D2TE 8620 ADA	9447 ^{GS}
A.C.; W/48" Belt O.C.....	D0HA 8620 AJ	9480 ^{GS}

CUMMINS 5.9 L DIESEL ENG.; FORD FD1060 DIESEL ENG.

Belts

Application	Mfr. Part No.	Belt No.
Alt.....	F3HZ 8620 M	K080839 ^{GS}

CUMMINS 8.3 L DIESEL ENG.; FORD FD1460 DIESEL ENG.

Belts

Application	Mfr. Part No.	Belt No.
Alt.....	F3HZ 8620 C	K080720 ^{GS}
A.C.....	F3HZ 8620 D	9640 ^{GS}

CUMMINS N14 DIESEL ENG.

Belts

Application	Mfr. Part No.	Belt No.
W.P.....	3076492	K060425 ^{GS}
Fan.....		③TR22443 ^{GS}
Alt.; Optional Belt.....		②9435 ^{GS}
Alt.; Preferred Belt.....	E6PZ 8620 F	2/9435PB
P.S.....		②9447 ^{GS}
A.C.....	C9PZ 8620 BS	9420 ^{GS}

FORD 6.6 L DIESEL ENG.

Belts

Application	Mfr. Part No.	Belt No.
Alt.....		②BSX690
P.S.....	E8HZ 8620 Y	9630 ^{GS}
Air Compr.; W/Air Brakes.....	E7HZ 8620 C	9640 ^{GS}
Idler.....	E8HZ 8620 G	9650 ^{GS}

FORD 7.8 L DIESEL ENG.

Belts

Application	Mfr. Part No.	Belt No.
Alt.....		②9710 ^{GS}
P.S.....	E8HZ 8620 G	9650 ^{GS}
A.C.....	E4PZ 8620 W	9590 ^{GS}
Air Compr.; W/Air Brakes.....	E8HZ 8620 G	9650 ^{GS}
Idler; W/Air Brakes.....	E8HZ 8620 G	9650 ^{GS}

- ② Two Required.
- ③ Three Required.
- ④ Four Required.

- ^{GS} Green Stripe® Construction.
- ✚ Use Notched Belt Only.
- ✂ Cut To Fit.

- ✚ Green Stripe® 4-Ply Coolant Hose Recommended.
- ⊛ Use Wire Inserted Green Stripe® Coolant Hose.
- ▲ Durion® Silicone Hose Recommended.
- ♦ PowerBand® Belt May Work, Use Template To Check.

For a maintenance free coolant connection, see PowerGrip® SB clamp application section.

Belts and Coolant Hose for Medium/Heavy Trucks (1990 And Newer)

FORD - Continued

1993 - Continued

LLA9000; LTLA9000; LTLS9000

CATERPILLAR 3176 DIESEL ENG.

Belts		
Application	Mfr. Part No.	Belt No.
Fan & Alt.; W/70 1/2" Belt O.C.	F3HT 8620 L	K140700 GS
Fan & Alt.; W/71 1/2" Belt O.C.		K080710 GS
Fan & Alt.; W/78 1/2" Belt O.C.	FOHT 8620 CA	K080780 GS
Fan & A.C.		9525 GS
A.C.	D2TE 8620 ADA	9447 GS

Coolant Hose		
Application	Molded or Strt.	Vulco-Flex®
Upper - Eng. To Pipe	20532	
Lower	22190	

CATERPILLAR 3406 DIESEL ENG.

Belts		
Application	Mfr. Part No.	Belt No.
Fan	E4HT 8A615 DA	TR22635 GS
Alt.; W/53 1/2" Belt O.C.; Optional Belt		②9530 GS
Alt.; W/53 1/2" Belt O.C.; Preferred Belt	E4HT 8620 AAA	2/9530PB
Alt.; W/55" Belt O.C.; Optional Belt		②9545 GS
Alt.; W/55" Belt O.C.; Preferred Belt	E6HT 8620 AA	2/9545PB
Alt.; W/57 1/2" Belt O.C.; Optional Belt		②9570 GS
Alt.; W/57 1/2" Belt O.C.; Preferred Belt	C7TA 8620 M	2/9570PB
A.C.; W/45" Belt O.C.	D2TE 8620 ADA	9447 GS
A.C.; W/48" Belt O.C.	DOHA 8620 AJ	9480 GS
A.C.; W/53" Belt O.C.	DOHA 8620 AG	9525 GS

CUMMINS 5.9 L DIESEL ENG.; FORD FD1060 DIESEL ENG.

Belts		
Application	Mfr. Part No.	Belt No.
Alt	F3HZ 8620 M	K080839 GS

CUMMINS 8.3 L DIESEL ENG.; FORD FD1460 DIESEL ENG.

Belts		
Application	Mfr. Part No.	Belt No.
Alt	F3HZ 8620 C	K080720 GS
A.C.	F3HZ 8620 D	9640 GS

CUMMINS N14 DIESEL ENG.

Belts		
Application	Mfr. Part No.	Belt No.
Fan		③TR22443 GS
Alt		②9435 GS
P.S.		②9447 GS
A.C.	C9PZ 8620 BS	9420 GS

DETROIT DIESEL SERIES 60 DIESEL ENG.

Belts		
Application	Mfr. Part No.	Belt No.
Fan	F2HZ 8620 C	K140451 GS
P.S.		9505 GS
A.C.	E2HZ 8620 C	9463 GS

FORD 6.6 L DIESEL ENG.

Belts		
Application	Mfr. Part No.	Belt No.
Alt		②BSX690
P.S.	E8HZ 8620 Y	9630 GS
Air Compr.; W/Air Brakes	E7HZ 8620 C	9640 GS
Idler	E8HZ 8620 G	9650 GS

FORD - Continued

1993 - Continued

LLA9000; LTLA9000; LTLS9000 - Continued

FORD 7.8 L DIESEL ENG.

Belts		
Application	Mfr. Part No.	Belt No.
Alt		②9710 GS
P.S.	E8HZ 8620 G	9650 GS
A.C.	E4PZ 8620 W	9590 GS
Air Compr.; W/Air Brakes	E8HZ 8620 G	9650 GS
Idler; W/Air Brakes	E8HZ 8620 G	9650 GS

LN7000

CUMMINS 5.9 L DIESEL ENG.; FORD FD1060 DIESEL ENG.

Belts		
Application	Mfr. Part No.	Belt No.
Fan & Alt.	F3HT 8620 CS	K080830 GS
Alt	F3HZ 8620 M	K080839 GS
P.S.	C6TA 8620 J	9420 GS
Hyd. Brake Boost Pump	F4HT 8620 GA	9412 GS

Coolant Hose		
Application	Molded or Strt.	Vulco-Flex®
Upper - Eng. To Pipe	1 3/4" I.D.	
Upper - Pipe To Rad.	❖2" I.D.	
Lower	❖2" I.D.	
Lower - Pipe To Cooler	❖2" I.D.	
Heater Hose; W/3/4" I.D. Hose	3/4" I.D.	

CUMMINS 8.3 L DIESEL ENG.; FORD FD1460 DIESEL ENG.

Belts		
Application	Mfr. Part No.	Belt No.
Alt	F3HZ 8620 C	K080720 GS
A.C.	F3HZ 8620 D	9640 GS

CUMMINS N14 DIESEL ENG.

Belts		
Application	Mfr. Part No.	Belt No.
Fan		③TR22443 GS
Alt		②9435 GS
P.S.		②9447 GS
A.C.	C9PZ 8620 BS	9420 GS

FORD 6.6 L DIESEL ENG.

Belts		
Application	Mfr. Part No.	Belt No.
Fan & Alt.; Optional Belt		②9690 GS
Fan & Alt.; Preferred Belt	E4HT 8620 SA	2/9690PB
Fan & A.C.	F1HT 8620 GB	7660
W.P. & P.S.	E8HZ 8620 Y	9630 GS
A.C.		9570 GS
Fan, P.S. & A.P.; Optional Belt		②9635 GS
Fan, P.S. & A.P.; Preferred Belt		2/9640PB
Fan, A.P. & Hyd. Brake Boost Pump ..	FOTE 8620 AA	7312
Idler	E8HZ 8620 G	9650 GS

Coolant Hose		
Application	Molded or Strt.	Vulco-Flex®
Upper	21854	

FORD 7.8 L DIESEL ENG.

Belts		
Application	Mfr. Part No.	Belt No.
W.P. & Hyd. Brake Boost Pump	E7HT 8620 CA	9630 GS
W.P. & Air Brake Compr.	E8HT 8620 UA	9650 GS
Fan & Alt.; Optional Belt		②9710 GS
Fan & Alt.; Preferred Belt	E8HT 8620 SA	2/9710PB

- ② Two Required.
- ③ Three Required.
- ④ Four Required.

- GS Green Stripe® Construction.
- ↗ Use Notched Belt Only.
- ✂ Cut To Fit.

- ❖ Green Stripe® 4-Ply Coolant Hose Recommended.
- ⊕ Use Wire Inserted Green Stripe® Coolant Hose.
- ▲ Durion® Silicone Hose Recommended.
- ♦ PowerBand® Belt May Work, Use Template To Check.

For a maintenance free coolant connection, see PowerGrip® SB clamp application section.

Belts and Coolant Hose for Medium/Heavy Trucks (1990 And Newer)

FORD - Continued 1993 - Continued LN7000 - Continued

FORD 7.8 L DIESEL ENG. - Continued

Belts - Continued

Application	Mfr. Part No.	Belt No.
P.S.	E8HZ 8620 G	9650 ^{GS}
A.C.; W/Dealer Inst. A.C.; W/59 1/2" Belt O.C.		7585
A.C.; W/Factory Inst. A.C.	E4PZ 8620 W	9590 ^{GS}
Idler; W/Air Brakes	E8HZ 8620 G	9650 ^{GS}

LN8000; LNT8000

CUMMINS 5.9 L DIESEL ENG.; FORD FD1060 DIESEL ENG.

Belts

Application	Mfr. Part No.	Belt No.
Alt.	F3HZ 8620 M	K080839 ^{GS}

CUMMINS 8.3 L DIESEL ENG.; FORD FD1460 DIESEL ENG.

Belts

Application	Mfr. Part No.	Belt No.
Fan & Alt.	F3HT 8620 GA	K080720 ^{GS}
Alt.	F3HZ 8620 C	K080720 ^{GS}
A.C.	F3HZ 8620 D	9640 ^{GS}
A.C.; W/63 1/2" Belt O.C.	E7HT 8620 CA	9630 ^{GS}

Coolant Hose

Application	Molded or Strt.	Vulco-Flex®
Upper - Eng. To Pipe	❖2 1/4" I.D.	
Upper - Pipe To Rad.	❖2" I.D.	
Lower - Eng. To Pipe	21901	
Lower - Pipe To Rad.	❖2 1/2" I.D.	

CUMMINS N14 DIESEL ENG.

Belts

Application	Mfr. Part No.	Belt No.
Fan		③TR22443 ^{GS}
Alt.		②9435 ^{GS}
P.S.		②9447 ^{GS}
A.C.	C9PZ 8620 BS	9420 ^{GS}

FORD 6.6 L DIESEL ENG.

Belts

Application	Mfr. Part No.	Belt No.
Alt.		②BSX690
P.S.	E8HZ 8620 Y	9630 ^{GS}
Air Compr.; W/Air Brakes	E7HZ 8620 C	9640 ^{GS}
Idler	E8HZ 8620 G	9650 ^{GS}

FORD 7.8 L DIESEL ENG.

Belts

Application	Mfr. Part No.	Belt No.
W.P. & Hyd. Brake Boost Pump	E7HT 8620 CA	9630 ^{GS}
W.P. & Air Brake Compr.; W/65 1/2" Belt O.C.	E8HT 8620 UA	9650 ^{GS}
Fan & Alt.; W/71 1/2" Belt O.C.; Optional Belt		②9710 ^{GS}
Fan & Alt.; W/71 1/2" Belt O.C.; Preferred Belt	E8HT 8620 SA	2/9710PB
P.S.	E8HZ 8620 G	9650 ^{GS}
A.C.; W/Dealer Inst. A.C.		7585
A.C.; W/Factory Inst. A.C.	E4PZ 8620 W	9590 ^{GS}
Idler; W/Air Brakes	E8HZ 8620 G	9650 ^{GS}

Coolant Hose

Application	Molded or Strt.	Vulco-Flex®
Upper	21854	

FORD - Continued 1993 - Continued

LN8000; LNT8000 - Continued

FORD 7.8 L DIESEL ENG. - Continued

Coolant Hose - Continued

Application	Molded or Strt.	Vulco-Flex®
Lower; W/Man. Trans.	21846	
By Pass	1 1/2" I.D.	

LN9000; LNT9000

CATERPILLAR 3176 DIESEL ENG.

Belts

Application	Mfr. Part No.	Belt No.
Fan & Alt.; W/70 1/2" Belt O.C.	F3HT 8620 L	K140700 ^{GS}
Fan & Alt.; W/78 1/2" Belt O.C.	FOHT 8620 CA	K080780 ^{GS}
A.C.	D2TE 8620 ADA	9447 ^{GS}

Coolant Hose

Application	Molded or Strt.	Vulco-Flex®
Upper	22189	

CATERPILLAR 3406 DIESEL ENG.

Belts

Application	Mfr. Part No.	Belt No.
Alt.	E4HT 8620 AAA	9530 ^{GS}
A.C.	D2TE 8620 ADA	9447 ^{GS}

Coolant Hose

Application	Molded or Strt.	Vulco-Flex®
Upper; W/P.S.	22194	

CUMMINS 5.9 L DIESEL ENG.; FORD FD1060 DIESEL ENG.

Belts

Application	Mfr. Part No.	Belt No.
Alt.	F3HZ 8620 M	K080839 ^{GS}

CUMMINS 8.3 L DIESEL ENG.; FORD FD1460 DIESEL ENG.

Belts

Application	Mfr. Part No.	Belt No.
Alt.	F3HZ 8620 C	K080720 ^{GS}
A.C.	F3HZ 8620 D	9640 ^{GS}

CUMMINS L10 DIESEL ENG.

Belts

Application	Mfr. Part No.	Belt No.
Fan	F1HT 8620 AAA	K080575 ^{GS}
Alt.; W/Delco Alt.	E4FZ 8620 C	K050360 ^{GS}
Alt.; W/Motorcraft Alt.	F1HT 8620 BA	K050345 ^{GS}
A.C.		9480 ^{GS}

Coolant Hose

Application	Molded or Strt.	Vulco-Flex®
Upper - Eng. To Pipe	❖2 1/4" I.D.	

CUMMINS N14 DIESEL ENG.

Belts

Application	Mfr. Part No.	Belt No.
W.P.	3076492	K060425 ^{GS}
Fan		②TR22443 ^{GS}
Alt.; Optional Belt		②9435 ^{GS}
Alt.; Preferred Belt	E6PZ 8620 F	2/9435PB
P.S.		②9447 ^{GS}
A.C.	C9PZ 8620 BS	9420 ^{GS}

- ② Two Required.
- ③ Three Required.
- ④ Four Required.

- ^{GS} Green Stripe® Construction.
- ✦ Use Notched Belt Only.
- ✂ Cut To Fit.

- ❖ Green Stripe® 4-Ply Coolant Hose Recommended.
- ☄ Use Wire Inserted Green Stripe® Coolant Hose.
- ▲ Durion® Silicone Hose Recommended.
- ♦ PowerBand® Belt May Work, Use Template To Check.

For a maintenance free coolant connection, see PowerGrip® SB clamp application section.

Belts and Coolant Hose for Medium/Heavy Trucks (1990 And Newer)

FORD - Continued

1993 - Continued

LN9000; LNT9000 - Continued

CUMMINS N14 DIESEL ENG. - Continued

Coolant Hose

Application	Molded or Strt.	Vulco-Flex®
Upper - Eng. To Pipe	❖ 2 1/4" I.D.	

FORD 6.6 L DIESEL ENG.

Belts

Application	Mfr. Part No.	Belt No.
Alt.....		②BSX690
P.S.....	E8HZ 8620 Y	9630 ^{GS}
Air Compr.; W/Air Brakes	E7HZ 8620 C	9640 ^{GS}
Idler.....	E8HZ 8620 G	9650 ^{GS}

FORD 7.8 L DIESEL ENG.

Belts

Application	Mfr. Part No.	Belt No.
Alt.....		②9710 ^{GS}
P.S.....	E8HZ 8620 G	9650 ^{GS}
A.C.....	E4PZ 8620 W	9590 ^{GS}
Air Compr.; W/Air Brakes	E8HZ 8620 G	9650 ^{GS}
Idler; W/Air Brakes.....	E8HZ 8620 G	9650 ^{GS}

LT8000; LTS8000

CUMMINS 5.9 L DIESEL ENG.; FORD FD1060 DIESEL ENG.

Belts

Application	Mfr. Part No.	Belt No.
Alt.....	F3HZ 8620 M	K080839 ^{GS}

CUMMINS 8.3 L DIESEL ENG.; FORD FD1460 DIESEL ENG.

Belts

Application	Mfr. Part No.	Belt No.
Fan & Alt.	F3HT 8620 GA	K080720 ^{GS}
Alt.....	F3HZ 8620 C	K080720 ^{GS}
A.C.; W/63 1/2" Belt O.C.....	E7HT 8620 CA	9630 ^{GS}
A.C.; W/64 1/2" Belt O.C.....	F3HT 8620 D	9640 ^{GS}

Coolant Hose

Application	Molded or Strt.	Vulco-Flex®
Upper - Eng. To Pipe.....	❖ 2 1/4" I.D.	
Upper - Pipe To Rad.....	❖ 2" I.D.	
Lower - Eng. To Pipe.....	21901	
Lower - Pipe To Rad.....	❖ 2 1/2" I.D.	

CUMMINS N14 DIESEL ENG.

Belts

Application	Mfr. Part No.	Belt No.
Fan.....		③TR22443 ^{GS}
Alt.....		②9435 ^{GS}
P.S.....		②9447 ^{GS}
A.C.....	C9PZ 8620 BS	9420 ^{GS}

FORD 6.6 L DIESEL ENG.

Belts

Application	Mfr. Part No.	Belt No.
Fan & Alt.; W/69 1/2" Belt O.C.; Optional Belt.....		②9690 ^{GS}
Fan & Alt.; W/69 1/2" Belt O.C.; Preferred Belt.....		2/9690PB
P.S.....	E8HZ 8620 Y	9630 ^{GS}
Air Compr.; W/Air Brakes	E7HZ 8620 C	9640 ^{GS}
Idler.....	E8HZ 8620 G	9650 ^{GS}

FORD - Continued

1993 - Continued

LT8000; LTS8000 - Continued

FORD 7.8 L DIESEL ENG.

Belts

Application	Mfr. Part No.	Belt No.
W.P. & Hyd. Brake Boost Pump.....	E7HT 8620 CA	9630 ^{GS}
W.P. & Air Brake Compr.; W/65 1/2" Belt O.C.....	E8HT 8620 UA	9650 ^{GS}
Fan & Alt.; W/69 1/2" Belt O.C.; Optional Belt.....		②9690 ^{GS}
Fan & Alt.; W/69 1/2" Belt O.C.; Preferred Belt.....	E4HT 8620 SA	2/9690PB
Fan & Alt.; W/71 1/2" Belt O.C.....		②9710 ^{GS}
P.S.....	E8HZ 8620 G	9650 ^{GS}
A.C.; W/Dealer Inst. A.C.....		7585
A.C.; W/Factory Inst. A.C.....	E4PZ 8620 W	9590 ^{GS}
Idler; W/Air Brakes.....	E8HZ 8620 G	9650 ^{GS}

Coolant Hose

Application	Molded or Strt.	Vulco-Flex®
Upper.....	21854	
Lower; W/Man. Trans.....	21846	
By Pass.....	1 1/2" I.D.	

LT9000; LTL9000; LTS9000

CATERPILLAR 3176 DIESEL ENG.

Belts

Application	Mfr. Part No.	Belt No.
Fan & Alt.; W/70 1/2" Belt O.C.....	F3HT 8620 L	K140700 ^{GS}
Fan & Alt.; W/78 1/2" Belt O.C.....	F0HT 8620 CA	K080780 ^{GS}
A.C.....	D2TE 8620 ADA	9447 ^{GS}

Coolant Hose

Application	Molded or Strt.	Vulco-Flex®
Upper.....	22189	
Upper - Eng. To Pipe.....	20532	

CATERPILLAR 3306 DIESEL ENG.

Belts

Application	Mfr. Part No.	Belt No.
Fan; Optional Belt.....		②9590 ^{GS}
Fan; Preferred Belt	E4HT 8620 YA	2/9590PB
Alt.; Optional Belt.....		②9530 ^{GS}
Alt.; Preferred Belt	E4HT 8620 AAA	2/9530PB
A.C.....	C9PZ 8620 CD	9480 ^{GS}

Coolant Hose

Application	Molded or Strt.	Vulco-Flex®
Coolant Reservoir.....	1" I.D.	
Oil Cooler.....	❖ 2 1/2" I.D.	
Heater Hose; W/5/8" I.D. Hose.....	5/8" I.D.	
Filter By Pass.....	3/8" I.D.	

CATERPILLAR 3406 DIESEL ENG.

Belts

Application	Mfr. Part No.	Belt No.
Fan.....	F1HZ 8620 H	K100510 ^{GS}
Alt.; W/52 1/2" Belt O.C.....	E4HT 8620 AAA	9530 ^{GS}
Alt.; W/54" Belt O.C.; Optional Belt.....		②9545 ^{GS}
Alt.; W/54" Belt O.C.; Preferred Belt.....	E6HT 8620 AA	2/9545PB
A.C.; W/44 1/2" Belt O.C.....	D2TE 8620 ADA	9447 ^{GS}
A.C.; W/52" Belt O.C.....	D0HA 8620 AG	9525 ^{GS}

Coolant Hose

Application	Molded or Strt.	Vulco-Flex®
Upper; W/P.S.	22194	

② Two Required.
③ Three Required.
④ Four Required.

^{GS} Green Stripe® Construction.
➤ Use Notched Belt Only.
✂ Cut To Fit.

❖ Green Stripe® 4-Ply Coolant Hose Recommended.
⊗ Use Wire Inserted Green Stripe® Coolant Hose.
▲ Durion® Silicone Hose Recommended.
⬦ PowerBand® Belt May Work, Use Template To Check.

For a maintenance free coolant connection, see PowerGrip® SB clamp application section.

Belts and Coolant Hose for Medium/Heavy Trucks (1990 And Newer)

FORD - Continued

1993 - Continued

LT9000; LTL9000; LTS9000 - Continued

CUMMINS 5.9 L DIESEL ENG.; FORD FD1060 DIESEL ENG.

Belts		
Application	Mfr. Part No.	Belt No.
Alt.....	F3HZ 8620 M	K080839 GS

CUMMINS 8.3 L DIESEL ENG.; FORD FD1460 DIESEL ENG.

Belts		
Application	Mfr. Part No.	Belt No.
Alt.....	F3HZ 8620 C	K080720 GS
A.C.....	F3HZ 8620 D	9640 GS

CUMMINS L10 DIESEL ENG.

Belts		
Application	Mfr. Part No.	Belt No.
Fan.....	F1HT 8620 AAA	K080575 GS
Alt.; W/Delco Alt.....	E4FZ 8620 C	K050360 GS
Alt.; W/Motorcraft Alt.....	F1HT 8620 BA	K050345 GS
A.C.....		9480 GS

Coolant Hose

Application	Molded or Strt.	Vulco-Flex®
Upper - Eng. To Pipe.....	✚ 1/4" I.D.	

CUMMINS N14 DIESEL ENG.

Belts		
Application	Mfr. Part No.	Belt No.
W.P.....	3076492	K060425 GS
Fan.....		②TR22443 GS
Alt.; Optional Belt.....		②9435 GS
Alt.; Preferred Belt.....	E6PZ 8620 F	2/9435PB
P.S.....		②9447 GS
A.C.....	C9PZ 8620 BS	9420 GS

Coolant Hose

Application	Molded or Strt.	Vulco-Flex®
Upper - Eng. To Pipe.....	✚ 1/4" I.D.	
Upper - Pipe To Rad.....		26521

DETROIT DIESEL SERIES 60 DIESEL ENG.

Belts		
Application	Mfr. Part No.	Belt No.
Fan.....	F2HZ 8620 C	K140451 GS
P.S.....		9505 GS
A.C.....	E0HZ 8620 K	9430 GS

Coolant Hose

Application	Molded or Strt.	Vulco-Flex®
Upper - Eng. To Pipe.....	✚ 1/2" I.D.	

FORD 6.6 L DIESEL ENG.

Belts		
Application	Mfr. Part No.	Belt No.
Alt.....		②BSX690
P.S.....	E8HZ 8620 Y	9630 GS
Air Compr.; W/Air Brakes.....	E7HZ 8620 C	9640 GS
Idler.....	E8HZ 8620 G	9650 GS

FORD 7.8 L DIESEL ENG.

Belts		
Application	Mfr. Part No.	Belt No.
Alt.....		②9710 GS
P.S.....	E8HZ 8620 G	9650 GS
A.C.....	E4PZ 8620 W	9590 GS

FORD - Continued

1993 - Continued

LT9000; LTL9000; LTS9000 - Continued

FORD 7.8 L DIESEL ENG. - Continued

Belts - Continued

Application	Mfr. Part No.	Belt No.
Air Compr.; W/Air Brakes.....	E8HZ 8620 G	9650 GS
Idler; W/Air Brakes.....	E8HZ 8620 G	9650 GS

1992

CF7000; CF8000; CFT8000

FORD 6.6 L DIESEL ENG.

Belts

Application	Mfr. Part No.	Belt No.
Alt.; W/60A. Alt.....		②9565 GS
Alt.; W/70A., 90A. Alt.....		②9710 GS
Air Compr.; W/2150 Air Brake Compr.....	E7HZ 8620 B	9630 GS
Air Compr.; W/501 Air Brake Compr....	E7HZ 8620 C	9640 GS
Idler; W/Air Brakes.....	E8HZ 8620 G	9650 GS

FORD 7.8 L DIESEL ENG.

Belts

Application	Mfr. Part No.	Belt No.
W.P. & Air Brake Compr.....	E8HT 8620 HA	9650 GS
Alt.; W/60A. Alt.....		②9580 GS
Alt.; W/75A., 90A., 130A. Alt.....		②9585 GS
A.C.; W/58" Belt O.C.....		A56
A.C.; W/59" Belt O.C.....		9585 GS
Air Compr.; W/Air Brakes.....	E8HZ 8620 HA	9650 GS
W.P. To Air Compr.....	E9HZ 8620 C	9650 GS
Idler; W/Air Brakes.....	E8HZ 8620 G	9650 GS

F600

CUMMINS 5.9 L DIESEL ENG.; FORD FD1060 DIESEL ENG.

Belts

Application	Mfr. Part No.	Belt No.
Fan & Alt.....	F3HT 8620 SA	K080830 GS
P.S.....	C6TA 8620 J	9420 GS
Hyd. Brake Boost Pump.....	F4HT 8620 GA	9412 GS

Coolant Hose

Application	Molded or Strt.	Vulco-Flex®
Upper - Eng. To Pipe.....	1 3/4" I.D.	
Upper - Pipe To Rad.....	✚ 2" I.D.	
Lower.....	✚ 2" I.D.	
Lower - Pipe To Cooler.....	✚ 2" I.D.	
Heater Hose; W/3/4" I.D. Hose.....	3/4" I.D.	

FORD 6.6 L DIESEL ENG.

Belts

Application	Mfr. Part No.	Belt No.
Fan & Alt.; W/130A. Alt.; W/High Mount Fan.....		②7570
Fan & Alt.; W/130A. Alt.; W/Low Mount Fan.....		②9625 GS
Fan & Alt.; W/60A., 75A., 90A. Alt.; W/High Mount Fan; Optional Belt.....		②9690 GS
Fan & Alt.; W/60A., 75A., 90A. Alt.; W/High Mount Fan; Preferred Belt.....	E4HT 8620 SA	2/9690PB
Fan & Alt.; W/60A., 75A., 90A. Alt.; W/Low Mount Fan; Optional Belt.....		②9610 GS
Fan & Alt.; W/60A., 75A., 90A. Alt.; W/Low Mount Fan; Preferred Belt.....		2/9610PB
Fan & P.S.; W/Low Mount Fan.....	E6HZ 8620 E	9545 GS
W.P. & P.S.; W/High Mount Fan.....	E7HT 8620 CA	9630 GS
A.C.....	E8HZ 8620 N	9590 GS
Air Compr.; W/2150 Air Brake Compr.; W/A.C.....	E7HZ 8620 B	9630 GS

- ② Two Required.
- ③ Three Required.
- ④ Four Required.

- GS Green Stripe® Construction.
- ✚ Use Notched Belt Only.
- ✘ Cut To Fit.

- ✚ Green Stripe® 4-Ply Coolant Hose Recommended.
- ② Use Wire Inserted Green Stripe® Coolant Hose.
- ▲ Durion® Silicone Hose Recommended.
- ◆ PowerBand® Belt May Work, Use Template To Check.

For a maintenance free coolant connection, see PowerGrip® SB clamp application section.

Belts and Coolant Hose for Medium/Heavy Trucks (1990 And Newer)

FORD - Continued

1992 - Continued

F600 - Continued

FORD 6.6 L DIESEL ENG. - Continued

Belts - Continued

Application	Mfr. Part No.	Belt No.
Air Compr.; W/2150 Air Brake Compr.; W/O A.C.	C9PZ 8620 GN	9550 ^{GS}
Air Compr.; W/550 Air Brake Compr.	E3AZ 8620 D	9565 ^{GS}
Fan, A.P. & Hyd. Brake Boost Pump	EOTE 8620 KA	9610 ^{GS}
Idler	E8HZ 8620 HA	9650 ^{GS}

Coolant Hose

Application	Molded or Strt.	Vulco-Flex®
Upper	>21943	
Lower; W/Man. Trans.; W/P.T.O.	21845	
By Pass	1 1/2" I.D.	

FORD 7.8 L DIESEL ENG.

Belts

Application	Mfr. Part No.	Belt No.
Alt.; W/High Mount Fan	E8HZ 8620 B	9710 ^{GS}
A.C.	E8HZ 8620 N	9590 ^{GS}
Air Compr.; W/Air Brakes	E8HZ 8620 Y	9630 ^{GS}
Idler	E8HZ 8620 G	9650 ^{GS}

FORD V-8 7.0 L ENG.

Belts

Application	Mfr. Part No.	Belt No.
Fan; W/High Mount Fan; W/Idler Pulley	C9PZ 8620 CD	9480 ^{GS}
Fan & Alt.; W/40A., 60A. Alt.; W/Fan Clutch; W/Cowl	C9PZ 8620 FN	9440 ^{GS}
Fan & Alt.; W/40A., 60A. Alt.; W/Fan Clutch; W/O Cowl	E6PZ 8620 F	9435 ^{GS}
Fan & Alt.; W/40A., 60A. Alt.; W/Fixed Fan; W/Cowl	D9PZ 8620 M	9447 ^{GS}
Fan & Alt.; W/40A., 60A. Alt.; W/Fixed Fan; W/O Cowl	E6PZ 8620 G	9451 ^{GS}
Fan & Alt.; W/75A. Alt.; W/Fan Clutch; W/Cowl	D9PZ 8620 M	9447 ^{GS}
Fan & Alt.; W/75A. Alt.; W/Fan Clutch; W/O Cowl	D9PZ 8620 M	9447 ^{GS}
Fan & Alt.; W/75A. Alt.; W/Fixed Fan	E2HZ 8620 C	9463 ^{GS}
Fan & Alt.; W/90A., 130A. Alt.; W/Fan Clutch	E6PZ 8620 G	9451 ^{GS}
Fan & Alt.; W/90A., 130A. Alt.; W/Fixed Fan	E2HZ 8620 C	9463 ^{GS}
P.S.; W/Dual Belt Drive		②9580 ^{GS}
P.S.; W/Single Belt Drive	C9PZ 8620 CR	9540 ^{GS}
A.C.	F1HZ 8620 E	7660
Air Compr.; W/Air Brakes	E8HZ 8620 A	9650 ^{GS}
Air Compr.; W/Hyd. Brakes	E0PZ 8620 G	9610 ^{GS}
Idler	D4HE 8620 CA	9480 ^{GS}

Coolant Hose

Application	Molded or Strt.	Vulco-Flex®
Upper; W/Auto. Trans.; W/O P.T.O.	21938	
Upper; W/Man. Trans.	21938	
By Pass	>21942	
Heater Hose; W/5/8" I.D. Hose	5/8" I.D.	

F700

CUMMINS 5.9 L DIESEL ENG.; FORD FD1060 DIESEL ENG.

Belts

Application	Mfr. Part No.	Belt No.
Fan & Alt.	F3HT 8620 CS	K080830 ^{GS}
P.S.	C6TA 8620 J	9420 ^{GS}
Hyd. Brake Boost Pump	F4HT 8620 GA	9412 ^{GS}

FORD - Continued

1992 - Continued

F700 - Continued

CUMMINS 5.9 L DIESEL ENG.; FORD FD1060 DIESEL ENG. - Continued

Coolant Hose

Application	Molded or Strt.	Vulco-Flex®
Upper - Eng. To Pipe	1 3/4" I.D.	
Upper - Pipe To Rad.	❖2" I.D.	
Lower	❖2" I.D.	
Lower - Pipe To Cooler	❖2" I.D.	
Heater Hose; W/3/4" I.D. Hose	3/4" I.D.	

FORD 6.6 L DIESEL ENG.

Belts

Application	Mfr. Part No.	Belt No.
Fan & Alt.; W/130A. Alt.; W/High Mount Fan		②7570
Fan & Alt.; W/130A. Alt.; W/Low Mount Fan		②9625 ^{GS}
Fan & Alt.; W/60A., 75A., 90A. Alt.; W/High Mount Fan; Optional Belt		②9690 ^{GS}
Fan & Alt.; W/60A., 75A., 90A. Alt.; W/High Mount Fan; Preferred Belt	E4HT 8620 SA	2/9690PB
Fan & Alt.; W/60A., 75A., 90A. Alt.; W/Low Mount Fan; Optional Belt		②9610 ^{GS}
Fan & Alt.; W/60A., 75A., 90A. Alt.; W/Low Mount Fan; Preferred Belt		2/9610PB
Fan & A.C.		9590 ^{GS}
Fan & P.S.; W/Low Mount Fan	E6HZ 8620 E	9545 ^{GS}
W.P. & P.S.; W/High Mount Fan	E7HT 8620 CA	9630 ^{GS}
A.C.	E8HZ 8620 N	9590 ^{GS}
Air Compr.; W/2150 Air Brake Compr.; W/A.C.	E7HZ 8620 B	9630 ^{GS}
Air Compr.; W/2150 Air Brake Compr.; W/O A.C.	C9PZ 8620 GN	9550 ^{GS}
Air Compr.; W/550 Air Brake Compr.	E3AZ 8620 D	9565 ^{GS}
Fan, P.S. & A.P.; Optional Belt		②9635 ^{GS}
Fan, P.S. & A.P.; Preferred Belt		2/9640PB
Idler	E8HZ 8620 HA	9650 ^{GS}

Coolant Hose

Application	Molded or Strt.	Vulco-Flex®
Upper	>21943	
Lower; W/Man. Trans.; W/P.T.O.	21845	
By Pass	1 1/2" I.D.	

FORD 7.8 L DIESEL ENG.

Belts

Application	Mfr. Part No.	Belt No.
Fan & Alt.; W/High Mount Fan; Optional Belt		②9710 ^{GS}
Fan & Alt.; W/High Mount Fan; Preferred Belt	E8HT 8620 GA	2/9710PB
A.C.; W/Dealer Inst. A.C.		7597
A.C.; W/Factory Inst. A.C.		9590 ^{GS}
Air Compr.	E8HZ 8620 Y	9630 ^{GS}
Idler	E8HZ 8620 G	9650 ^{GS}

Coolant Hose

Application	Molded or Strt.	Vulco-Flex®
Upper	>21943	
Lower; W/Man. Trans.; W/O P.T.O.	21845	

FORD V-8 7.0 L ENG.

Belts

Application	Mfr. Part No.	Belt No.
Fan; W/High Mount Fan; W/Idler Pulley	C9PZ 8620 CD	9480 ^{GS}
Fan & Alt.; W/40A., 60A. Alt.; W/Fan Clutch	C9PZ 8620 FN	9440 ^{GS}
Fan & Alt.; W/40A., 60A. Alt.; W/Fan Clutch; W/O Cowl	E6PZ 8620 F	9435 ^{GS}

- ② Two Required.
- ③ Three Required.
- ④ Four Required.

- ^{GS} Green Stripe® Construction.
- ↗ Use Notched Belt Only.
- ∞ Cut To Fit.

- ❖ Green Stripe® 4-Ply Coolant Hose Recommended.
- ⊛ Use Wire Inserted Green Stripe® Coolant Hose.
- ▲ Durion® Silicone Hose Recommended.
- ♦ PowerBand® Belt May Work, Use Template To Check.

For a maintenance free coolant connection, see PowerGrip® SB clamp application section.

Belts and Coolant Hose for Medium/Heavy Trucks (1990 And Newer)

FORD - Continued

1992 - Continued

F700 - Continued

FORD V-8 7.0 L ENG. - Continued

Belts - Continued

Application	Mfr. Part No.	Belt No.
Fan & Alt.; W/40A., 60A. Alt.; W/Fixed Fan; W/Cowl.....	D9PZ 8620 M	9447 GS
Fan & Alt.; W/40A., 60A. Alt.; W/Fixed Fan; W/O Cowl.....	E6PZ 8620 G	9451 GS
Fan & Alt.; W/75A. Alt.; W/Fan Clutch; W/Cowl.....	D9PZ 8620 M	9447 GS
Fan & Alt.; W/75A. Alt.; W/Fan Clutch; W/O Cowl.....	D9PZ 8620 M	9447 GS
Fan & Alt.; W/75A. Alt.; W/Fixed Fan..	E2HZ 8620 C	9463 GS
Fan & Alt.; W/90A., 130A. Alt.; W/Fan Clutch.....	E6PZ 8620 G	9451 GS
Fan & Alt.; W/90A., 130A. Alt.; W/Fixed Fan.....	E2HZ 8620 C	9463 GS
P.S.; W/Dual Belt Drive.....		29580 GS
P.S.; W/Single Belt Drive.....	C9PZ 8620 CR	9540 GS
A.C.; W/1/2" Belt T.W.....	E5TE 8620 GA	9355 GS
A.C.; W/3/8" Belt T.W.....	F1HZ 8620 E	7660
Air Compr.; W/Air Brakes.....	E8HZ 8620 A	9650 GS
Air Compr.; W/Hyd. Brakes.....	E0PZ 8620 G	9610 GS

Coolant Hose

Application	Molded or Strt.	Vulco-Flex®
Upper; W/Auto. Trans.; W/O P.T.O.....	21938	
Upper; W/Man. Trans.....	21938	
By Pass.....	> 21942	
Heater Hose; W/5/8" I.D. Hose.....	5/8" I.D.	

F800

CUMMINS 5.9 L DIESEL ENG.; FORD FD1060 DIESEL ENG.

Belts

Application	Mfr. Part No.	Belt No.
Fan & Alt.....	F3HT 8620 SA	K080830 GS
P.S.....	C6TA 8620 J	9420 GS
Hyd. Brake Boost Pump.....	F4HT 8620 GA	9412 GS

FORD 6.6 L DIESEL ENG.

Belts

Application	Mfr. Part No.	Belt No.
Fan & Alt.; W/130A. Alt.; W/High Mount Fan.....		27570
Fan & Alt.; W/130A. Alt.; W/Low Mount Fan.....		29625 GS
Fan & Alt.; W/60A., 75A., 90A. Alt.; W/High Mount Fan; Optional Belt.....		29690 GS
Fan & Alt.; W/60A., 75A., 90A. Alt.; W/High Mount Fan; Preferred Belt.....	E4HT 8620 SA	29690PB
Fan & Alt.; W/60A., 75A., 90A. Alt.; W/Low Mount Fan; Optional Belt.....		29610 GS
Fan & Alt.; W/60A., 75A., 90A. Alt.; W/Low Mount Fan; Preferred Belt.....		29610PB
P.S.....	E6HT 8620 AA	9545 GS
W.P. & P.S.....	E7HT 8620 CA	9630 GS
A.C.....	E8HZ 8620 N	9590 GS
Air Compr.; W/2150 Air Brake Compr.; W/A.C.....	E7HZ 8620 B	9630 GS
Air Compr.; W/2150 Air Brake Compr.; W/O A.C.....	C9PZ 8620 GN	9550 GS
Air Compr.; W/550 Air Brake Compr..	E3AZ 8620 D	9565 GS
Fan, P.S. & A.P.; Optional Belt.....		29635 GS
Fan, P.S. & A.P.; Preferred Belt.....		29640PB
Fan, A.P. & Hyd. Brake Boost Pump..	E0TE 8620 KA	9610 GS
Idler.....	E8HZ 8620 HA	9650 GS

Coolant Hose

Application	Molded or Strt.	Vulco-Flex®
Upper.....	> 21943	

FORD - Continued

1992 - Continued

F800 - Continued

FORD 6.6 L DIESEL ENG. - Continued

Coolant Hose - Continued

Application	Molded or Strt.	Vulco-Flex®
Lower; W/Man. Trans.; W/P.T.O.....	21845	
By Pass.....	1 1/2" I.D.	

FORD 7.8 L DIESEL ENG.

Belts

Application	Mfr. Part No.	Belt No.
W.P. & Hyd. Brake Boost Pump.....	E7HT 8620 CA	9630 GS
Fan & Alt.; W/High Mount Fan; Optional Belt.....		29710 GS
Fan & Alt.; W/High Mount Fan; Preferred Belt.....	E8HT 8620 GA	29710PB
Fan & Alt.; W/Low Mount Fan.....		29610 GS
A.C.; W/Dealer Inst. A.C.....		7597
A.C.; W/Factory Inst. A.C.....		9590 GS
Air Compr.; W/Air Brakes.....	E8HZ 8620 Y	9630 GS
Hyd. Brake Boost Pump.....		9550 GS
Idler.....	E8HZ 8620 G	9650 GS

Coolant Hose

Application	Molded or Strt.	Vulco-Flex®
Upper.....	> 21943	
Lower; W/Man. Trans.; W/O P.T.O.....	21845	

FORD V-8 7.0 L ENG.

Belts

Application	Mfr. Part No.	Belt No.
Fan; W/High Mount Fan; W/Idler Pulley.....	C9PZ 8620 CD	9480 GS
Alt.; W/40A., 60A. Alt.; W/Fan Clutch; W/Cowl.....	C9PZ 8620 FN	9440 GS
Alt.; W/40A., 60A. Alt.; W/Fan Clutch; W/O Cowl.....	E6PZ 8620 F	9435 GS
Alt.; W/40A., 60A. Alt.; W/Fixed Fan; W/Cowl.....	D9PZ 8620 M	9447 GS
Alt.; W/40A., 60A. Alt.; W/Fixed Fan; W/O Cowl.....	E6PZ 8620 G	9451 GS
Alt.; W/75A. Alt.; W/Fan Clutch.....	D9PZ 8620 M	9447 GS
Alt.; W/75A. Alt.; W/Fixed Fan.....	E2HZ 8620 C	9463 GS
Alt.; W/90A., 130A. Alt.; W/Fan Clutch	E6PZ 8620 G	9451 GS
Alt.; W/90A., 130A. Alt.; W/Fixed Fan..	E2HZ 8620 C	9463 GS
P.S.; W/Dual Belt Drive.....		29580 GS
P.S.; W/Single Belt Drive.....		9540 GS
A.C.....	F1HZ 8620 E	7660
Air Compr.; W/Air Brakes.....	E8HZ 8620 A	9650 GS
Air Compr.; W/Hyd. Brakes.....	E0PZ 8620 G	9610 GS

Coolant Hose

Application	Molded or Strt.	Vulco-Flex®
Upper; W/Auto. Trans.; W/O P.T.O.; May 6, 1991 & Newer.....	21938	
Upper; W/Man. Trans.....	21938	
By Pass.....	> 21942	
Heater Hose; W/5/8" I.D. Hose.....	5/8" I.D.	

FT900

CUMMINS 5.9 L DIESEL ENG.; FORD FD1060 DIESEL ENG.

Belts

Application	Mfr. Part No.	Belt No.
Alt.....	F3HZ 8620 B	K080830 GS

- ② Two Required.
- ③ Three Required.
- ④ Four Required.

- GS Green Stripe® Construction.
- ✱ Use Notched Belt Only.
- ✂ Cut To Fit.

- ✚ Green Stripe® 4-Ply Coolant Hose Recommended.
- ⊕ Use Wire Inserted Green Stripe® Coolant Hose.
- ▲ Durion® Silicone Hose Recommended.
- ✦ PowerBand® Belt May Work, Use Template To Check.

For a maintenance free coolant connection, see PowerGrip® SB clamp application section.

Belts and Coolant Hose for Medium/Heavy Trucks (1990 And Newer)

FORD - Continued 1992 - Continued FT900 - Continued

FORD 6.6 L DIESEL ENG.

Belts		
Application	Mfr. Part No.	Belt No.
Alt.; W/130A. Alt.; W/High Mount Fan.		②9690 GS
Alt.; W/130A. Alt.; W/Low Mount Fan.		②9625 GS
Alt.; W/60A., 75A., 90A. Alt.; W/High Mount Fan.		②9690 GS
Alt.; W/60A., 75A., 90A. Alt.; W/Low Mount Fan.		②9610 GS
P.S.; W/High Mount Fan.	E8HZ 8620 Y	9630 GS
P.S.; W/Low Mount Fan.		9545 GS
A.C.		9590 GS
Air Compr.; W/2150 Air Brake Compr.; W/A.C.; W/Auto. Trans.		9710 GS
Air Compr.; W/2150 Air Brake Compr.; W/A.C.; W/Man. Trans.	E7HZ 8620 B	9630 GS
Air Compr.; W/2150 Air Brake Compr.; W/O A.C.; W/Man. Trans.	C9PZ 8620 GN	9550 GS
Air Compr.; W/550 Air Brake Compr. Idler; W/Air Brakes.	E3AZ 8620 D E8HZ 8620 HA	9565 GS 9650 GS

FORD 7.8 L DIESEL ENG.

Belts		
Application	Mfr. Part No.	Belt No.
W.P. & Hyd. Brake Boost Pump.	E7HT 8620 CA	9630 GS
W.P. & Air Brake Compr.	E8HT 8620 UA	9650 GS
Fan & Alt.; Optional Belt; W/High Mount Fan.		②9710 GS
Fan & Alt.; Preferred Belt; W/High Mount Fan.	E8HT 8620 GA	2/9710PB 7597
A.C.; W/Dealer Inst. A.C.		9590 GS
A.C.; W/Factory Inst. A.C.	E8HZ 8620 N	9630 GS
Air Compr.	E8HZ 8620 Y	9550 GS
Hyd. Brake Boost Pump		9650 GS
Idler.	E8HZ 8620 HA	9650 GS

Coolant Hose

Application	Molded or Strt.	Vulco-Flex®
Upper	>21943	
Lower; W/Man. Trans.; W/O P.T.O.	21845	

FORD V-8 7.0 L ENG.

Belts		
Application	Mfr. Part No.	Belt No.
Alt.; W/40A., 60A. Alt.; W/Fan Clutch; W/Cowl.	C9PZ 8620 FN	9440 GS
Alt.; W/40A., 60A. Alt.; W/Fan Clutch; W/O Cowl.	E6PZ 8620 F	9435 GS
Alt.; W/40A., 60A. Alt.; W/Fixed Fan; W/Cowl.		②9447 GS
Alt.; W/40A., 60A. Alt.; W/Fixed Fan; W/O Cowl.	E6PZ 8620 G	9451 GS
Alt.; W/75A. Alt.; W/Fan Clutch; W/Cowl.		②9447 GS
Alt.; W/75A. Alt.; W/Fan Clutch; W/O Cowl.	D9PZ 8620 M	9447 GS
Alt.; W/75A. Alt.; W/Fixed Fan.	E2HZ 8620 C	9463 GS
Alt.; W/90A., 130A. Alt.; W/Fixed Fan.	E2HZ 8620 C	9463 GS
Alt.; W/High Mount Fan; W/Idler Pulley.	C9PZ 8620 CD	9480 GS
P.S.; W/Dual Belt Drive.		②9580 GS
P.S.; W/Single Belt Drive.	C9PZ 8620 CR	9540 GS
A.P.; W/Hyd. Brakes.	E0PZ 8620 G	9610 GS
Air Compr.; W/Air Brakes.	E8HZ 8620 A	9650 GS

L7000

FORD 6.6 L DIESEL ENG.

Belts		
Application	Mfr. Part No.	Belt No.
Fan & Alt.; W/69 1/2" Belt O.C.; Optional Belt.		②9690 GS

FORD - Continued 1992 - Continued L7000 - Continued

FORD 6.6 L DIESEL ENG. - Continued

Belts - Continued		
Application	Mfr. Part No.	Belt No.
Fan & Alt.; W/69 1/2" Belt O.C.; Preferred Belt.	E4HT 8620 SA	2/9690PB
W.P. & P.S.	E7HT 8620 CA	9630 GS
A.C.		9580 GS
Fan, P.S. & A.P.; Optional Belt.		②9650 GS
Fan, P.S. & A.P.; Preferred Belt.		2/9650PB
Fan, A.P. & Hyd. Brake Boost Pump.		9650 GS

FORD 7.8 L DIESEL ENG.

Belts		
Application	Mfr. Part No.	Belt No.
W.P. & Hyd. Brake Boost Pump.	E7HT 8620 CA	9630 GS
W.P. & Air Brake Compr.; W/65 1/2" Belt O.C.	E8HT 8620 UA	9650 GS
Fan & Alt.; W/High Mount Fan; Optional Belt.		②9710 GS
Fan & Alt.; W/High Mount Fan; Preferred Belt.	E8HT 8620 SA	2/9710PB
A.C.; W/Dealer Inst. A.C.; W/59 1/2" Belt O.C.		7585
A.C.; W/Dealer Inst. A.C.; W/60 1/8" Belt O.C.		7597
A.C.; W/Factory Inst. A.C.		9590 GS

L8000; LA8000; LS8000

CATERPILLAR 3406 DIESEL ENG.

Belts		
Application	Mfr. Part No.	Belt No.
Fan.		K100618 GS
Alt.; Optional Belt.		②9530 GS
Alt.; Preferred Belt.	E4HT 8620 AAA	2/9530PB
A.C.; W/45" Belt O.C.	D2TE 8620 ADA	9447 GS

CUMMINS L10 DIESEL ENG.

Belts		
Application	Mfr. Part No.	Belt No.
Fan.	F2HZ 8620 G	K050570
Alt.; W/Delco Alt.	E4FZ 8620 C	K050360 GS
Alt.; W/O Delco Alt.	F1HZ 8620 K	K050350 GS
A.C.	C9PZ 8620 CD	9480 GS

CUMMINS N14 DIESEL ENG.

Belts		
Application	Mfr. Part No.	Belt No.
Fan.		③TR22443 GS
Alt.		②9435 GS
P.S.		②9447 GS
A.C.	C9PZ 8620 BS	9420 GS

FORD 6.6 L DIESEL ENG.

Belts		
Application	Mfr. Part No.	Belt No.
Alt.		②BSX690
P.S.	E8HZ 8620 Y	9630 GS
A.C.	C9PZ 8620 CZ	9580 GS
Air Compr.; W/Air Brakes.	E7HZ 8620 C	9640 GS
Idler.	E8HZ 8620 G	9650 GS

FORD 7.8 L DIESEL ENG.

Belts		
Application	Mfr. Part No.	Belt No.
W.P. & Hyd. Brake Boost Pump.	E7HT 8620 CA	9630 GS
W.P. & Air Brake Compr.; W/65 1/2" Belt O.C.	E8HT 8620 UA	9650 GS
Fan & Alt.; W/71 1/2" Belt O.C.; Optional Belt.		②9710 GS

- ② Two Required.
- ③ Three Required.
- ④ Four Required.

- GS Green Stripe® Construction.
- ↗ Use Notched Belt Only.
- × Cut To Fit.

- ✦ Green Stripe® 4-Ply Coolant Hose Recommended.
- ⊙ Use Wire Inserted Green Stripe® Coolant Hose.
- ▲ Durion® Silicone Hose Recommended.
- ◆ PowerBand® Belt May Work, Use Template To Check.

For a maintenance free coolant connection, see PowerGrip® SB clamp application section.

Belts and Coolant Hose for Medium/Heavy Trucks (1990 And Newer)

FORD - Continued

1992 - Continued

L8000; LA8000; LS8000 - Continued

FORD 7.8 L DIESEL ENG. - Continued

Belts - Continued

Application	Mfr. Part No.	Belt No.
Fan & Alt.; W/71 1/2" Belt O.C.; Preferred Belt.....	E8HT 8620 SA	2/9710PB
P.S.	E8HZ 8620 G	9650^{GS}
A.C.; W/Dealer Inst. A.C.; W/59 1/2" Belt O.C.		7585
A.C.; W/Dealer Inst. A.C.; W/60 1/8" Belt O.C.		7597
A.C.; W/Factory Inst. A.C.	E4PZ 8620 W	9590^{GS}
Air Compr.; W/Air Brakes	E8HZ 8620 G	9650^{GS}
Idler; W/Air Brakes.....	E8HZ 8620 G	9650^{GS}

Coolant Hose

Application	Molded or Strt.	Vulco-Flex®
Upper.....	21854	
Lower; W/Man. Trans.....	21846	
By Pass.....	1 1/2" I.D.	

L9000; LS9000

CATERPILLAR 3176 DIESEL ENG.

Belts

Application	Mfr. Part No.	Belt No.
Fan & Alt.; W/74" Belt O.C.....		K080733^{GS}
Fan & Alt.; W/78 1/2" Belt O.C.	FOHZ 8620 A	K080780^{GS}
A.C.; Sept. 8, 1991 & Older.....	E2HT 8620 BA	9463^{GS}
A.C.; W/Bendix Fan Clutch; Sept. 9, 1991 & Newer.....	D9PZ 8620 M	9447^{GS}
A.C.; W/Eaton Clutch; Sept. 9, 1991 & Newer.....	E2HZ 8620 C	9463^{GS}

Coolant Hose

Application	Molded or Strt.	Vulco-Flex®
Upper.....	22189	

CATERPILLAR 3306 DIESEL ENG.

Belts

Application	Mfr. Part No.	Belt No.
Fan; Optional Belt.....		2/9590^{GS}
Fan; Preferred Belt.....	E4HT 8620 YA	2/9590PB
Alt.; Optional Belt.....		2/9530^{GS}
Alt.; Preferred Belt.....	E4HT 8620 AAA	2/9530PB
A.C.....	C9PZ 8620 CD	9480^{GS}

Coolant Hose

Application	Molded or Strt.	Vulco-Flex®
Coolant Reservoir.....	1" I.D.	
Oil Cooler.....	3/2 1/2" I.D.	
Heater Hose; W/5/8" I.D. Hose.....	5/8" I.D.	
Filter By Pass.....	3/8" I.D.	

CATERPILLAR 3406 DIESEL ENG.

Belts

Application	Mfr. Part No.	Belt No.
Fan.....	F1HZ 8620 G	K100618^{GS}
Alt.....		2/9530^{GS}
A.C.....	D2TE 8620 ADA	9447^{GS}

Coolant Hose

Application	Molded or Strt.	Vulco-Flex®
Upper; W/P.S.	22194	

FORD - Continued

1992 - Continued

L9000; LS9000 - Continued

CUMMINS L10 DIESEL ENG.

Belts

Application	Mfr. Part No.	Belt No.
Fan.....	F2HZ 8620 G	K050570
Alt.; W/Delco Alt.....	E4FZ 8620 C	K050360^{GS}
Alt.; W/Motorcraft Alt.....	F1HZ 8620 K	K050350^{GS}
A.C.....	C9PZ 8620 CD	9480^{GS}

Coolant Hose

Application	Molded or Strt.	Vulco-Flex®
Upper - Eng. To Pipe.....	3/2 1/4" I.D.	

CUMMINS N14 DIESEL ENG.

Belts

Application	Mfr. Part No.	Belt No.
W.P.	3076492	K060425^{GS}
Fan.....		3/2TR22443^{GS}
Alt.; Optional Belt.....		2/9435^{GS}
Alt.; Preferred Belt.....	E6PZ 8620 F	2/9435PB
P.S.		2/9447^{GS}
A.C.....	C9PZ 8620 BS	9420^{GS}

Coolant Hose

Application	Molded or Strt.	Vulco-Flex®
Upper - Eng. To Pipe.....	3/2 1/4" I.D.	

DETROIT DIESEL SERIES 60 DIESEL ENG.

Belts

Application	Mfr. Part No.	Belt No.
Fan.....	FOHS 8620 AA	K140524^{GS}
Alt.....	E4HT 8A615 FA	2/9500PB
P.S.		9540^{GS}
A.C.; W/42 1/2" Belt O.C.....	C6TA 8620 J	9420^{GS}
A.C.; W/46 1/2" Belt O.C.....	E2HT 8620 BA	9463^{GS}

Coolant Hose

Application	Molded or Strt.	Vulco-Flex®
Upper - Eng. To Pipe.....	3/2 1/2" I.D.	
Upper - Pipe To Rad.....	3/2 1/2" I.D.	

FORD 6.6 L DIESEL ENG.

Belts

Application	Mfr. Part No.	Belt No.
Alt.....		2/BSX690
P.S.	E8HZ 8620 Y	9630^{GS}
A.C.....	C9PZ 8620 CZ	9580^{GS}
Air Compr.; W/Air Brakes.....	E7HZ 8620 C	9640^{GS}
Idler.....	E8HZ 8620 G	9650^{GS}

FORD 7.8 L DIESEL ENG.

Belts

Application	Mfr. Part No.	Belt No.
Alt.....		2/9710^{GS}
P.S.	E8HZ 8620 G	9650^{GS}
A.C.....	E4PZ 8620 W	9590^{GS}
Air Compr.; W/Air Brakes.....	E8HZ 8620 G	9650^{GS}
Idler; W/Air Brakes.....	E8HZ 8620 G	9650^{GS}

LA9000; LTA9000

CATERPILLAR 3176 DIESEL ENG.

Belts

Application	Mfr. Part No.	Belt No.
Fan & Alt.....	FOHZ 8620 A	K080780^{GS}
A.C.....	E2HT 8620 BA	9463^{GS}

- ② Two Required.
- ③ Three Required.
- ④ Four Required.

- ^{GS} Green Stripe® Construction.
- ↗ Notched Belt Only.
- ≠ Cut To Fit.

- ✦ Green Stripe® 4-Ply Coolant Hose Recommended.
- ⊛ Use Wire Inserted Green Stripe® Coolant Hose.
- ▲ Durion® Silicone Hose Recommended.
- ◆ PowerBand® Belt May Work, Use Template To Check.

For a maintenance free coolant connection, see PowerGrip® SB clamp application section.

Belts and Coolant Hose for Medium/Heavy Trucks (1990 And Newer)

FORD - Continued

1992 - Continued

LA9000; LTA9000 - Continued

CATERPILLAR 3406 DIESEL ENG.

Belts

Application	Mfr. Part No.	Belt No.
Fan.....		K100618 ^{GS}
Alt.; Optional Belt.....		② 9530 ^{GS}
Alt.; Preferred Belt.....	E4HT 8620 AAA	2/9530PB
A.C.; W/45" Belt O.C.....	D2TE 8620 ADA	9447 ^{GS}

CUMMINS L10 DIESEL ENG.

Belts

Application	Mfr. Part No.	Belt No.
Fan.....	F2HZ 8620 G	K050570
Alt.; W/Delco Alt.....		K050360 ^{GS}
Alt.; W/Motorcraft Alt.....		K050350 ^{GS}
A.C.....		9480 ^{GS}

Coolant Hose

Application	Molded or Strt.	Vulco-Flex®
Upper - Eng. To Pipe.....	✚ 1/4" I.D.	

CUMMINS N14 DIESEL ENG.

Belts

Application	Mfr. Part No.	Belt No.
Fan.....		③ TR22443 ^{GS}
Alt.....		② 9435 ^{GS}
P.S.....		② 9447 ^{GS}
A.C.....	C9PZ 8620 BS	9420 ^{GS}

FORD 6.6 L DIESEL ENG.

Belts

Application	Mfr. Part No.	Belt No.
Alt.....		② BSX690
P.S.....	E8HZ 8620 Y	9630 ^{GS}
A.C.....	C9PZ 8620 CZ	9580 ^{GS}
Air Compr.; W/Air Brakes.....	E7HZ 8620 C	9640 ^{GS}
Idler.....	E8HZ 8620 G	9650 ^{GS}

FORD 7.8 L DIESEL ENG.

Belts

Application	Mfr. Part No.	Belt No.
Alt.....		② 9710 ^{GS}
P.S.....	E8HZ 8620 G	9650 ^{GS}
A.C.....	E4PZ 8620 W	9590 ^{GS}
Air Compr.; W/Air Brakes.....	E8HZ 8620 G	9650 ^{GS}
Idler; W/Air Brakes.....	E8HZ 8620 G	9650 ^{GS}

LL9000; LLS9000

CATERPILLAR 3176 DIESEL ENG.

Belts

Application	Mfr. Part No.	Belt No.
Fan & Alt.; W/78 1/2" Belt O.C.....	F0HZ 8620 A	K080780 ^{GS}
A.C.; W/Bendix Fan Clutch.....	D9PZ 8620 M	9447 ^{GS}
A.C.; W/Eaton Clutch.....		9463 ^{GS}

Coolant Hose

Application	Molded or Strt.	Vulco-Flex®
Lower.....	22190	

CATERPILLAR 3406 DIESEL ENG.

Belts

Application	Mfr. Part No.	Belt No.
Fan.....		K100618 ^{GS}
Fan & A.C.....	C9PZ 8620 FP	9490 ^{GS}
Alt.....		② 9545 ^{GS}

FORD - Continued

1992 - Continued

LL9000; LLS9000 - Continued

CUMMINS L10 DIESEL ENG.

Belts

Application	Mfr. Part No.	Belt No.
Fan.....	F2HZ 8620 G	K050570
Alt.; W/Delco Alt.....	E4FZ 8620 C	K050360 ^{GS}
Alt.; W/Motorcraft Alt.....	F1HZ 8620 K	K050350 ^{GS}
A.C.....	C9PZ 8620 CD	9480 ^{GS}

CUMMINS N14 DIESEL ENG.

Belts

Application	Mfr. Part No.	Belt No.
W.P.....	3076492	K060425 ^{GS}
Fan.....		③ TR22443 ^{GS}
Alt.; Optional Belt.....		② 9435 ^{GS}
Alt.; Preferred Belt.....	E6PZ 8620 F	2/9435PB
P.S.....		② 9447 ^{GS}
A.C.....	C9PZ 8620 BS	9420 ^{GS}

FORD 6.6 L DIESEL ENG.

Belts

Application	Mfr. Part No.	Belt No.
Alt.....		② BSX690
P.S.....	E8HZ 8620 Y	9630 ^{GS}
A.C.....	C9PZ 8620 CZ	9580 ^{GS}
Air Compr.; W/Air Brakes.....	E7HZ 8620 C	9640 ^{GS}
Idler.....	E8HZ 8620 G	9650 ^{GS}

FORD 7.8 L DIESEL ENG.

Belts

Application	Mfr. Part No.	Belt No.
Alt.....		② 9710 ^{GS}
P.S.....	E8HZ 8620 G	9650 ^{GS}
A.C.....	E4PZ 8620 W	9590 ^{GS}
Air Compr.; W/Air Brakes.....	E8HZ 8620 G	9650 ^{GS}
Idler; W/Air Brakes.....	E8HZ 8620 G	9650 ^{GS}

LLA9000; LTLA9000; LTLS9000

CATERPILLAR 3176 DIESEL ENG.

Belts

Application	Mfr. Part No.	Belt No.
Fan & Alt.; W/78 1/2" Belt O.C.....	F0HZ 8620 A	K080780 ^{GS}
A.C.; Sept. 8, 1991 & Older.....	E2HT 8620 BA	9463 ^{GS}
A.C.; W/Bendix Fan Clutch; Sept. 9, 1991 & Newer.....	D9PZ 8620 N	9510 ^{GS}

Coolant Hose

Application	Molded or Strt.	Vulco-Flex®
Lower.....	22190	

CATERPILLAR 3208 DIESEL ENG.

Belts

Application	Mfr. Part No.	Belt No.
A.C.; W/Eaton Clutch; Sept. 9, 1991 & Newer.....		9540 ^{GS}

CATERPILLAR 3406 DIESEL ENG.

Belts

Application	Mfr. Part No.	Belt No.
Fan.....	E4HT 8A615 DA	TR22635 ^{GS}
Alt.; W/Delco Alt.....		K050360 ^{GS}
Alt.; W/Motorcraft Alt.....		K050350 ^{GS}
A.C.....	D0HA 8620 AJ	9480 ^{GS}

CUMMINS L10 DIESEL ENG.

Belts

Application	Mfr. Part No.	Belt No.
Alt.; W/Delco Alt.....	E4FZ 8620 C	K050360 ^{GS}

- ② Two Required.
- ③ Three Required.
- ④ Four Required.

- ^{GS} Green Stripe® Construction.
- ✚ Use Notched Belt Only.
- ✂ Cut To Fit.

- ✚ Green Stripe® 4-Ply Coolant Hose Recommended.
- Ⓢ Use Wire Inserted Green Stripe® Coolant Hose.
- ▲ Durion® Silicone Hose Recommended.
- ✦ PowerBand® Belt May Work, Use Template To Check.

For a maintenance free coolant connection, see PowerGrip® SB clamp application section.

Belts and Coolant Hose for Medium/Heavy Trucks (1990 And Newer)

FORD - Continued

1992 - Continued

LLA9000; LTLA9000; LTLS9000 - Continued

CUMMINS L10 DIESEL ENG. - Continued

Belts - Continued

Application	Mfr. Part No.	Belt No.
Alt.; W/Motorcraft Alt.	F1HT 8620 BA	K050345 ^{GS}
A.C.		9480 ^{GS}

CUMMINS N14 DIESEL ENG.

Belts

Application	Mfr. Part No.	Belt No.
Fan.....		③TR22443 ^{GS}
Alt.....		②9435 ^{GS}
P.S.....		②9447 ^{GS}
A.C.....	C9PZ 8620 BS	9420 ^{GS}

DETROIT DIESEL SERIES 60 DIESEL ENG.

Belts

Application	Mfr. Part No.	Belt No.
Fan.....	F2HZ 8620 C	K140451 ^{GS}
P.S.....		9505 ^{GS}
A.C.....	E2HZ 8620 C	9463 ^{GS}

FORD 6.6 L DIESEL ENG.

Belts

Application	Mfr. Part No.	Belt No.
Alt.....		②BSX690
P.S.....	E8HZ 8620 Y	9630 ^{GS}
A.C.....	C9PZ 8620 CZ	9580 ^{GS}
Air Compr.; W/Air Brakes	E7HZ 8620 C	9640 ^{GS}
Idler.....	E8HZ 8620 G	9650 ^{GS}

FORD 7.8 L DIESEL ENG.

Belts

Application	Mfr. Part No.	Belt No.
Alt.....		②9710 ^{GS}
P.S.....	E8HZ 8620 G	9650 ^{GS}
A.C.....	E4PZ 8620 W	9590 ^{GS}
Air Compr.; W/Air Brakes	E8HZ 8620 G	9650 ^{GS}

LN7000

CUMMINS 5.9 L DIESEL ENG.; FORD FD1060 DIESEL ENG.

Belts

Application	Mfr. Part No.	Belt No.
Fan & Alt.....	F3HT 8620 SA	K080830 ^{GS}
P.S.....	C6TA 8620 J	9420 ^{GS}
Hyd. Brake Boost Pump	F4HT 8620 GA	9412 ^{GS}

Coolant Hose

Application	Molded or Strt.	Vulco-Flex®
Upper - Eng. To Pipe	1 3/4" I.D.	
Upper - Pipe To Rad.	❖2" I.D.	
Lower	❖2" I.D.	
Lower - Pipe To Cooler	❖2" I.D.	
Heater Hose; W/3/4" I.D. Hose	3/4" I.D.	

CUMMINS L10 DIESEL ENG.

Belts

Application	Mfr. Part No.	Belt No.
Fan.....	F2HZ 8620 G	K050570
Alt.; W/Delco Alt.	E4FZ 8620 C	K050360 ^{GS}
A.C.....	C9PZ 8620 CD	9480 ^{GS}

CUMMINS N14 DIESEL ENG.

Belts

Application	Mfr. Part No.	Belt No.
Fan.....		③TR22443 ^{GS}

FORD - Continued

1992 - Continued

LN7000 - Continued

CUMMINS N14 DIESEL ENG. - Continued

Belts - Continued

Application	Mfr. Part No.	Belt No.
Alt.....		②9435 ^{GS}
P.S.....		②9447 ^{GS}
A.C.....	C9PZ 8620 BS	9420 ^{GS}

FORD 6.6 L DIESEL ENG.

Belts

Application	Mfr. Part No.	Belt No.
Fan & Alt.; Optional Belt.....		②9690 ^{GS}
Fan & Alt.; Preferred Belt.....	E4HT 8620 SA	2/9690PB
Fan & A.C.	F1HT 8620 GB	7660
W.P. & P.S.	E7HT 8620 CA	9630 ^{GS}
A.C.....	C9PZ 8620 CZ	9580 ^{GS}
Air Compr.; W/Air Brakes	E7HZ 8620 C	9640 ^{GS}
Fan, P.S. & A.P.; Optional Belt.....		②9635 ^{GS}
Fan, P.S. & A.P.; Preferred Belt.....		2/9640PB
Fan, A.P. & Hyd. Brake Boost Pump..	E0TE 8620 KA	9610 ^{GS}
Idler.....	E8HZ 8620 G	9650 ^{GS}

Coolant Hose

Application	Molded or Strt.	Vulco-Flex®
Upper	21854	

FORD 7.8 L DIESEL ENG.

Belts

Application	Mfr. Part No.	Belt No.
W.P. & Hyd. Brake Boost Pump	E7HT 8620 CA	9630 ^{GS}
W.P. & Air Brake Compr.	E8HT 8620 UA	9650 ^{GS}
Fan & Alt.; Optional Belt.....		②9710 ^{GS}
Fan & Alt.; Preferred Belt.....	E8HT 8620 SA	2/9710PB
P.S.....	E8HZ 8620 G	9650 ^{GS}
A.C.; W/Dealer Inst. A.C.; W/59 1/2" Belt O.C.		7585
A.C.; W/Dealer Inst. A.C.; W/60 1/8" Belt O.C.		7597
A.C.; W/Factory Inst. A.C.	E4PZ 8620 W	9590 ^{GS}
Air Compr.; W/Air Brakes	E8HZ 8620 G	9650 ^{GS}
Idler; W/Air Brakes.....	E8HZ 8620 G	9650 ^{GS}

LN8000; LNT8000

CUMMINS L10 DIESEL ENG.

Belts

Application	Mfr. Part No.	Belt No.
Fan.....	F2HZ 8620 G	K050570
Alt.; W/Delco Alt.	E4FZ 8620 C	K050360 ^{GS}
A.C.....	C9PZ 8620 CD	9480 ^{GS}

CUMMINS N14 DIESEL ENG.

Belts

Application	Mfr. Part No.	Belt No.
Fan.....		③TR22443 ^{GS}
Alt.....		②9435 ^{GS}
P.S.....		②9447 ^{GS}
A.C.....	C9PZ 8620 BS	9420 ^{GS}

FORD 6.6 L DIESEL ENG.

Belts

Application	Mfr. Part No.	Belt No.
Alt.....		②BSX690
P.S.....	E8HZ 8620 Y	9630 ^{GS}
A.C.....	C9PZ 8620 CZ	9580 ^{GS}
Air Compr.; W/Air Brakes	E7HZ 8620 C	9640 ^{GS}
Idler.....	E8HZ 8620 G	9650 ^{GS}

- ② Two Required.
- ③ Three Required.
- ④ Four Required.

- ^{GS} Green Stripe® Construction.
- ↗ Use Notched Belt Only.
- × Cut To Fit.

- ❖ Green Stripe® 4-Ply Coolant Hose Recommended.
- ⚙ Use Wire Inserted Green Stripe® Coolant Hose.
- ▲ Durion® Silicone Hose Recommended.
- ♣ PowerBand® Belt May Work, Use Template To Check.

For a maintenance free coolant connection, see PowerGrip® SB clamp application section.

Belts and Coolant Hose for Medium/Heavy Trucks (1990 And Newer)

FORD - Continued

1992 - Continued

LN8000; LNT8000 - Continued

FORD 7.8 L DIESEL ENG.

Belts		
Application	Mfr. Part No.	Belt No.
W.P. & Hyd. Brake Boost Pump	E7HT 8620 CA	9630 GS
W.P. & Air Brake Compr.; W/60 1/2" Belt O.C.		9590 GS
W.P. & Air Brake Compr.; W/65 1/2" Belt O.C.	E8HT 8620 UA	9650 GS
Fan & Alt.; W/71 1/2" Belt O.C.; Optional Belt		②9710 GS
Fan & Alt.; W/71 1/2" Belt O.C.; Preferred Belt	E8HT 8620 SA	2/9710PB
P.S.	E8HZ 8620 G	9650 GS
A.C.; W/Dealer Inst. A.C.; W/59 1/2" Belt O.C.		7585
A.C.; W/Dealer Inst. A.C.; W/60 1/8" Belt O.C.		7597
A.C.; W/Factory Inst. A.C.	E4PZ 8620 W	9590 GS
Air Compr.; W/Air Brakes	E8HZ 8620 G	9650 GS
Idler; W/Air Brakes	E8HZ 8620 G	9650 GS

Coolant Hose

Application	Molded or Strt.	Vulco-Flex®
Upper	21854	
Lower; W/Man. Trans.	21846	
By Pass	1 1/2" I.D.	

LN9000; LNT9000

CATERPILLAR 3176 DIESEL ENG.

Belts		
Application	Mfr. Part No.	Belt No.
Fan & Alt.; W/78 1/2" Belt O.C.	F0HZ 8620 A	K080780 GS
A.C.; Sept. 8, 1991 & Older	E2HT 8620 BA	9463 GS
A.C.; W/Bendix Fan Clutch; Sept. 9, 1991 & Newer	D9PZ 8620 M	9447 GS
A.C.; W/Eaton Clutch; Sept. 9, 1991 & Newer	E2HZ 8620 C	9463 GS

Coolant Hose

Application	Molded or Strt.	Vulco-Flex®
Upper	22189	

CATERPILLAR 3406 DIESEL ENG.

Belts		
Application	Mfr. Part No.	Belt No.
Alt.; W/Delco Alt.		TR22525 GS
A.C.	D2TE 8620 ADA	9447 GS

Coolant Hose

Application	Molded or Strt.	Vulco-Flex®
Upper; W/P.S.	22194	

CUMMINS L10 DIESEL ENG.

Belts		
Application	Mfr. Part No.	Belt No.
Fan; Dec. 2, 1991 & Newer	FOHT 8620 DA	K080530 GS
Fan; Dec. 2, 1992 & Newer	F1HT 8620 AAA	K080575 GS
Alt.; W/Delco Alt.	E4FZ 8620 C	K050360 GS
Alt.; W/Motorcraft Alt.	F1HT 8620 BA	K050345 GS
A.C.	C9PZ 8620 CD	9480 GS

Coolant Hose

Application	Molded or Strt.	Vulco-Flex®
Upper - Eng. To Pipe	❖2 1/4" I.D.	

FORD - Continued

1992 - Continued

LN9000; LNT9000 - Continued

CUMMINS N14 DIESEL ENG.

Belts		
Application	Mfr. Part No.	Belt No.
W.P.	3076492	K060425 GS
Fan		②TR22443 GS
Alt.; Optional Belt		②9435 GS
Alt.; Preferred Belt	E6PZ 8620 F	2/9435PB
P.S.	9PZ 8620 BY	9447 GS
A.C.	C9PZ 8620 BS	9420 GS

Coolant Hose

Application	Molded or Strt.	Vulco-Flex®
Upper - Eng. To Pipe	❖2 1/4" I.D.	

FORD 6.6 L DIESEL ENG.

Belts		
Application	Mfr. Part No.	Belt No.
Alt.; W/High Mount Fan		②BSX690
P.S.	E8HZ 8620 Y	9630 GS
A.C.	C9PZ 8620 CZ	9580 GS
Air Compr.; W/Air Brakes	E7HZ 8620 C	9640 GS
Idler	E8HZ 8620 G	9650 GS

FORD 7.8 L DIESEL ENG.

Belts		
Application	Mfr. Part No.	Belt No.
Alt.		②9710 GS
P.S.	E8HZ 8620 G	9650 GS
A.C.	E4PZ 8620 W	9590 GS
Air Compr.; W/Air Brakes	E8HZ 8620 G	9650 GS
Idler; W/Air Brakes	E8HZ 8620 G	9650 GS

LT8000; LTS8000

CUMMINS L10 DIESEL ENG.

Belts		
Application	Mfr. Part No.	Belt No.
Fan	F2HZ 8620 G	K050570
Alt.; W/Delco Alt.	E4FZ 8620 C	K050360 GS
A.C.	C9PZ 8620 CD	9480 GS

CUMMINS N14 DIESEL ENG.

Belts		
Application	Mfr. Part No.	Belt No.
Fan		③TR22443 GS
Alt.		②9435 GS
P.S.		②9447 GS
A.C.	C9PZ 8620 BS	9420 GS

FORD 6.6 L DIESEL ENG.

Belts		
Application	Mfr. Part No.	Belt No.
Alt.		②BSX690
P.S.	E8HZ 8620 Y	9630 GS
A.C.	C9PZ 8620 CZ	9580 GS
Air Compr.; W/Air Brakes	E7HZ 8620 C	9640 GS
Idler	E8HZ 8620 G	9650 GS

FORD 7.8 L DIESEL ENG.

Belts		
Application	Mfr. Part No.	Belt No.
W.P. & Hyd. Brake Boost Pump	E7HT 8620 CA	9630 GS
W.P. & Air Brake Compr.	E8HT 8620 UA	9650 GS
Fan & Alt.; W/High Mount Fan; Optional Belt		②9710 GS
Fan & Alt.; W/High Mount Fan; Preferred Belt	E8HT 8620 SA	2/9710PB
P.S.	E8HZ 8620 G	9650 GS

- ② Two Required.
- ③ Three Required.
- ④ Four Required.

- GS Green Stripe® Construction.
- ↗ Use Notched Belt Only.
- × Cut To Fit.

- ❖ Green Stripe® 4-Ply Coolant Hose Recommended.
- ⊙ Use Wire Inserted Green Stripe® Coolant Hose.
- ▲ Durion® Silicone Hose Recommended.
- ♦ PowerBand® Belt May Work, Use Template To Check.

For a maintenance free coolant connection, see PowerGrip® SB clamp application section.

Belts and Coolant Hose for Medium/Heavy Trucks (1990 And Newer)

FORD - Continued

1992 - Continued

LT8000; LTS8000 - Continued

FORD 7.8 L DIESEL ENG. - Continued

Belts - Continued

Application	Mfr. Part No.	Belt No.
A.C.; W/Dealer Inst. A.C.; W/59 1/2" Belt O.C.....		7585
A.C.; W/Dealer Inst. A.C.; W/60 1/8" Belt O.C.....		7597
A.C.; W/Factory Inst. A.C.....	E4PZ 8620 W	9590 ^{GS}
Air Compr.; W/Air Brakes.....	E8HZ 8620 G	9650 ^{GS}
Idle; W/Air Brakes.....	E8HZ 8620 G	9650 ^{GS}

Coolant Hose

Application	Molded or Strt.	Vulco-Flex®
Upper.....	21854	
Lower; W/Man. Trans.....	21846	
By Pass.....	1 1/2" I.D.	

LT9000; LTL9000; LTS9000

CATERPILLAR 3176 DIESEL ENG.

Belts

Application	Mfr. Part No.	Belt No.
Fan & Alt.....	FOHZ 8620 A	K080780 ^{GS}
A.C.; Sept. 8, 1991 & Older.....	E2HT 8620 BA	9463 ^{GS}
A.C.; W/Bendix Fan Clutch; Sept. 9, 1991 & Newer.....	D9PZ 8620 M	9447 ^{GS}
A.C.; W/Eaton Clutch; Sept. 9, 1991 & Newer.....	E2HZ 8620 C	9463 ^{GS}

Coolant Hose

Application	Molded or Strt.	Vulco-Flex®
Upper.....	22189	

CATERPILLAR 3306 DIESEL ENG.

Belts

Application	Mfr. Part No.	Belt No.
Fan; Optional Belt.....		②9590 ^{GS}
Fan; Preferred Belt.....	E4HT 8620 YA	2/9590PB
Alt.; Optional Belt.....		②9530 ^{GS}
Alt.; Preferred Belt.....	E4HT 8620 AAA	2/9530PB
A.C.....	C9PZ 8620 CD	9480 ^{GS}

Coolant Hose

Application	Molded or Strt.	Vulco-Flex®
Coolant Reservoir.....	1" I.D.	
Oil Cooler.....	④2 1/2" I.D.	
Heater Hose; W/5/8" I.D. Hose.....	5/8" I.D.	
Filter By Pass.....	3/8" I.D.	

CATERPILLAR 3406 DIESEL ENG.

Belts

Application	Mfr. Part No.	Belt No.
Fan; W/V-Ribbed Belt Drive.....		K100618 ^{GS}
Alt.; Optional Belt.....		②9530 ^{GS}
Alt.; Preferred Belt.....	E4HT 8620 AAA	2/9530PB
Alt.; W/Delco Alt.....		9710 ^{GS}
A.C.....		9490 ^{GS}

Coolant Hose

Application	Molded or Strt.	Vulco-Flex®
Upper; W/P.S.....	22194	

CUMMINS L10 DIESEL ENG.

Belts

Application	Mfr. Part No.	Belt No.
Fan; Dec. 2, 1991 & Older.....	FOHT 8620 DA	K080530 ^{GS}
Fan; Dec. 3, 1991 & Newer.....	F1HT 8620 AAA	K080575 ^{GS}

FORD - Continued

1992 - Continued

LT9000; LTL9000; LTS9000 - Continued

CUMMINS L10 DIESEL ENG. - Continued

Belts - Continued

Application	Mfr. Part No.	Belt No.
Alt.; W/Delco Alt.....	E4FZ 8620 C	K050360 ^{GS}
Alt.; W/Motorcraft Alt.....	F1HT 8620 BA	K050345 ^{GS}
A.C.....		9480 ^{GS}

Coolant Hose

Application	Molded or Strt.	Vulco-Flex®
Upper - Eng. To Pipe.....	④2 1/4" I.D.	

CUMMINS N14 DIESEL ENG.

Belts

Application	Mfr. Part No.	Belt No.
W.P.....	3076492	K060425 ^{GS}
Fan.....		②TR22443 ^{GS}
Alt.; Optional Belt.....		②9435 ^{GS}
P.S.....		②9447 ^{GS}
A.C.....	C9PZ 8620 BS	9420 ^{GS}

Coolant Hose

Application	Molded or Strt.	Vulco-Flex®
Upper - Eng. To Pipe.....	④2 1/4" I.D.	
Upper - Pipe To Rad.....	③21123	
Lower.....	20961	
Rad. Inlet; W/Low Flow Cool.....	▲1" I.D.	
Rad. Outlet; W/Low Flow Cool.....	③21752	
By Pass.....	3/4" I.D.	
Heater Hose; W/5/8" I.D. Hose.....	5/8" I.D.	

DETROIT DIESEL SERIES 60 DIESEL ENG.

Belts

Application	Mfr. Part No.	Belt No.
Fan.....	F2HZ 8620 C	K140451 ^{GS}
P.S.....		9505 ^{GS}
A.C.....	E0HZ 8620 K	9430 ^{GS}

Coolant Hose

Application	Molded or Strt.	Vulco-Flex®
Upper - Eng. To Pipe.....	④2 1/2" I.D.	

FORD 6.6 L DIESEL ENG.

Belts

Application	Mfr. Part No.	Belt No.
Alt.....		②BSX690
P.S.....	E8HZ 8620 Y	9630 ^{GS}
A.C.....	C9PZ 8620 CZ	9580 ^{GS}
Air Compr.; W/Air Brakes.....	E7HZ 8620 C	9640 ^{GS}
Idle.....	E8HZ 8620 G	9650 ^{GS}

FORD 7.8 L DIESEL ENG.

Belts

Application	Mfr. Part No.	Belt No.
Alt.....		②9710 ^{GS}
P.S.....	E8HZ 8620 G	9650 ^{GS}
A.C.....	E4PZ 8620 W	9590 ^{GS}
Air Compr.; W/Air Brakes.....	E8HZ 8620 G	9650 ^{GS}
Idle; W/Air Brakes.....	E8HZ 8620 G	9650 ^{GS}

1991

C7000

CATERPILLAR 3208 DIESEL ENG.

Belts

Application	Mfr. Part No.	Belt No.
W.P. & Alt.....	C9PZ 8620 CZ	9580 ^{GS}

- ② Two Required.
- ③ Three Required.
- ④ Four Required.

- ^{GS} Green Stripe® Construction.
- ☛ Use Notched Belt Only.
- ≧ Cut To Fit.

- ♣ Green Stripe® 4-Ply Coolant Hose Recommended.
- ⊛ Use Wire Inserted Green Stripe® Coolant Hose.
- ▲ Durion® Silicone Hose Recommended.
- ⚡ PowerBand® Belt May Work, Use Template To Check.

For a maintenance free coolant connection, see PowerGrip® SB clamp application section.

Belts and Coolant Hose for Medium/Heavy Trucks (1990 And Newer)

FORD - Continued

1991 - Continued

C7000 - Continued

CATERPILLAR 3208 DIESEL ENG. - Continued

Belts - Continued

Application	Mfr. Part No.	Belt No.
P.S.	D5TA 8620 MA	9390 GS
Air Brake Compr.; W/12 Cu. Ft. Air Brake Compr.	D2AE 8620 HA	9580 GS
Air Brake Compr.; W/7 1/4 Cu. Ft. Air Brake Compr.		9560 GS
Hyd. Brake Boost Pump		9560 GS
V.P.	C8HA 8620 A	9560 GS

FORD 6.6 L DIESEL ENG.

Belts

Application	Mfr. Part No.	Belt No.
W.P. & Air Brake Compr.; W/58 7/8" Belt O.C.	F0HZ 8620 D	9585 GS
W.P. & Air Brake Compr.; W/63 3/8" Belt O.C.	E7HU8K569EA	9630 GS
Alt.; W/47 3/8" Belt O.C.; Optional Belt		29470 GS
Alt.; W/47 3/8" Belt O.C.; Preferred Belt	E9HZ 8620 A	29470PB
Alt.; W/57 1/2" Belt O.C.; Optional Belt		29570 GS
Alt.; W/57 1/2" Belt O.C.; Preferred Belt	E5HT10C318AA	29570PB
A.C.		29555PB

C8000; CT8000

CATERPILLAR 3208 DIESEL ENG.

Belts

Application	Mfr. Part No.	Belt No.
W.P. & Alt.	C9PZ 8620 CZ	9580 GS
P.S.	D5TA 8620 MA	9390 GS
Air Brake Compr.; W/12 Cu. Ft. Air Brake Compr.	D2AE 8620 HA	9580 GS
Air Brake Compr.; W/7 1/4 Cu. Ft. Air Brake Compr.		9560 GS
Hyd. Brake Boost Pump		9560 GS
V.P.	C8HA 8620 A	9560 GS

CF6000

FORD 6.6 L DIESEL ENG.

Belts

Application	Mfr. Part No.	Belt No.
W.P. & Air Brake Compr.; W/63 3/8" Belt O.C.	E7HU8K569EA	9630 GS
Alt.; W/47 3/8" Belt O.C.; Optional Belt		29470 GS
Alt.; W/47 3/8" Belt O.C.; Preferred Belt	E9HZ 8620 A	29470PB
Alt.; W/56 1/2" Belt O.C.	E5HT10C318BA	29555PB
A.C.		29555PB

Coolant Hose

Application	Molded or Strt.	Vulco-Flex®
Upper - Eng. To Rad.	21570	
Lower - Eng. To Pipe	21571	
Lower - Pipe To Rad.	21573	
Oil Cooler	1 1/2" I.D.	
By Pass	1 1/2" I.D.	
Heater Hose; W/3/4" I.D. Hose	3/4" I.D.	

FORD - Continued

1991 - Continued

CF7000; CF8000; CFT8000

FORD 6.6 L DIESEL ENG.

Belts

Application	Mfr. Part No.	Belt No.
W.P. & Air Brake Compr.; W/58 7/8" Belt O.C.	F0HZ 8620 D	9585 GS
W.P. & Air Brake Compr.; W/63 3/8" Belt O.C.	E7HU8K569EA	9630 GS
W.P. & Air Brake Compr.; W/63 7/8" Belt O.C.	E5HT 8620 AA	9635 GS
W.P. & Air Brake Compr.; W/65 1/2" Belt O.C.	E9HZ 8620 C	9650 GS
Alt.; W/60A. Alt.		29565 GS
Alt.; W/70A., 90A. Alt.		29710 GS
A.C.		29555PB
Air Compr.; Oct. 1, 1990 & Newer; W/2150 Air Brake Compr.	E7HZ 8620 B	9630 GS
Air Compr.; Oct. 1, 1990 & Newer; W/501 Air Brake Compr.	E7HZ 8620 C	9640 GS
Idler; W/Air Brakes	E8HZ 8620 G	9650 GS

Coolant Hose

Application	Molded or Strt.	Vulco-Flex®
Upper - Eng. To Rad.	21570	
Lower - Eng. To Pipe	21571	
Lower - Pipe To Rad.	21573	
Oil Cooler	1 1/2" I.D.	
By Pass	1 1/2" I.D.	
Heater Hose; W/3/4" I.D. Hose	3/4" I.D.	

FORD 7.8 L DIESEL ENG.

Belts

Application	Mfr. Part No.	Belt No.
W.P. & Air Brake Compr.; W/58 7/8" Belt O.C.	F0HZ 8620 D	9585 GS
W.P. & Air Brake Compr.; W/63 3/8" Belt O.C.	E7HT8K569AA	9630 GS
W.P. & Air Brake Compr.; W/63 7/8" Belt O.C.		9635 GS
W.P. & Air Brake Compr.; W/65 1/2" Belt O.C.	88HU8K569AA	9650 GS
W.P. & Air Brake Compr.; W/67" Belt O.C.	87HU8K569BA	9700 GS
Alt.; W/60A. Alt.		29580 GS
Alt.; W/75A., 90A., 130A. Alt.		29585 GS
A.C.	E2TZ 8620 AA	9585 GS
Air Compr.; Oct. 1, 1990 & Newer; W/Air Brakes	E8HZ 8620 HA	9650 GS
W.P. To Air Compr.	E9HZ 8620 C	9650 GS
Idler; W/Air Brakes	E8HZ 8620 G	9650 GS

CL9000; CLT9000

CATERPILLAR 3406 DIESEL ENG.

Belts

Application	Mfr. Part No.	Belt No.
Fan; Dec. 1, 1991 & Older		2TR22525 GS
Fan; Dec. 2, 1991 & Newer; W/A.C. ...		2TR22664 GS
Alt.; Dec. 1, 1991 & Older		29650 GS
Alt.; Dec. 1, 1991 & Older; W/O A.C...		2TR28400 GS
Alt.; Dec. 2, 1991 & Newer		29435 GS
Alt. & A.C.; Optional Belt		29710 GS
Alt. & A.C.; Preferred Belt		29710PB
A.C.		9660 GS

Coolant Hose

Application	Molded or Strt.	Vulco-Flex®
Upper - Eng. To Pipe	2 1/2" I.D.	
Upper - Pipe To Rad.	22193	
Lower	3" I.D.	
Lower - Eng. To Rad.	>21568	
By Pass	1" I.D.	
Heater Inlet	1" I.D.	

- ② Two Required.
- ③ Three Required.
- ④ Four Required.

- GS Green Stripe® Construction.
- ✦ Use Notched Belt Only.
- ✂ Cut To Fit.

- ✦ Green Stripe® 4-Ply Coolant Hose Recommended.
- ✪ Use Wire Inserted Green Stripe® Coolant Hose.
- ▲ Durion® Silicone Hose Recommended.
- ✦ PowerBand® Belt May Work, Use Template To Check.

For a maintenance free coolant connection, see PowerGrip® SB clamp application section.

Belts and Coolant Hose for Medium/Heavy Trucks (1990 And Newer)

FORD - Continued

1991 - Continued

CL9000; CLT9000 - Continued

CATERPILLAR 3406 DIESEL ENG. - Continued

Coolant Hose - Continued

Application	Molded or Strt.	Vulco-Flex®
Heater Outlet.....	3/4" I.D.	

CUMMINS BIG CAM IV DIESEL ENG.

Belts

Application	Mfr. Part No.	Belt No.
Alt.....		②9435 GS
A.C.....	E9HZ 8620 E	TR22525 GS

CUMMINS L10 DIESEL ENG.

Belts

Application	Mfr. Part No.	Belt No.
Fan; W/53 3/8" Belt O.C.....		K080530 GS
Fan; W/60 7/8" Belt O.C.....		K080605 GS
Alt.; W/Delco Alt.; W/5-Ribbed Belt.....	E4HT 8620 RB	K050360 GS
Alt.; W/Delco Alt.; W/8-Ribbed Belt.....	E4FZ 8620 C	K080605 GS
Alt.; W/Motorcraft Alt.....	E4HZ 8620 C	K050340 GS
A.C.; W/Fs-6 Compr.....		9570 GS
A.C.; W/Sanden Compr.....	E6HT 8620 AA	9545 GS

F600

FORD 6.6 L DIESEL ENG.

Belts

Application	Mfr. Part No.	Belt No.
W.P. & Air Brake Compr.; Dec. 1, 1990 & Newer; W/550 Air Brake Compr.....	E3AZ 8620 D	9565 GS
W.P. & Air Brake Compr.; Oct. 1, 1990 & Newer; W/2150 Air Brake Compr.; W/O A.C.....	C9PZ 8620 GN	9550 GS
Fan & Alt.; W/130A. Alt.; W/Low Mount Fan.....		②9625 GS
Fan & Alt.; W/60A., 75A., 90A. Alt.; Optional Belt.....		②9610 GS
Fan & Alt.; W/60A., 75A., 90A. Alt.; Preferred Belt.....		2/9610PB
Fan & Alt.; W/60A., 75A., 90A. Alt.; W/High Mount Fan; Optional Belt.....		②9690 GS
Fan & Alt.; W/60A., 75A., 90A. Alt.; W/High Mount Fan; Preferred Belt.....	E4HT 8620 SA	2/9690PB
Fan & P.S.....	E6HZ 8620 E	9545 GS
Alt.; W/130A. Alt.; W/High Mount Fan. P.S.; W/High Mount Fan.....	E8HZ 8620 Y	②7570 9630 GS ②7565
A.C.; Mar. 7, 1991 & Older.....		
A.C.; Mar. 8, 1991 & Newer; W/58 1/2" Belt.....	C9PZ 8620 CZ	9580 GS
A.C.; W/59 1/2" Belt O.C.....	E8HZ 8620 N	9590 GS
Air Compr.; Oct. 1, 1990 & Newer; W/2150 Air Brake Compr.; W/A.C.....	E7HZ 8620 B	9630 GS
Idler.....	E8HZ 8620 G	9650 GS

Coolant Hose

Application	Molded or Strt.	Vulco-Flex®
Upper.....	>21943	
Lower; W/Auto. Trans.; W/O 210 H.P. Eng.....	21961	
Lower; W/Man. Trans.; W/O P.T.O.....	21845	
Lower; W/Man. Trans.; W/P.T.O.....	>21962	
Lower - Rad. To Cooler; W/Auto. Trans.; W/O P.T.O.....	✚ 2 1/2" I.D.	
Oil Cooler.....	1 1/2" I.D.	

FORD 7.8 L DIESEL ENG.

Belts

Application	Mfr. Part No.	Belt No.
Alt.; W/High Mount Fan.....	E8HZ 8620 B	9710 GS
A.C.; W/1/2" Belt T.W.....	E8HZ 8620 N	9590 GS

FORD - Continued

1991 - Continued

F600 - Continued

FORD 7.8 L DIESEL ENG. - Continued

Belts - Continued

Application	Mfr. Part No.	Belt No.
A.C.; W/3/8" Belt T.W.....	D7PZ 8620 J	7575
Air Compr.; Dec. 1, 1990 & Newer; W/Air Brakes.....	E8HZ 8620 Y	9630 GS
Air Compr.; Nov. 30, 1990 & Older; W/Air Brakes.....	E8HZ 8620 M	9650 GS
Idler.....	E8HZ 8620 G	9650 GS

FORD V-8 6.1 L ENG.

Belts

Application	Mfr. Part No.	Belt No.
Fan; W/High Mount Fan; W/Idler Pulley.....	C9PZ 8620 CD	9480 GS
Alt.; W/40A., 60A. Alt.; W/Fan Clutch; W/Cowl.....	C9PZ 8620 FN	9440 GS
Alt.; W/40A., 60A. Alt.; W/Fan Clutch; W/O Cowl.....	E6PZ 8620 F	9435 GS
Alt.; W/40A., 60A. Alt.; W/Fixed Fan; W/Cowl.....	D9PZ 8620 M	9447 GS
Alt.; W/40A., 60A. Alt.; W/Fixed Fan; W/O Cowl.....	E6PZ 8620 G	9451 GS
Alt.; W/75A. Alt.; W/Fan Clutch; W/Cowl.....	D9PZ 8620 M	9447 GS
Alt.; W/75A. Alt.; W/Fan Clutch; W/O Cowl.....	D9PZ 8620 M	9447 GS
Alt.; W/75A. Alt.; W/Fixed Fan.....	E2HZ 8620 C	9463 GS
Alt.; W/90A., 130A. Alt.; W/Fan Clutch	E6PZ 8620 G	9451 GS
Alt.; W/90A., 130A. Alt.; W/Fixed Fan.. P.S.; W/Dual Belt Drive.....	E2HZ 8620 C	②9580 GS
P.S.; W/Single Belt Drive.....	C9PZ 8620 CR	9540 GS
A.C.....	F1HZ 8620 E	7660
Air Compr.; W/Air Brakes.....	E8HZ 8620 A	9650 GS
Air Compr.; W/Hyd. Brakes.....	E0PZ 8620 G	9610 GS

FORD V-8 7.0 L ENG.

Belts

Application	Mfr. Part No.	Belt No.
Fan & Alt.; W/40A., 60A. Alt.; W/Fan Clutch; W/Cowl.....		9440 GS
Fan & Alt.; W/40A., 60A. Alt.; W/Fan Clutch; W/O Cowl.....		9435 GS
Fan & Alt.; W/40A., 60A. Alt.; W/Fixed Fan; W/Cowl.....	D9TE 8620 AFA	9447 GS
Fan & Alt.; W/40A., 60A. Alt.; W/Fixed Fan; W/O Cowl.....	D2TE 8620 AEA	9451 GS
Fan & Alt.; W/75A. Alt.; W/Fan Clutch; W/Cowl.....	D9TE 8620 AA	9447 GS
Fan & Alt.; W/75A. Alt.; W/Fan Clutch; W/O Cowl.....		9447 GS
Fan & Alt.; W/75A., 90A., 130A. Alt.; W/Fixed Fan.....	D2AE 8620 BYA	9463 GS
Fan & Alt.; W/90A., 130A. Alt.; W/Fan Clutch.....	D2TE 8620 AEA	9451 GS
Fan & Alt.; W/90A., 130A. Alt.; W/Fixed Fan.....	E2HZ 8620 C	9463 GS
Fan & Alt.; W/High Mount Fan; W/Idler Pulley.....	C9PZ 8620 CD	9480 GS
P.S.; W/Dual Belt Drive.....		②9580 GS
P.S.; W/Single Belt Drive.....	C9PZ 8620 CR	9540 GS
A.C.; Dec. 2, 1990 & Older.....	E5HZ 8620 C	9360 GS
A.C.; Dec. 4, 1990 & Newer.....	F1HZ 8620 E	7660
Fan, P.S. & A.P.; Optional Belt.....		②9635 GS
Fan, P.S. & A.P.; Preferred Belt.....		2/9640PB
Fan, A.P. & Air Brake Compr.; W/Air Brakes.....	E8HZ 8620 A	9650 GS
Fan, A.P. & Hyd. Brake Boost Pump; W/61 1/2" Belt O.C.....	E0TE 8620 KA	9610 GS
Idler.....	D4HE 8620 CA	9480 GS

- ② Two Required.
- ③ Three Required.
- ④ Four Required.

- GS Green Stripe® Construction.
- ✚ Use Notched Belt Only.
- > Cut To Fit.

- ✚ Green Stripe® 4-Ply Coolant Hose Recommended.
- ⊗ Use Wire Inserted Green Stripe® Coolant Hose.
- ▲ Durion® Silicone Hose Recommended.
- ♦ PowerBand® Belt May Work, Use Template To Check.

For a maintenance free coolant connection, see PowerGrip® SB clamp application section.

Belts and Coolant Hose for Medium/Heavy Trucks (1990 And Newer)

FORD - Continued

1991 - Continued

F600 - Continued

FORD V-8 7.0 L ENG. - Continued

Coolant Hose

Application	Molded or Strt.	Vulco-Flex®
Upper; W/O P.T.O.		21938
Upper; W/P.T.O.	×	21936
Lower; W/O P.T.O.; W/O Fuel Inj.		21249
By Pass	×	21942
Heater Hose; W/5/8" I.D. Hose		5/8" I.D.

F700

FORD 6.6 L DIESEL ENG.

Belts

Application	Mfr. Part No.	Belt No.
W.P. & Air Brake Compr.; Dec. 1, 1990 & Newer; W/550 Air Brake Compr.	E3AZ 8620 D	9565 GS
W.P. & Air Brake Compr.; Oct. 1, 1990 & Newer; W/2150 Air Brake Compr.; W/A.C.	E7HZ 8620 B	9630 GS
W.P. & Air Brake Compr.; Oct. 1, 1990 & Newer; W/2150 Air Brake Compr.; W/O A.C.	C9PZ 8620 GN	9550 GS ②9625 GS
Fan & Alt.; W/130A. Alt.		②9610 GS
Fan & Alt.; W/60A., 75A., 90A. Alt.; Optional Belt		2/9610PB
Fan & Alt.; W/60A., 75A., 90A. Alt.; Preferred Belt		②9690 GS
Fan & Alt.; W/60A., 75A., 90A. Alt.; W/High Mount Fan; Optional Belt		②9690 GS
Fan & Alt.; W/60A., 75A., 90A. Alt.; W/High Mount Fan; Preferred Belt	E4HT 8620 SA	2/9690PB
Fan & P.S.	E6HZ 8620 E	9545 GS ②7570
Alt.; W/130A. Alt.; W/High Mount Fan. P.S.; Nov. 30, 1990 & Older	E8HZ 8620 Y	9630 GS
W.P. & P.S.; Dec. 1, 1990 & Newer; W/High Mount Fan.	E8HZ 8620 Y	9630 GS ②7565
A.C.; Mar. 7, 1991 & Older		②7565
A.C.; Mar. 8, 1991 & Newer; W/58 1/2" Belt	C9PZ 8620 CZ	9580 GS
A.C.; W/59 1/2" Belt O.C.	E8HZ 8620 N	9590 GS
Idler.	E8HZ 8620 HA	9650 GS

Coolant Hose

Application	Molded or Strt.	Vulco-Flex®
Upper	×	21943
Lower; W/Auto. Trans.; W/O 210 H.P. Eng.		21961
Lower; W/Man. Trans.; W/O P.T.O.		21845
Lower; W/Man. Trans.; W/P.T.O.	×	21962
Lower - Rad. To Cooler; W/Auto. Trans.; W/O P.T.O.	×	2 1/2" I.D.
Oil Cooler		1 1/2" I.D.

FORD 7.8 L DIESEL ENG.

Belts

Application	Mfr. Part No.	Belt No.
W.P. & Hyd. Brake Boost Pump; W/63 1/2" Belt O.C.	E7HT 8620 CA	9630 GS
W.P. & Hyd. Brake Boost Pump; W/64 1/2" Belt O.C.	E8HT 8620 RA	9640 GS
W.P. & Air Brake Compr.; Dec. 1, 1990 & Newer; W/Air Brakes.	E8HZ 8620 Y	9630 GS
W.P. & Air Brake Compr.; Nov. 30, 1990 & Older; W/Air Brakes.	E8HZ 8620 M	9650 GS
Fan & Alt.; W/130A. Alt.; W/High Mount Fan; Optional Belt.		②9690 GS
Fan & Alt.; W/130A. Alt.; W/High Mount Fan; Preferred Belt.	E4HT 8620 SA	2/9690PB
Fan & Alt.; W/130A. Alt.; W/Low Mount Fan.		9625 GS

FORD - Continued

1991 - Continued

F700 - Continued

FORD 7.8 L DIESEL ENG. - Continued

Belts - Continued

Application	Mfr. Part No.	Belt No.
Fan & Alt.; W/O 130A. Alt.; W/High Mount Fan; Optional Belt.		②9690 GS
Fan & Alt.; W/O 130A. Alt.; W/High Mount Fan; Preferred Belt.	E8HT 8620 GA	2/9710PB
Fan & Alt.; W/O 130A. Alt.; W/Low Mount Fan; Optional Belt.		②9610 GS
Fan & Alt.; W/O 130A. Alt.; W/Low Mount Fan; Preferred Belt.		2/9610PB 9710 GS
Alt.	E8HZ 8620 B	9710 GS
A.C.; Mar. 7, 1991 & Older	D7PZ 8620 J	7575
A.C.; W/Dealer Inst. A.C.		7597
A.C.; W/Factory Inst. A.C.		9580 GS
Hyd. Brake Boost Pump.		9550 GS
Idler.	E8HZ 8620 G	9650 GS

Coolant Hose

Application	Molded or Strt.	Vulco-Flex®
Upper; W/Air To Air Aftercooler.	×	21943
Upper; W/O Air To Air Aftercooler.		21943
Lower; W/Auto. Trans.; W/O 210 H.P. Eng.		21961
Lower; W/Man. Trans.; W/O P.T.O.		21845
Lower; W/Man. Trans.; W/P.T.O.		21962
Lower - Rad. To Cooler; W/Auto. Trans.; W/O P.T.O.	×	2 1/2" I.D.
Oil Cooler.		1 1/2" I.D.

FORD V-8 6.1 L ENG.

Belts

Application	Mfr. Part No.	Belt No.
Fan; W/High Mount Fan; W/Idler Pulley.	C9PZ 8620 CD	9480 GS
Alt.; W/40A., 60A. Alt.; W/Fan Clutch; W/Cowl.	C9PZ 8620 FN	9440 GS
Alt.; W/40A., 60A. Alt.; W/Fan Clutch; W/O Cowl.	E6PZ 8620 F	9435 GS
Alt.; W/40A., 60A. Alt.; W/Fixed Fan; W/Cowl.	D9PZ 8620 M	9447 GS
Alt.; W/40A., 60A. Alt.; W/Fixed Fan; W/O Cowl.	E6PZ 8620 G	9451 GS
Alt.; W/75A. Alt.; W/Fan Clutch; W/Cowl.	D9PZ 8620 M	9447 GS
Alt.; W/75A. Alt.; W/Fan Clutch; W/O Cowl.	D9PZ 8620 M	9447 GS
Alt.; W/75A. Alt.; W/Fixed Fan.	E2HZ 8620 C	9463 GS
Alt.; W/90A., 130A. Alt.; W/Fan Clutch Alt.; W/90A., 130A. Alt.; W/Fixed Fan.	E2HZ 8620 C	9463 GS
P.S.; W/Dual Belt Drive.		②9580 GS
P.S.; W/Single Belt Drive.	C9PZ 8620 CR	9540 GS
A.C.; Dec. 2, 1990 & Older.	E5HZ 8620 C	9360 GS
A.C.; Dec. 3, 1990 & Newer.	F1HZ 8620 E	7660
Air Compr.; W/Air Brakes.	E8HZ 8620 A	9650 GS
Air Compr.; W/Hyd. Brakes.	E0PZ 8620 G	9610 GS

FORD V-8 7.0 L ENG.

Belts

Application	Mfr. Part No.	Belt No.
Fan; W/High Mount Fan; W/Idler Pulley.	C9PZ 8620 CD	9480 GS
Fan & Alt.; W/40A., 60A. Alt.; W/Fan Clutch; W/Cowl.		9440 GS
Fan & Alt.; W/40A., 60A. Alt.; W/Fan Clutch; W/O Cowl.		9435 GS
Fan & Alt.; W/40A., 60A. Alt.; W/Fixed Fan; W/Cowl.	D9TE 8620 AFA	9447 GS
Fan & Alt.; W/40A., 60A. Alt.; W/Fixed Fan; W/O Cowl.	D2TE 8620 AEA	9451 GS
Fan & Alt.; W/75A. Alt.; W/Fan Clutch; W/Cowl.	D9TE 8620 AA	9447 GS

- ② Two Required.
- ③ Three Required.
- ④ Four Required.

- GS Green Stripe® Construction.
- ✦ Use Notched Belt Only.
- × Cut To Fit.

- ✧ Green Stripe® 4-Ply Coolant Hose Recommended.
- ✪ Use Wire Inserted Green Stripe® Coolant Hose.
- ▲ Durion® Silicone Hose Recommended.
- ♦ PowerBand® Belt May Work, Use Template To Check.

For a maintenance free coolant connection, see PowerGrip® SB clamp application section.

Belts and Coolant Hose for Medium/Heavy Trucks (1990 And Newer)

FORD - Continued

1991 - Continued

F700 - Continued

FORD V-8 7.0 L ENG. - Continued

Belts - Continued

Application	Mfr. Part No.	Belt No.
Fan & Alt.; W/75A. Alt.; W/Fan Clutch; W/O Cowl.....		9447 GS
Fan & Alt.; W/75A., 90A., 130A. Alt.; W/Fixed Fan.....	D2AE 8620 BYA	9463 GS
Fan & Alt.; W/90A., 130A. Alt.; W/Fan Clutch.....	D2TE 8620 AEA	9451 GS
Fan & P.S.; W/Dual Belt Drive.....		② 9580 GS
Fan & P.S.; W/Single Belt Drive.....	C9PZ 8620 CR	9540 GS
A.C.; Dec. 3, 1990 & Older.....	E5HZ 8620 C	9360 GS
A.C.; Dec. 4, 1990 & Newer.....	F1HZ 8620 E	7660
Fan, A.P. & Air Brake Compr.; W/Air Brakes.....	E8HZ 8620 A	9650 GS
Fan, A.P. & Hyd. Brake Boost Pump; W/Hyd. Brakes.....	E0PZ 8620 G	9610 GS
Idler.....	D4HE 8620 CA	9480 GS

Coolant Hose

Application	Molded or Strt.	Vulco-Flex®
Upper; W/Auto. Trans.; W/O P.T.O.; May 6, 1991 & Newer.....		21938
Upper; W/Man. Trans.....		21938
Upper; W/P.T.O.....		× 21936
Lower; W/O P.T.O.; W/O Fuel Inj.....		21249
By Pass.....		× 21942
Heater Hose; W/5/8" I.D. Hose.....		5/8" I.D.

F800

FORD 6.6 L DIESEL ENG.

Belts

Application	Mfr. Part No.	Belt No.
Fan & Alt.; W/130A. Alt.....		② 9625 GS
Fan & Alt.; W/60A., 75A., 90A. Alt.; Optional Belt.....		② 9610 GS
Fan & Alt.; W/60A., 75A., 90A. Alt.; Preferred Belt.....		2/9610PB
Fan & Alt.; W/60A., 75A., 90A. Alt.; W/High Mount Fan; Optional Belt.....		② 9690 GS
Fan & Alt.; W/60A., 75A., 90A. Alt.; W/High Mount Fan; Preferred Belt.....	E4HT 8620 SA	2/9690PB
Fan & P.S.....	E6HZ 8620 E	9545 GS
Alt.; W/130A. Alt.; W/High Mount Fan. P.S.; Dec. 1, 1990 & Newer; W/High Mount Fan.....	E8HZ 8620 Y	9630 GS
W.P. & P.S.....	E7HT 8620 CA	9630 GS
A.C.; Mar. 8, 1991 & Newer; W/58 1/2" Belt.....	C9PZ 8620 CZ	9580 GS
A.C.; W/59 1/2" Belt O.C.....	E8HZ 8620 N	9590 GS
Air Compr.; Dec. 1, 1990 & Newer; W/550 Air Brake Compr.....	E3AZ 8620 D	9565 GS
Air Compr.; Oct. 1, 1990 & Newer; W/2150 Air Brake Compr.; W/A.C.....	E7HZ 8620 B	9630 GS
Air Compr.; Oct. 1, 1990 & Newer; W/2150 Air Brake Compr.; W/O A.C.....	C9PZ 8620 GN	9550 GS
Idler.....	E8HZ 8620 HA	9650 GS

Coolant Hose

Application	Molded or Strt.	Vulco-Flex®
Upper; W/Air To Air Aftercooler.....		× 21943
Upper; W/O Air To Air Aftercooler.....		21943
Lower; W/Auto. Trans.; W/O 210 H.P. Eng.....		21961
Lower; W/Man. Trans.; W/O P.T.O.....		21845
Lower; W/Man. Trans.; W/P.T.O.....		× 21962
Lower - Rad. To Cooler; W/Auto. Trans.; W/O P.T.O.....		✦ 2 1/2" I.D.
Oil Cooler.....		1 1/2" I.D.

FORD - Continued

1991 - Continued

F800 - Continued

FORD 7.8 L DIESEL ENG.

Belts

Application	Mfr. Part No.	Belt No.
W.P. & Hyd. Brake Boost Pump; W/63 1/2" Belt O.C.....	E7HT 8620 CA	9630 GS
W.P. & Hyd. Brake Boost Pump; W/64 1/2" Belt O.C.....	E8HT 8620 RA	9640 GS
W.P. & Air Brake Compr.; Dec. 1, 1990 & Newer; W/Air Brakes.....	E8HZ 8620 Y	9630 GS
W.P. & Air Brake Compr.; Nov. 30, 1990 & Older; W/Air Brakes.....	E8HZ 8620 M	9650 GS
Fan & Alt.; W/130A. Alt.; W/High Mount Fan; Optional Belt.....		② 9690 GS
Fan & Alt.; W/130A. Alt.; W/High Mount Fan; Preferred Belt.....	E4HT 8620 SA	2/9690PB
Fan & Alt.; W/130A. Alt.; W/Low Mount Fan.....		② 9625 GS
Fan & Alt.; W/O 130A. Alt.; W/High Mount Fan; Optional Belt.....		② 9690 GS
Fan & Alt.; W/O 130A. Alt.; W/High Mount Fan; Preferred Belt.....	E8HT 8620 GA	2/9710PB
Fan & Alt.; W/O 130A. Alt.; W/Low Mount Fan; Optional Belt.....		② 9610 GS
Fan & Alt.; W/O 130A. Alt.; W/Low Mount Fan; Preferred Belt.....		2/9610PB
A.C.; Mar. 7, 1991 & Older.....	D7PZ 8620 J	7575
A.C.; W/Dealer Inst. A.C.....		7597
A.C.; W/Factory Inst. A.C.....		9590 GS
Hyd. Brake Boost Pump.....		9550 GS
Idler.....	E8HZ 8620 G	9650 GS

Coolant Hose

Application	Molded or Strt.	Vulco-Flex®
Upper.....		× 21943
Lower; W/Auto. Trans.; W/O 210 H.P. Eng.....		21961
Lower; W/Man. Trans.; W/O P.T.O.....		21845
Lower; W/Man. Trans.; W/P.T.O.....		21962
Lower - Rad. To Cooler; W/Auto. Trans.; W/O P.T.O.....		✦ 2 1/2" I.D.
Oil Cooler.....		1 1/2" I.D.

FORD V-8 6.1 L ENG.

Belts

Application	Mfr. Part No.	Belt No.
Fan; W/High Mount Fan; W/Idler Pulley.....	C9PZ 8620 CD	9480 GS
Alt.; W/40A., 60A. Alt.; W/Fan Clutch; W/Cowl.....	C9PZ 8620 FN	9440 GS
Alt.; W/40A., 60A. Alt.; W/Fan Clutch; W/O Cowl.....	E6PZ 8620 F	9435 GS
Alt.; W/40A., 60A. Alt.; W/Fixed Fan; W/Cowl.....	D9PZ 8620 M	9447 GS
Alt.; W/40A., 60A. Alt.; W/Fixed Fan; W/O Cowl.....	E6PZ 8620 G	9451 GS
Alt.; W/75A. Alt.; W/Fan Clutch; W/Cowl.....	D9PZ 8620 M	9447 GS
Alt.; W/75A. Alt.; W/Fan Clutch; W/O Cowl.....	D9PZ 8620 M	9447 GS
Alt.; W/75A. Alt.; W/Fixed Fan.....	E2HZ 8620 C	9463 GS
Alt.; W/90A., 130A. Alt.; W/Fan Clutch Alt.; W/90A., 130A. Alt.; W/Fixed Fan..	E6PZ 8620 G	9451 GS
P.S.; W/Dual Belt Drive.....	E2HZ 8620 C	9463 GS
P.S.; W/Single Belt Drive.....		② 9580 GS
A.C.; Dec. 2, 1990 & Older.....	C9PZ 8620 CR	9540 GS
A.C.; Dec. 3, 1990 & Newer.....	E5HZ 8620 C	9360 GS
Air Compr.; W/Air Brakes.....	F1HZ 8620 E	7660
Air Compr.; W/Hyd. Brakes.....	E8HZ 8620 A	9650 GS
Air Compr.; W/Hyd. Brakes.....	E0PZ 8620 G	9610 GS

- ② Two Required.
- ③ Three Required.
- ④ Four Required.

- GS Green Stripe® Construction.
- ↗ Use Notched Belt Only.
- × Cut To Fit.

- ✦ Green Stripe® 4-Ply Coolant Hose Recommended.
- ☀ Use Wire Inserted Green Stripe® Coolant Hose.
- ▲ Durion® Silicone Hose Recommended.
- ✦ PowerBand® Belt May Work, Use Template To Check.

For a maintenance free coolant connection, see PowerGrip® SB clamp application section.

Belts and Coolant Hose for Medium/Heavy Trucks (1990 And Newer)

FORD - Continued 1991 - Continued F800 - Continued FORD V-8 7.0 L ENG.

Belts		
Application	Mfr. Part No.	Belt No.
Fan; W/High Mount Fan; W/Idle Pulley	C9PZ 8620 CD	9480 GS
Fan & Alt.; W/40A., 60A. Alt.; W/Fan Clutch; W/Cowl		9440 GS
Fan & Alt.; W/40A., 60A. Alt.; W/Fan Clutch; W/O Cowl		9435 GS
Fan & Alt.; W/40A., 60A. Alt.; W/Fixed Fan; W/Cowl	D9TE 8620 AFA	9447 GS
Fan & Alt.; W/40A., 60A. Alt.; W/Fixed Fan; W/O Cowl	D2TE 8620 AEA	9451 GS
Fan & Alt.; W/75A. Alt.; W/Fan Clutch; W/Cowl	D9TE 8620 AA	9447 GS
Fan & Alt.; W/75A. Alt.; W/Fan Clutch; W/O Cowl		9447 GS
Fan & Alt.; W/75A., 90A., 130A. Alt.; W/Fixed Fan	D2AE 8620 BYA	9463 GS
Fan & Alt.; W/90A., 130A. Alt.; W/Fan Clutch	D2TE 8620 AEA	9451 GS
Fan & P.S.; W/Single A.P.; Optional Belt		②9530 GS
Fan & P.S.; W/Single A.P.; Preferred Belt		2/9530PB
P.S.; W/Dual Belt Drive		②9580 GS
P.S.; W/Single Belt Drive	C9PZ 8620 CR	9540 GS
A.C.; Dec. 3, 1990 & Older	E5HZ 8620 C	9360 GS
A.C.; Dec. 4, 1990 & Newer	F1HZ 8620 E	7660
Fan, A.C. & A.P.		9640 GS
Fan, P.S. & A.P.	FOHE 8620 AA	9635 GS
Fan, A.P. & Air Brake Compr.; W/Air Brakes	E8HZ 8620 A	9650 GS
Fan, A.P. & Hyd. Brake Boost Pump; W/Hyd. Brakes	E0PZ 8620 G	9610 GS
Idler	D4HE 8620 CA	9480 GS

Coolant Hose

Application	Molded or Strt.	Vulco-Flex®
Upper; W/Auto. Trans.; W/O P.T.O.; May 6, 1991 & Newer		21938
Upper; W/P.T.O.		>21936
Lower; W/O P.T.O.; W/O Fuel Inj.		21249
By Pass		>21942
Heater Hose; W/5/8" I.D. Hose		5/8" I.D.

FT800

FORD 6.6 L DIESEL ENG.

Belts		
Application	Mfr. Part No.	Belt No.
P.S.; Nov. 30, 1990 & Older	E8HZ 8620 Y	9630 GS

FT900

FORD 6.6 L DIESEL ENG.

Belts		
Application	Mfr. Part No.	Belt No.
Alt.; W/130A. Alt.; W/High Mount Fan		②9625 GS
Alt.; W/60A., 75A., 90A. Alt.; W/High Mount Fan		②9690 GS
Alt.; W/60A., 75A., 90A. Alt.; W/Low Mount Fan		②9610 GS
P.S.	E8HZ 8620 Y	9630 GS
A.C.; Feb. 7, 1991 & Older; W/Dual Belt Drive		②7565
A.C.; Mar. 8, 1991 & Newer	C9PZ 8620 CZ	9580 GS
Air Compr.; Dec. 1, 1990 & Newer; W/2150 Air Brake Compr.; W/O A.C.	C9PZ 8620 GN	9550 GS
Air Compr.; Dec. 1, 1990 & Newer; W/550 Air Brake Compr.	E3AZ 8620 D	9565 GS
Air Compr.; Oct. 1, 1990 & Newer; W/2150 Air Brake Compr.; W/A.C.	E7HZ 8620 B	9630 GS

FORD - Continued 1991 - Continued FT900 - Continued

FORD 6.6 L DIESEL ENG. - Continued

Belts - Continued		
Application	Mfr. Part No.	Belt No.
Air Compr.; Sept. 30, 1990 & Older; W/Air Brakes	E7HZ 8620 C	9640 GS
Idler	E8HZ 8620 HA	9650 GS

FORD 7.8 L DIESEL ENG.

Belts		
Application	Mfr. Part No.	Belt No.
W.P. & Hyd. Brake Boost Pump	E7HT 8620 CA	9630 GS
W.P. & Air Brake Compr.; W/63 1/2" Belt O.C.	E8HZ 8620 Y	9630 GS
Fan & Alt.; W/130A. Alt.; W/High Mount Fan; Optional Belt		②9690 GS
Fan & Alt.; W/130A. Alt.; W/High Mount Fan; Preferred Belt	E4HT 8620 SA	2/9690PB
Fan & Alt.; W/130A. Alt.; W/Low Mount Fan		②9625 GS
Fan & Alt.; W/O 130A. Alt.; W/High Mount Fan; W/69 1/2" Belt O.C.		②9690 GS
Fan & Alt.; W/O 130A. Alt.; W/High Mount Fan; W/71 1/2" Belt O.C.	E8HT 8620 GA	2/9710PB
Fan & Alt.; W/O 130A. Alt.; W/Low Mount Fan; Optional Belt; W/61 1/2" Belt O.C.		②9610 GS
Fan & Alt.; W/O 130A. Alt.; W/Low Mount Fan; Preferred Belt; W/61 1/2" Belt O.C.		2/9610PB
A.C.; W/Dealer Inst. A.C.		7597
A.C.; W/Dual Belt Drive	D7PZ 8620 J	7575
Air Compr.; W/65 1/2" Belt O.C.	E8HZ 8620 M	9650 GS
Hyd. Brake Boost Pump		9550 GS
Idler	E8HZ 8620 HA	9650 GS

Coolant Hose

Application	Molded or Strt.	Vulco-Flex®
Upper		>21943
Lower; W/Auto. Trans.; W/O 210 H.P. Eng.		21961
Lower; W/Man. Trans.; W/O P.T.O.		21845
Lower; W/Man. Trans.; W/P.T.O.		21962
Lower - Rad. To Cooler; W/Auto. Trans.; W/O P.T.O.		❖2 1/2" I.D.
Oil Cooler		1 1/2" I.D.

FORD V-8 6.1 L ENG.

Belts		
Application	Mfr. Part No.	Belt No.
Alt.; W/40A., 60A. Alt.; W/Fan Clutch; W/Cowl	C9PZ 8620 FN	9440 GS
Alt.; W/40A., 60A. Alt.; W/Fan Clutch; W/O Cowl	E6PZ 8620 F	9435 GS
Alt.; W/40A., 60A. Alt.; W/Fixed Fan; W/Cowl		②9447 GS
Alt.; W/40A., 60A. Alt.; W/Fixed Fan; W/O Cowl	E6PZ 8620 G	9451 GS
Alt.; W/75A. Alt.; W/Fan Clutch; W/Cowl		②9447 GS
Alt.; W/75A. Alt.; W/Fan Clutch; W/O Cowl	D9PZ 8620 M	9447 GS
Alt.; W/75A. Alt.; W/Fixed Fan	E2HZ 8620 C	9463 GS
Alt.; W/90A., 130A. Alt.; W/Fan Clutch	E6PZ 8620 G	9451 GS
Alt.; W/90A., 130A. Alt.; W/Fixed Fan	E2HZ 8620 C	9463 GS
Alt.; W/High Mount Fan; W/Idle Pulley	C9PZ 8620 CD	9480 GS
P.S.		②9580 GS
A.C.; Dec. 2, 1990 & Older	E5HZ 8620 C	9360 GS
A.C.; Dec. 3, 1990 & Newer	F1HZ 8620 E	7660
Air Compr.; W/Air Brakes	E8HZ 8620 A	9650 GS
Air Compr.; W/Hyd. Brakes	E0PZ 8620 A	9610 GS

② Two Required.
③ Three Required.
④ Four Required.

GS Green Stripe® Construction.
↗ Use Notched Belt Only.
✂ Cut To Fit.

❖ Green Stripe® 4-Ply Coolant Hose Recommended.
⊕ Use Wire Inserted Green Stripe® Coolant Hose.
▲ Durion® Silicone Hose Recommended.
♣ PowerBand® Belt May Work, Use Template To Check.

For a maintenance free coolant connection, see PowerGrip® SB clamp application section.

Belts and Coolant Hose for Medium/Heavy Trucks (1990 And Newer)

FORD - Continued

1991 - Continued

FT900 - Continued

FORD V-8 7.0 L ENG.

Belts

Application	Mfr. Part No.	Belt No.
Alt.; W/40A., 60A. Alt.; W/Fan Clutch; W/Cowl.....	C9PZ 8620 FN	9440 GS
Alt.; W/40A., 60A. Alt.; W/Fan Clutch; W/O Cowl.....	E6PZ 8620 F	9435 GS
Alt.; W/40A., 60A. Alt.; W/Fixed Fan; W/Cowl.....		②9447 GS
Alt.; W/40A., 60A. Alt.; W/Fixed Fan; W/O Cowl.....	E6PZ 8620 G	9451 GS
Alt.; W/75A. Alt.; W/Fan Clutch; W/Cowl.....		②9447 GS
Alt.; W/75A. Alt.; W/Fan Clutch; W/O Cowl.....	D9PZ 8620 M	9447 GS
Alt.; W/75A. Alt.; W/Fixed Fan.....	E2HZ 8620 C	9463 GS
Alt.; W/90A., 130A. Alt.; W/Fixed Fan..	E2HZ 8620 C	9463 GS
Alt.; W/High Mount Fan; W/Idler Pul- ley.....	C9PZ 8620 CD	9480 GS
P.S.; W/Dual Belt Drive.....		②9580 GS
P.S.; W/Single Belt Drive.....	C9PZ 8620 CR	9540 GS
A.P.; W/Hyd. Brakes.....	E0PZ 8620 G	9610 GS
Air Compr.; W/Air Brakes.....	E8HZ 8620 A	9650 GS

L7000

FORD 6.6 L DIESEL ENG.

Belts

Application	Mfr. Part No.	Belt No.
W.P. & Air Brake Compr.....		9550 GS
Fan & Alt.; Optional Belt.....		②9710 GS
Fan & Alt.; Preferred Belt.....		2/9710PB
W.P. & P.S.....	E7HT 8620 CA	9630 GS
A.C.....	E9HT 8620 AA	9580 GS

FORD 7.8 L DIESEL ENG.

Belts

Application	Mfr. Part No.	Belt No.
W.P. & Hyd. Brake Boost Pump.....	E7HT 8620 CA	9630 GS
W.P. & Air Brake Compr.....	E8HT 8620 UA	9650 GS
Fan & Alt.; Optional Belt.....		②9710 GS
Fan & Alt.; Preferred Belt.....	E8HT 8620 SA	2/9710PB
A.C.; W/Dealer Inst. A.C.....		7585
A.C.; W/Factory Inst. A.C.....		9570 GS

L8000; LA8000; LS8000

CATERPILLAR 3406 DIESEL ENG.

Belts

Application	Mfr. Part No.	Belt No.
Fan; W/V-Belt Drive.....	E4HT 8A615 DA	TR22635 GS
Fan; W/V-Ribbed Belt Drive.....	F1HZ 8620 G	K100618 GS
Fan & A.C.....	C9PZ 8620 FP	9490 GS
Alt.; W/54" Belt O.C.; Optional Belt.....		②9530 GS
Alt.; W/54" Belt O.C.; Preferred Belt.....	E4HT 8620 AAA	2/9530PB
Alt.; W/57 1/2" Belt O.C.; Optional Belt.....		②9570 GS
Alt.; W/57 1/2" Belt O.C.; Preferred Belt.....	C7TA 8620 M	2/9570PB
Alt.; W/Delco Alt.....		②9710 GS
A.C.; W/45" Belt O.C.....	D2TE 8620 ADA	9447 GS
A.C.; W/48" Belt O.C.....	D0HA 8620 AJ	9480 GS

CUMMINS BIG CAM IV DIESEL ENG.

Belts

Application	Mfr. Part No.	Belt No.
Fan.....		③TR22443 GS
P.S.....		②9447 GS
A.C.....	C9PZ 8620 BS	9420 GS

FORD - Continued

1991 - Continued

L8000; LA8000; LS8000 - Continued

CUMMINS L10 DIESEL ENG.

Belts

Application	Mfr. Part No.	Belt No.
Fan; Dec. 1, 1991 & Older.....	E4HZ 8620 C	K080605 GS
Fan; Dec. 3, 1991 & Newer.....	F0HZ 8620 C	K080530 GS
Alt.; W/Delco Alt.....	E4HZ 8620 C	K080605 GS
Alt.; W/O Delco Alt.....	E4HZ 8620 B	K050340 GS
A.C.; Dec. 2, 1990 & Older.....	C9PZ 8620 CD	9480 GS

FORD 6.6 L DIESEL ENG.

Belts

Application	Mfr. Part No.	Belt No.
Alt.; W/High Mount Fan.....		②BSX690
P.S.....	E8HZ 8620 Y	9630 GS
A.C.; Mar. 7, 1991 & Older.....	E8HZ 8620 N	9590 GS
A.C.; Mar. 8, 1991 & Newer.....	C9PZ 8620 CZ	9580 GS
Air Compr.; W/Air Brakes.....	E7HZ 8620 C	9640 GS
Idler.....	E8HZ 8620 G	9650 GS

FORD 7.8 L DIESEL ENG.

Belts

Application	Mfr. Part No.	Belt No.
W.P. & Hyd. Brake Boost Pump.....	E7HT 8620 CA	9630 GS
W.P. & Air Brake Compr.; W/Air Brakes.....	E8HZ 8620 G	9650 GS
Fan & Alt.; Optional Belt.....		②9710 GS
Fan & Alt.; Preferred Belt.....	E8HT 8620 SA	2/9710PB
P.S.....	E8HZ 8620 G	9650 GS
A.C.; W/Dealer Inst. A.C.....		7585
A.C.; W/Factory Inst. A.C.....		9570 GS
Idler; W/Air Brakes.....	E8HZ 8620 G	9650 GS

Coolant Hose

Application	Molded or Strt.	Vulco-Flex®
Upper.....	21854	
Lower; W/Man. Trans.....	21846	
By Pass.....	1 1/2" I.D.	

L9000; LS9000

CATERPILLAR 3176 DIESEL ENG.

Belts

Application	Mfr. Part No.	Belt No.
Fan & Alt.; W/78 1/2" Belt O.C.....	F0HZ 8620 A	K080780 GS
A.C.; Sept. 8, 1991 & Older.....	E2HT 8620 BA	9463 GS
A.C.; W/Eaton Clutch; Sept. 9, 1991 & Newer.....	E2HZ 8620 C	9463 GS

Coolant Hose

Application	Molded or Strt.	Vulco-Flex®
Upper.....	22189	

CATERPILLAR 3306 DIESEL ENG.

Belts

Application	Mfr. Part No.	Belt No.
Fan; Optional Belt.....		②9590 GS
Fan; Preferred Belt.....	E4HT 8620 YA	2/9590PB
Alt.; Optional Belt.....		②9530 GS
Alt.; Preferred Belt.....		②2/9530PB
A.C.....	C9PZ 8620 CD	9480 GS

Coolant Hose

Application	Molded or Strt.	Vulco-Flex®
Coolant Reservoir.....	1" I.D.	
Oil Cooler.....	④2 1/2" I.D.	
Heater Hose; W/5/8" I.D. Hose.....	5/8" I.D.	
Filter By Pass.....	3/8" I.D.	

② Two Required.
③ Three Required.
④ Four Required.

GS Green Stripe® Construction.
* Use Notched Belt Only.
x Cut To Fit.

* Green Stripe® 4-Ply Coolant Hose Recommended.
▲ Use Wire Inserted Green Stripe® Coolant Hose.
▲ Durion® Silicone Hose Recommended.
♦ PowerBand® Belt May Work, Use Template To Check.

For a maintenance free coolant connection, see PowerGrip® SB clamp application section.

Belts and Coolant Hose for Medium/Heavy Trucks (1990 And Newer)

FORD - Continued

1991 - Continued

L9000; LS9000 - Continued

CATERPILLAR 3406 DIESEL ENG.

Belts		
Application	Mfr. Part No.	Belt No.
Fan.....	F1HZ 8620 G	K100618 ^{GS}
Fan & A.C.	C9PZ 8620 FP	9490 ^{GS}
Alt.: W/Delco Alt.....		②9710 ^{GS}
A.C.....	D2TE 8620 ADA	9447 ^{GS}

Coolant Hose

Application	Molded or Strt.	Vulco-Flex®
Upper; W/P.S.	22194	

CUMMINS BIG CAM IV DIESEL ENG.

Belts		
Application	Mfr. Part No.	Belt No.
W.P.	3076492	K060425 ^{GS}
Fan.....		③TR22443 ^{GS}
Alt.: Optional Belt.....		②9435 ^{GS}
Alt.: Preferred Belt	E6PZ 8620 F	2/9435PB
P.S.		②9447 ^{GS}
A.C.....	C9PZ 8620 BS	9420 ^{GS}

Coolant Hose

Application	Molded or Strt.	Vulco-Flex®
Upper - Eng. To Pipe.....	❖2 1/4" I.D.	

CUMMINS L10 DIESEL ENG.

Belts		
Application	Mfr. Part No.	Belt No.
Fan; Dec. 1, 1991 & Older.....	E4HZ 8620 C	K080605 ^{GS}
Fan; Dec. 2, 1991 & Newer	F1HT 8620 AAA	K080575 ^{GS}
Alt.: W/Delco Alt	E4HZ 8620 C	K080605 ^{GS}
Alt.: W/Motorcraft Alt.; Dec. 2, 1990 & Older	E4HT 8620 KB	K050340 ^{GS}
Alt.: W/Motorcraft Alt.; Dec. 3, 1990 & Newer.....	F1HT 8620 BA	K050345 ^{GS}
A.C.....		9480 ^{GS}

Coolant Hose

Application	Molded or Strt.	Vulco-Flex®
Upper - Eng. To Pipe.....	❖2 1/4" I.D.	

DETROIT DIESEL SERIES 60 DIESEL ENG.

Belts		
Application	Mfr. Part No.	Belt No.
Fan.....	FOHS 8620 AA	K140524 ^{GS}
Alt.....	E4HT 8A615 FA	2/9500PB
A.C.; W/42 1/2" Belt O.C.....	C6TA 8620 J	9420 ^{GS}
A.C.; W/46 1/2" Belt O.C.....	E2HT 8620 BA	9463 ^{GS}

Coolant Hose

Application	Molded or Strt.	Vulco-Flex®
Upper - Eng. To Pipe.....	❖2 1/2" I.D.	
Upper - Pipe To Rad.....	❖2 1/2" I.D.	

FORD 6.6 L DIESEL ENG.

Belts		
Application	Mfr. Part No.	Belt No.
Alt.: W/High Mount Fan		②BSX690
P.S.....	E8HZ 8620 Y	9630 ^{GS}
A.C.; Mar. 7, 1991 & Older	E8HZ 8620 N	9590 ^{GS}
A.C.; Mar. 8, 1991 & Newer.....	C9PZ 8620 CZ	9580 ^{GS}
Air Compr.; W/Air Brakes	E7HZ 8620 C	9640 ^{GS}
Idler.....	E8HZ 8620 G	9650 ^{GS}

FORD - Continued

1991 - Continued

L9000; LS9000 - Continued

FORD 7.8 L DIESEL ENG.

Belts		
Application	Mfr. Part No.	Belt No.
Alt.....		②9710 ^{GS}
P.S.....	E8HZ 8620 G	9650 ^{GS}
A.C.....	E4PZ 8620 W	9590 ^{GS}
Air Compr.; W/Air Brakes	E8HZ 8620 G	9650 ^{GS}
Idler; W/Air Brakes.....	E8HZ 8620 G	9650 ^{GS}

LA9000; LTA9000

CATERPILLAR 3176 DIESEL ENG.

Belts		
Application	Mfr. Part No.	Belt No.
Fan & Alt.; W/74" Belt O.C.....		K080733 ^{GS}
Fan & Alt.; W/78 1/2" Belt O.C.....	F0HZ 8620 A	K080780 ^{GS}
A.C.; Sept. 9, 1991 & Older.....	E2HT 8620 BA	9463 ^{GS}

CATERPILLAR 3406 DIESEL ENG.

Belts		
Application	Mfr. Part No.	Belt No.
Fan; W/10 Ribbed Belt; W/52" Belt O.C.....	F1HZ 8620 H	K100510 ^{GS}
Fan; W/10 Ribbed Belt; W/62" Belt O.C.....	F1HZ 8620 G	K100618 ^{GS}
Fan; W/V-Belt Drive	E4HT 8A615 DA	TR22635 ^{GS}
Fan & A.C.	C9PZ 8620 FP	9490 ^{GS}
Alt.: W/54" Belt O.C.; Optional Belt.....		②9530 ^{GS}
Alt.: W/54" Belt O.C.; Preferred Belt....	E4HT 8620 AAA	2/9530PB
Alt.; W/57 1/2" Belt O.C.; Optional Belt.....		②9570 ^{GS}
Alt.; W/57 1/2" Belt O.C.; Preferred Belt.....	C7TA 8620 M	2/9570PB
Alt.; W/Delco Alt.....		②9710 ^{GS}
A.C.; W/45" Belt O.C.	D2TE 8620 ADA	9447 ^{GS}
A.C.; W/48" Belt O.C.	D0HA 8620 AJ	9480 ^{GS}

CUMMINS BIG CAM IV DIESEL ENG.

Belts		
Application	Mfr. Part No.	Belt No.
Fan.....		③TR22443 ^{GS}
P.S.....		②9447 ^{GS}
A.C.....	C9PZ 8620 BS	9420 ^{GS}

CUMMINS L10 DIESEL ENG.

Belts		
Application	Mfr. Part No.	Belt No.
Fan; Dec. 2, 1991 & Older; W/53 1/2" Belt O.C.....	FOHT 8620 DA	K080530 ^{GS}
Fan; Dec. 2, 1991 & Older; W/61" Belt O.C.....	E4HZ 8620 C	K080605 ^{GS}
Fan; Dec. 3, 1991 & Newer; W/53 1/2" Belt O.C.....	FOHZ 8620 C	K080530 ^{GS}
Fan; Dec. 3, 1991 & Newer; W/58" Belt O.C.....	F1HT 8620 AAA	K080575 ^{GS}
Alt.; W/Delco Alt.; W/36 1/2" Belt O.C.....	E4FZ 8620 C	K050360 ^{GS}
Alt.; W/Delco Alt.; W/61" Belt O.C.....	E4HZ 8620 C	K080605 ^{GS}
Alt.; W/Motorcraft Alt.; Dec. 3, 1990 & Newer.....	F1HT 8620 BA	K050345 ^{GS}
A.C.....	C9PZ 8620 CD	9480 ^{GS}

Coolant Hose

Application	Molded or Strt.	Vulco-Flex®
Upper - Eng. To Pipe.....	❖2 1/4" I.D.	

FORD 6.6 L DIESEL ENG.

Belts		
Application	Mfr. Part No.	Belt No.
Alt.....		②BSX690
P.S.....	E8HZ 8620 Y	9630 ^{GS}

② Two Required.
③ Three Required.
④ Four Required.

^{GS} Green Stripe® Construction.
✦ Use Notched Belt Only.
✂ Cut To Fit.

✦ Green Stripe® 4-Ply Coolant Hose Recommended.
✦ Use Wire Inserted Green Stripe® Coolant Hose.
▲ Durion® Silicone Hose Recommended.
✦ PowerBand® Belt May Work, Use Template To Check.

For a maintenance free coolant connection, see PowerGrip® SB clamp application section.

Belts and Coolant Hose for Medium/Heavy Trucks (1990 And Newer)

FORD - Continued

1991 - Continued

LA9000; LTA9000 - Continued

FORD 6.6 L DIESEL ENG. - Continued

Belts - Continued

Application	Mfr. Part No.	Belt No.
A.C.; Mar. 7, 1991 & Older	E8HZ 8620 N	9590 GS
A.C.; Mar. 8, 1991 & Newer	C9PZ 8620 CZ	9650 GS
Air Compr.; W/Air Brakes	E7HZ 8620 C	9640 GS
Idler	E8HZ 8620 G	9650 GS

FORD 7.8 L DIESEL ENG.

Belts

Application	Mfr. Part No.	Belt No.
Alt.		② 9710 GS
P.S.	E8HZ 8620 G	9650 GS
A.C.	E4PZ 8620 W	9590 GS
Air Compr.; W/Air Brakes	E8HZ 8620 G	9650 GS
Idler; W/Air Brakes	E8HZ 8620 G	9650 GS

LL9000; LLS9000

CATERPILLAR 3176 DIESEL ENG.

Belts

Application	Mfr. Part No.	Belt No.
Fan & Alt.; W/74" Belt O.C.		K080733 GS
Fan & Alt.; W/78 1/2" Belt O.C.	F0HZ 8620 A	K080780 GS
A.C.; Sept. 8, 1991 & Older	E2HT 8620 BA	9463 GS
A.C.; W/Bendix Fan Clutch; Sept. 9, 1991 & Newer	D9PZ 8620 N	9510 GS
A.C.; W/Eaton Clutch; Sept. 9, 1991 & Newer		9540 GS

Coolant Hose

Application	Molded or Strt.	Vulco-Flex®
Lower	22190	

CATERPILLAR 3406 DIESEL ENG.

Belts

Application	Mfr. Part No.	Belt No.
Fan; Dec. 17, 1990 & Older		② TR22635 GS
Fan; Dec. 18, 1990 & Newer; W/62" Belt O.C.	F1HZ 8620 G	K100618 GS
Fan; W/V-Ribbed Belt Drive; W/51 1/2" Belt O.C.	F1HZ 8620 H	K100510 GS
Fan & A.C.	C9PZ 8620 FP	9490 GS
Alt.; W/54" Belt O.C.; Optional Belt		② 9530 GS
Alt.; W/54" Belt O.C.; Preferred Belt	E4HT 8620 AAA	2/9530PB
Alt.; W/57 1/2" Belt O.C.; Optional Belt		② 9570 GS
Alt.; W/57 1/2" Belt O.C.; Preferred Belt	C7TA 8620 M	2/9570PB
Alt.; W/Delco Alt.		② 9710 GS

CUMMINS BIG CAM IV DIESEL ENG.

Belts

Application	Mfr. Part No.	Belt No.
W.P.	3076492	K060425 GS
Fan		③ TR22443 GS
Alt.; Optional Belt		② 9435 GS
Alt.; Preferred Belt	E6PZ 8620 F	2/9435PB
P.S.		② 9447 GS
A.C.	C9PZ 8620 BS	9420 GS

CUMMINS L10 DIESEL ENG.

Belts

Application	Mfr. Part No.	Belt No.
Fan; Dec. 2, 1990 & Older	F1HZ 8620 A	K080415 GS
Fan; Dec. 3, 1990 & Newer	F2HT 8620 D	K080465 GS
Fan; Dec. 3, 1991 & Newer	F0HZ 8620 C	K080530 GS
Alt.; W/Delco Alt.; W/36 1/2" Belt O.C.	E4FZ 8620 C	K050360 GS
Alt.; W/Delco Alt.; W/61" Belt O.C.	E4HZ 8620 C	K080605 GS

FORD - Continued

1991 - Continued

LL9000; LLS9000 - Continued

CUMMINS L10 DIESEL ENG. - Continued

Belts - Continued

Application	Mfr. Part No.	Belt No.
Alt.; W/Motorcraft Alt.; Dec. 2, 1990 & Older	E4HT 8620 KB	K050340 GS
Alt.; W/Motorcraft Alt.; Dec. 3, 1990 & Newer	F1HT 8620 BA	K050345 GS
A.C.	C9PZ 8620 CD	9480 GS

FORD 6.6 L DIESEL ENG.

Belts

Application	Mfr. Part No.	Belt No.
Alt.; W/High Mount Fan		② BSX690
P.S.	E8HZ 8620 Y	9630 GS
A.C.; Mar. 7, 1991 & Older	E8HZ 8620 N	9590 GS
A.C.; Mar. 8, 1991 & Newer	C9PZ 8620 CZ	9580 GS
Air Compr.; W/Air Brakes	E7HZ 8620 C	9640 GS
Idler	E8HZ 8620 G	9650 GS

FORD 7.8 L DIESEL ENG.

Belts

Application	Mfr. Part No.	Belt No.
Alt.		② 9710 GS
P.S.	E8HZ 8620 G	9650 GS
A.C.	E4PZ 8620 W	9590 GS
Air Compr.; W/Air Brakes	E8HZ 8620 G	9650 GS
Idler; W/Air Brakes	E8HZ 8620 G	9650 GS

LLA9000; LTLA9000; LTLS9000

CATERPILLAR 3176 DIESEL ENG.

Belts

Application	Mfr. Part No.	Belt No.
Fan & Alt.; W/74" Belt O.C.		K080733 GS
Fan & Alt.; W/78 1/2" Belt O.C.	F0HZ 8620 A	K080780 GS
A.C.; Sept. 8, 1991 & Older	E2HT 8620 BA	9463 GS
A.C.; W/Bendix Fan Clutch; Sept. 9, 1991 & Newer	D9PZ 8620 N	9510 GS
A.C.; W/Eaton Clutch; Sept. 9, 1991 & Newer		9540 GS

Coolant Hose

Application	Molded or Strt.	Vulco-Flex®
Lower	22190	

CATERPILLAR 3406 DIESEL ENG.

Belts

Application	Mfr. Part No.	Belt No.
Fan	E4HT 8A615 DA	TR22635 GS
Fan & A.C.	C9PZ 8620 FP	9490 GS
Alt.; W/53 1/2" Belt O.C.; Optional Belt		② 9530 GS
Alt.; W/53 1/2" Belt O.C.; Preferred Belt	E4HT 8620 AAA	2/9530PB
Alt.; W/55" Belt O.C.; Optional Belt		② 9545 GS
Alt.; W/55" Belt O.C.; Preferred Belt	E6HT 8620 AA	2/9545PB
Alt.; W/57 1/2" Belt O.C.; Optional Belt		② 9570 GS
Alt.; W/57 1/2" Belt O.C.; Preferred Belt	C7TA 8620 M	2/9570PB
A.C.; W/45" Belt O.C.	D2TE 8620 ADA	9447 GS
A.C.; W/48" Belt O.C.	D0HA 8620 AJ	9480 GS
A.C.; W/53" Belt O.C.	D0HA 8620 AG	9525 GS

CUMMINS BIG CAM IV DIESEL ENG.

Belts

Application	Mfr. Part No.	Belt No.
Fan		③ TR22443 GS
P.S.		② 9447 GS
A.C.	C9PZ 8620 BS	9420 GS

- ② Two Required.
- ③ Three Required.
- ④ Four Required.

- GS Green Stripe® Construction.
- ↗ Use Notched Belt Only.
- ✂ Cut To Fit.

- ✦ Green Stripe® 4-Ply Coolant Hose Recommended.
- ⊛ Use Wire Inserted Green Stripe® Coolant Hose.
- ▲ Durion® Silicone Hose Recommended.
- ⬣ PowerBand® Belt May Work, Use Template To Check.

For a maintenance free coolant connection, see PowerGrip® SB clamp application section.

Belts and Coolant Hose for Medium/Heavy Trucks (1990 And Newer)

FORD - Continued

1991 - Continued

LLA9000; LTLA9000; LTLS9000 - Continued

CUMMINS L10 DIESEL ENG.

Belts		
Application	Mfr. Part No.	Belt No.
Fan; Dec. 2, 1990 & Older	F1HZ 8620 A	K080415 GS
Fan; Dec. 2, 1991 & Older	E4HZ 8620 C	K080605 GS
Fan; Dec. 3, 1990 & Newer	F2HT 8620 D	K080465 GS
Fan; Dec. 3, 1991 & Newer	FOHZ 8620 C	K080530 GS
Alt.; W/Delco Alt.; W/5-Ribbed Belt	E4FZ 8620 C	K050360 GS
Alt.; W/Delco Alt.; W/8-Ribbed Belt	E4HZ 8620 C	K080605 GS
Alt.; W/Motorcraft Alt.; Dec. 2, 1990 & Older	E4HT 8620 KB	K050340 GS
Alt.; W/Motorcraft Alt.; Dec. 3, 1990 & Newer	F1HT 8620 BA	K050345 GS
A.C.; Dec. 2, 1990 & Older	C9PZ 8620 CD	9480 GS

FORD 6.6 L DIESEL ENG.

Belts		
Application	Mfr. Part No.	Belt No.
Alt.; W/High Mount Fan		②BSX690
P.S.	E8HZ 8620 Y	9630 GS
A.C.; Mar. 7, 1991 & Older	E8HZ 8620 N	9590 GS
A.C.; Mar. 8, 1991 & Newer	C9PZ 8620 CZ	9580 GS
Air Compr.; W/Air Brakes	E7HZ 8620 C	9640 GS
Idler	E8HZ 8620 G	9650 GS

FORD 7.8 L DIESEL ENG.

Belts		
Application	Mfr. Part No.	Belt No.
Alt.		②9710 GS
P.S.	E8HZ 8620 G	9650 GS
A.C.	E4PZ 8620 W	9590 GS
Air Compr.; W/Air Brakes	E8HZ 8620 G	9650 GS
Idler; W/Air Brakes	E8HZ 8620 G	9650 GS

LN7000

CUMMINS BIG CAM IV DIESEL ENG.

Belts		
Application	Mfr. Part No.	Belt No.
Fan		③TR22443 GS
P.S.		②9447 GS
A.C.	C9PZ 8620 BS	9420 GS

FORD 6.6 L DIESEL ENG.

Belts		
Application	Mfr. Part No.	Belt No.
W.P. & Air Brake Compr.		9550 GS
Fan & Alt.; Optional Belt		②9710 GS
Fan & Alt.; Preferred Belt		2/9710PB
P.S.	E8HZ 8620 Y	9630 GS
W.P. & P.S.	E7HT 8620 CA	9630 GS
A.C.; Mar. 7, 1991 & Older	E8HZ 8620 N	9590 GS
A.C.; Mar. 8, 1991 & Newer	C9PZ 8620 CZ	9580 GS
Air Compr.; W/Air Brakes	E7HZ 8620 C	9640 GS
Idler	E8HZ 8620 G	9650 GS

Coolant Hose

Application	Molded or Strt.	Vulco-Flex®
Upper	21854	
Lower - Eng. To Pipe; W/Air To Air Aftercooler	21847	
Lower - Pipe To Rad.; W/Air To Air Aftercooler	21853	
By Pass	1 1/2" I.D.	

FORD 7.8 L DIESEL ENG.

Belts		
Application	Mfr. Part No.	Belt No.
W.P. & Hyd. Brake Boost Pump; W/Air Brakes	E8HZ 8620 G	9650 GS

FORD - Continued

1991 - Continued

LN7000 - Continued

FORD 7.8 L DIESEL ENG. - Continued

Belts - Continued		
Application	Mfr. Part No.	Belt No.
W.P. & Air Brake Compr.; W/60 1/2" Belt O.C.		9590 GS
W.P. & Air Brake Compr.; W/65 1/2" Belt O.C.	E8HT 8620 UA	9650 GS
Fan & Alt.; Optional Belt		②9710 GS
Fan & Alt.; Preferred Belt	E8HT 8620 SA	2/9710PB
P.S.	E8HZ 8620 G	9650 GS
A.C.; W/Dealer Inst. A.C.; W/59 1/2" Belt O.C.		7585
A.C.; W/Dealer Inst. A.C.; W/60 1/8" Belt O.C.		7597
A.C.; W/Factory Inst. A.C.; W/57 1/2" Belt O.C.		9570 GS
A.C.; W/Factory Inst. A.C.; W/58 1/2" Belt O.C.		9590 GS
Idler; W/Air Brakes	E8HZ 8620 G	9650 GS

LN8000; LNT8000

CATERPILLAR 3406 DIESEL ENG.

Belts		
Application	Mfr. Part No.	Belt No.
Fan & A.C.	C9PZ 8620 FP	9490 GS

CUMMINS BIG CAM IV DIESEL ENG.

Belts		
Application	Mfr. Part No.	Belt No.
Fan		③TR22443 GS
P.S.		②9447 GS
A.C.	C9PZ 8620 BS	9420 GS

CUMMINS L10 DIESEL ENG.

Belts		
Application	Mfr. Part No.	Belt No.
Fan; Dec. 2, 1991 & Older	E4HZ 8620 C	K080605 GS
Fan; Dec. 3, 1991 & Newer	FOHZ 8620 C	K080530 GS
Alt.; W/Delco Alt.	E4HZ 8620 C	K080605 GS
Alt.; W/O Delco Alt.	E4HZ 8620 B	K050340 GS
A.C.	C9PZ 8620 CD	9480 GS

FORD 6.6 L DIESEL ENG.

Belts		
Application	Mfr. Part No.	Belt No.
Alt.		②BSX690
P.S.	E8HZ 8620 Y	9630 GS
A.C.; Mar. 7, 1991 & Older	E8HZ 8620 N	9590 GS
A.C.; Mar. 8, 1991 & Newer	C9PZ 8620 CZ	9580 GS
Air Compr.; W/Air Brakes	E7HZ 8620 C	9640 GS
Idler	E8HZ 8620 G	9650 GS

FORD 7.8 L DIESEL ENG.

Belts		
Application	Mfr. Part No.	Belt No.
W.P. & Hyd. Brake Boost Pump	E7HT 8620 CA	9630 GS
W.P. & Air Brake Compr.; W/60 1/2" Belt O.C.		9590 GS
W.P. & Air Brake Compr.; W/65 1/2" Belt O.C.	E8HT 8620 UA	9650 GS
Fan & Alt.; Optional Belt		②9710 GS
Fan & Alt.; Preferred Belt	E8HT 8620 SA	2/9710PB
P.S.	E8HZ 8620 G	9650 GS
A.C.; W/Dealer Inst. A.C.		7585
A.C.; W/Factory Inst. A.C.		9570 GS
Idler; W/Air Brakes	E8HZ 8620 G	9650 GS

- ② Two Required.
- ③ Three Required.
- ④ Four Required.

- GS Green Stripe® Construction.
- ↗ Use Notched Belt Only.
- ≠ Cut To Fit.

- ✦ Green Stripe® 4-Ply Coolant Hose Recommended.
- ⊕ Use Wire Inserted Green Stripe® Coolant Hose.
- ▲ Durion® Silicone Hose Recommended.
- ◆ PowerBand® Belt May Work, Use Template To Check.

For a maintenance free coolant connection, see PowerGrip® SB clamp application section.

Belts and Coolant Hose for Medium/Heavy Trucks (1990 And Newer)

FORD - Continued

1991 - Continued

LN8000; LNT8000 - Continued

FORD 7.8 L DIESEL ENG. - Continued

Coolant Hose

Application	Molded or Strt.	Vulco-Flex®
Upper.....	21854	
Lower; W/Man. Trans.....	21846	
By Pass.....	1 1/2" I.D.	

LN9000; LNT9000

CATERPILLAR 3176 DIESEL ENG.

Belts

Application	Mfr. Part No.	Belt No.
Fan & Alt.; W/74" Belt O.C.....		K080733 GS
Fan & Alt.; W/78 1/2" Belt O.C.....	F0HZ 8620 A	K080780 GS
A.C.; Sept. 9, 1991 & Older.....	E2HT 8620 BA	9463 GS
A.C.; W/Bendix Fan Clutch; Sept. 9, 1991 & Newer.....	D9PZ 8620 M	9447 GS
A.C.; W/Eaton Clutch; Sept. 9, 1991 & Newer.....	E2HZ 8620 C	9463 GS

Coolant Hose

Application	Molded or Strt.	Vulco-Flex®
Upper.....	22189	

CATERPILLAR 3406 DIESEL ENG.

Belts

Application	Mfr. Part No.	Belt No.
Fan & A.C.....	C9PZ 8620 FP	9490 GS
Alt.; W/Delco Alt.; Dec. 2, 1990 & Older.....		9560 GS
Alt.; W/Delco Alt.; Dec. 3, 1990 & Newer.....		TR22525 GS
A.C.....	D2TE 8620 ADA	9447 GS

Coolant Hose

Application	Molded or Strt.	Vulco-Flex®
Upper; W/P.S.....	22194	

CUMMINS BIG CAM IV DIESEL ENG.

Belts

Application	Mfr. Part No.	Belt No.
W.P.....	3076492	K060425 GS
Fan.....		③TR22443 GS
Alt.; Optional Belt.....		②9435 GS
Alt.; Preferred Belt.....	E6PZ 8620 F	2/9435PB
P.S.....		②9447 GS
A.C.....	C9PZ 8620 BS	9420 GS

Coolant Hose

Application	Molded or Strt.	Vulco-Flex®
Upper - Eng. To Pipe.....	✱2 1/4" I.D.	

CUMMINS L10 DIESEL ENG.

Belts

Application	Mfr. Part No.	Belt No.
Fan; Dec. 2, 1991 & Older; W/53 1/2" Belt O.C.....	F0HT 8620 DA	K080530 GS
Fan; Dec. 2, 1991 & Older; W/61" Belt O.C.....	E4HZ 8620 C	K080605 GS
Alt.; W/Delco Alt.; W/5-Ribbed Belt.....	E4FZ 8620 C	K050360 GS
Alt.; W/Delco Alt.; W/8-Ribbed Belt.....	E4HZ 8620 C	K080605 GS
Alt.; W/Motorcraft Alt.; Dec. 3, 1990 & Newer.....	F1HT 8620 BA	K050345 GS
A.C.....	C9PZ 8620 CD	9480 GS

FORD - Continued

1991 - Continued

LN9000; LNT9000 - Continued

CUMMINS L10 DIESEL ENG. - Continued

Coolant Hose

Application	Molded or Strt.	Vulco-Flex®
Upper - Eng. To Pipe.....	✱2 1/4" I.D.	

FORD 6.6 L DIESEL ENG.

Belts

Application	Mfr. Part No.	Belt No.
Alt.....		②BSX690
P.S.....	E8HZ 8620 Y	9630 GS
A.C.; Mar. 7, 1991 & Older.....	E8HZ 8620 N	9590 GS
A.C.; Mar. 8, 1991 & Newer.....	C9PZ 8620 CZ	9580 GS
Air Compr.; W/Air Brakes.....	E7HZ 8620 C	9640 GS
Idler.....	E8HZ 8620 G	9650 GS

FORD 7.8 L DIESEL ENG.

Belts

Application	Mfr. Part No.	Belt No.
Alt.....		②9710 GS
P.S.....	E8HZ 8620 G	9650 GS
A.C.....	E4PZ 8620 W	9590 GS
Air Compr.; W/Air Brakes.....	E8HZ 8620 G	9650 GS
Idler; W/Air Brakes.....	E8HZ 8620 G	9650 GS

LTS8000; LTS8000

CATERPILLAR 3406 DIESEL ENG.

Belts

Application	Mfr. Part No.	Belt No.
Fan & A.C.....	C9PZ 8620 FP	9490 GS

CUMMINS BIG CAM IV DIESEL ENG.

Belts

Application	Mfr. Part No.	Belt No.
Fan.....		③TR22443 GS
P.S.....		②9447 GS
A.C.....	C9PZ 8620 BS	9420 GS

CUMMINS L10 DIESEL ENG.

Belts

Application	Mfr. Part No.	Belt No.
Fan.....	E4HZ 8620 C	K080605 GS
Alt.; W/Delco Alt.....	E4HZ 8620 C	K080605 GS
Alt.; W/O Delco Alt.....	E4HZ 8620 B	K050340 GS
A.C.....	C9PZ 8620 CD	9480 GS

FORD 6.6 L DIESEL ENG.

Belts

Application	Mfr. Part No.	Belt No.
Alt.....		②BSX690
P.S.....	E8HZ 8620 Y	9630 GS
A.C.; Mar. 7, 1991 & Older.....	E8HZ 8620 N	9590 GS
A.C.; Mar. 8, 1991 & Newer.....	C9PZ 8620 CZ	9580 GS
Air Compr.; W/Air Brakes.....	E7HZ 8620 C	9640 GS
Idler.....	E8HZ 8620 G	9650 GS

FORD 7.8 L DIESEL ENG.

Belts

Application	Mfr. Part No.	Belt No.
W.P. & Hyd. Brake Boost Pump.....	E7HT 8620 CA	9630 GS
W.P. & Air Brake Compr.....	E8HT 8620 UA	9650 GS
Fan & Alt.; W/71 1/2" Belt O.C.; Op-tional Belt.....		②9710 GS
Fan & Alt.; W/71 1/2" Belt O.C.; Pre-ferred Belt.....	E8HT 8620 SA	2/9710PB
P.S.....	E8HZ 8620 G	9650 GS
A.C.; W/Dealer Inst. A.C.....		7585
A.C.; W/Factory Inst. A.C.....		9570 GS

- ② Two Required.
- ③ Three Required.
- ④ Four Required.

- GS Green Stripe® Construction.
- ✱ Use Notched Belt Only.
- ✂ Cut To Fit.

- ✱ Green Stripe® 4-Ply Coolant Hose Recommended.
- ✳ Use Wire Inserted Green Stripe® Coolant Hose.
- ▲ Durion® Silicone Hose Recommended.
- ✦ PowerBand® Belt May Work, Use Template To Check.

For a maintenance free coolant connection, see PowerGrip® SB clamp application section.

Belts and Coolant Hose for Medium/Heavy Trucks (1990 And Newer)

FORD - Continued

1991 - Continued

LT8000; LTS8000 - Continued

FORD 7.8 L DIESEL ENG. - Continued

Belts - Continued

Application	Mfr. Part No.	Belt No.
Idler; W/Air Brakes.....	E8HZ 8620 G	9650 ^{GS}

Coolant Hose

Application	Molded or Strt.	Vulco-Flex [®]
Upper.....	21854	
Lower; W/Man. Trans.....	21846	
By Pass.....	1 1/2" I.D.	

LT9000; LTL9000; LTS9000

CATERPILLAR 3176 DIESEL ENG.

Belts

Application	Mfr. Part No.	Belt No.
Fan & Alt.; W/74" Belt O.C.....		K080733 ^{GS}
Fan & Alt.; W/78 1/2" Belt O.C.....	F0HZ 8620 A	K080780 ^{GS}
A.C.; W/Bendix Fan Clutch; Sept. 9, 1991 & Newer; W/46" Belt O.C.....	D9PZ 8620 M	9447 ^{GS}
A.C.; W/Bendix Fan Clutch; Sept. 9, 1991 & Newer; W/51 1/2" Belt O.C. ...	D9PZ 8620 N	9510 ^{GS}
A.C.; W/Eaton Clutch; Sept. 9, 1991 & Newer; W/47" Belt O.C.....	E2HZ 8620 C	9463 ^{GS}
A.C.; W/Eaton Clutch; Sept. 9, 1991 & Newer; W/54 1/2" Belt O.C.....		9540 ^{GS}

Coolant Hose

Application	Molded or Strt.	Vulco-Flex [®]
Upper.....	22189	

CATERPILLAR 3306 DIESEL ENG.

Belts

Application	Mfr. Part No.	Belt No.
Fan; Optional Belt.....		②9590 ^{GS}
Fan; Preferred Belt.....	E4HT 8620 YA	2/9590PB
Alt.; Optional Belt.....		②9530 ^{GS}
Alt.; Preferred Belt.....	E4HT 8620 AAA	2/9530PB
A.C.....	C9PZ 8620 CD	9480 ^{GS}

Coolant Hose

Application	Molded or Strt.	Vulco-Flex [®]
Coolant Reservoir.....	1" I.D.	
Oil Cooler.....	❖2 1/2" I.D.	
Heater Hose; W/5/8" I.D. Hose.....	5/8" I.D.	
Filter By Pass.....	3/8" I.D.	

CATERPILLAR 3406 DIESEL ENG.

Belts

Application	Mfr. Part No.	Belt No.
Fan; W/11/16" Belt T.W.....	E4HT 8620 UA	TR22635 ^{GS}
Fan; W/V-Ribbed Belt Drive.....	F1HZ 8620 H	K100510 ^{GS}
Fan & A.C.....	C9PZ 8620 FP	9490 ^{GS}
Alt.; Optional Belt.....		②9530 ^{GS}
Alt.; Preferred Belt.....	E4HT 8620 AAA	2/9530PB
Alt.; W/Delco Alt.; Dec. 3, 1990 & Newer.....		TR22525 ^{GS}
Alt.; W/Delco Alt.; Dec. 4, 1990 & Older.....		9560 ^{GS}

Coolant Hose

Application	Molded or Strt.	Vulco-Flex [®]
Upper; W/P.S.....	22194	

FORD - Continued

1991 - Continued

LT9000; LTL9000; LTS9000 - Continued

CUMMINS BIG CAM IV DIESEL ENG.

Belts

Application	Mfr. Part No.	Belt No.
W.P.....	3076492	K060425 ^{GS}
Fan.....	E8HT 8620 T	TR22443 ^{GS}
Alt.; Optional Belt.....		②9435 ^{GS}
Alt.; Preferred Belt.....	E6PZ 8620 F	2/9435PB
P.S.....	9PZ 8620 BY	9447 ^{GS}
A.C.....	C9PZ 8620 BS	9420 ^{GS}

Coolant Hose

Application	Molded or Strt.	Vulco-Flex [®]
Upper - Eng. To Pipe.....	❖2 1/4" I.D.	
Upper - Pipe To Rad.....	>21123	
Lower.....	20961	
Rad. Inlet; W/Low Flow Cool.....	▲1" I.D.	
Rad. Outlet; W/Low Flow Cool.....	>21752	
By Pass.....	3/4" I.D.	
Heater Hose; W/5/8" I.D. Hose.....	5/8" I.D.	

CUMMINS L10 DIESEL ENG.

Belts

Application	Mfr. Part No.	Belt No.
Fan; W/53 1/2" Belt O.C.....	F0HZ 8620 C	K080530 ^{GS}
Alt.; W/Delco Alt.; W/5-Ribbed Belt.....	E4FZ 8620 C	K050360 ^{GS}
Alt.; W/Delco Alt.; W/8-Ribbed Belt.....	E4HZ 8620 C	K080605 ^{GS}
Alt.; W/Motorcraft Alt.; Dec. 2, 1990 & Older.....	E4HT 8620 KB	K050340 ^{GS}
Alt.; W/Motorcraft Alt.; Dec. 3, 1990 & Newer.....	F1HT 8620 BA	K050345 ^{GS}
A.C.....		9480 ^{GS}

Coolant Hose

Application	Molded or Strt.	Vulco-Flex [®]
Upper - Eng. To Pipe.....	❖2 1/4" I.D.	

FORD 6.6 L DIESEL ENG.

Belts

Application	Mfr. Part No.	Belt No.
Alt.....		②BSX690
P.S.....	E8HZ 8620 Y	9630 ^{GS}
A.C.; Mar. 7, 1991 & Older.....	E8HZ 8620 N	9590 ^{GS}
A.C.; Mar. 8, 1991 & Newer.....	C9PZ 8620 CZ	9580 ^{GS}
Air Compr.; W/Air Brakes.....	E7HZ 8620 C	9640 ^{GS}
Idler.....	E8HZ 8620 G	9650 ^{GS}

FORD 7.8 L DIESEL ENG.

Belts

Application	Mfr. Part No.	Belt No.
Alt.; W/High Mount Fan.....		②9710 ^{GS}
P.S.....	E8HZ 8620 G	9650 ^{GS}
A.C.....	E4PZ 8620 W	9590 ^{GS}
Air Compr.; W/Air Brakes.....	E8HZ 8620 G	9650 ^{GS}
Idler; W/Air Brakes.....	E8HZ 8620 G	9650 ^{GS}

1990

C6000

CATERPILLAR 3208 DIESEL ENG.

Coolant Hose

Application	Molded or Strt.	Vulco-Flex [®]
Upper.....	21139	
Lower; W/Auto. Trans.; W/Std. Cool ...	21477	
Lower; W/Auto. Trans.; W/X.C.....	21111	
Lower; W/Man. Trans.; W/Std. Cool ...	21111	
Lower; W/Man. Trans.; W/X.C.....	21477	
Oil Cooler - Front Inlet.....	21824	
Oil Cooler - Rear Inlet.....	21381	

② Two Required.
③ Three Required.
④ Four Required.

^{GS} Green Stripe[®] Construction.
✦ Use Notched Belt Only.
✂ Cut To Fit.

❖ Green Stripe[®] 4-Ply Coolant Hose Recommended.
⊛ Use Wire Inserted Green Stripe[®] Coolant Hose.
▲ Durion[®] Silicone Hose Recommended.
✦ PowerBand[®] Belt May Work, Use Template To Check.

For a maintenance free coolant connection, see PowerGrip[®] SB clamp application section.

Belts and Coolant Hose for Medium/Heavy Trucks (1990 And Newer)

FORD - Continued

1990 - Continued

C6000 - Continued

CATERPILLAR 3208 DIESEL ENG. - Continued

Coolant Hose - Continued

Application	Molded or Strt.	Vulco-Flex®
Oil Cooler - Outlet.....	21380	
Heater Hose; W/5/8" I.D. Hose	5/8" I.D.	

C7000

CATERPILLAR 3208 DIESEL ENG.

Belts

Application	Mfr. Part No.	Belt No.
W.P. & Alt.	C9PZ 8620 CZ	9580 GS
P.S.	D5TA 8620 MA	9390 GS
Air Brake Compr.; W/12 Cu. Ft. Air Brake Compr.	D2AE 8620 HA	9580 GS
Air Brake Compr.; W/7 1/4 Cu. Ft. Air Brake Compr.		9560 GS
Hyd. Brake Boost Pump		9560 GS
V.P.	C8HA 8620 A	9560 GS

Coolant Hose

Application	Molded or Strt.	Vulco-Flex®
Upper	21139	
Lower; W/Auto. Trans.; W/Std. Cool ...	21477	
Lower; W/Auto. Trans.; W/X.C.	21111	
Lower; W/Man. Trans.; W/Std. Cool ...	21111	
Lower; W/Man. Trans.; W/X.C.	21477	
Oil Cooler - Front Inlet	21824	
Oil Cooler - Rear Inlet	21381	
Oil Cooler - Outlet	21380	
Heater Hose; W/5/8" I.D. Hose	5/8" I.D.	

FORD 6.6 L DIESEL ENG.

Belts

Application	Mfr. Part No.	Belt No.
W.P. & Air Brake Compr.; W/5/8 7/8" Belt O.C.	FOHZ 8620 D	9585 GS
W.P. & Air Brake Compr.; W/63 7/8" Belt O.C.	E5HT 8620 AA	9635 GS
Alt.; W/47 3/8" Belt O.C.; Optional Belt.....		② 9470 GS
Alt.; W/47 3/8" Belt O.C.; Preferred Belt.....	E9HZ 8620 A	2/9470PB
Alt.; W/57 1/2" Belt O.C.; Optional Belt.....		② 9570 GS
Alt.; W/57 1/2" Belt O.C.; Preferred Belt.....	E5HT10C318AA	2/9570PB 2/9555PB

C8000

CATERPILLAR 3208 DIESEL ENG.

Belts

Application	Mfr. Part No.	Belt No.
W.P. & Alt.	C9PZ 8620 CZ	9580 GS
P.S.	D5TA 8620 MA	9390 GS
Air Brake Compr.; W/12 Cu. Ft. Air Brake Compr.	D2AE 8620 HA	9580 GS
Air Brake Compr.; W/7 1/4 Cu. Ft. Air Brake Compr.		9560 GS
Hyd. Brake Boost Pump		9560 GS
V.P.	C8HA 8620 A	9560 GS

Coolant Hose

Application	Molded or Strt.	Vulco-Flex®
Upper	21139	
Lower; W/Auto. Trans.; W/Std. Cool ...	21477	
Lower; W/Auto. Trans.; W/X.C.	21111	
Lower; W/Man. Trans.; W/Std. Cool ...	21111	
Lower; W/Man. Trans.; W/X.C.	21477	

FORD - Continued

1990 - Continued

C8000 - Continued

CATERPILLAR 3208 DIESEL ENG. - Continued

Coolant Hose - Continued

Application	Molded or Strt.	Vulco-Flex®
Oil Cooler - Front Inlet.....	21824	
Oil Cooler - Rear Inlet	21381	
Oil Cooler - Outlet.....	21380	
Heater Hose; W/5/8" I.D. Hose	5/8" I.D.	

CATERPILLAR 3306 DIESEL ENG.

Belts

Application	Mfr. Part No.	Belt No.
Alt.....	E4PZ 8620 B	9590 GS
P.S.	C9PZ 8620 BL	9390 GS
Air Compr.; W/12 Cu. Ft. Air Brake Compr.	C9PZ 8620 CZ	9580 GS
Air Compr.; W/7 1/4 Cu. Ft. Air Brake Compr.	E3AZ 8620 D	9565 GS
Air Compr.; W/Hyd. Brakes	E3AZ 8620 D	9565 GS

CF6000

FORD 6.6 L DIESEL ENG.

Belts

Application	Mfr. Part No.	Belt No.
W.P. & Air Brake Compr.; W/2150 Air Brake Compr.; W/63 3/8" Belt O.C....	E7HU8K569EA	9630 GS
W.P. & Air Brake Compr.; W/5/8 7/8" Belt O.C.	FOHZ 8620 D	9585 GS
W.P. & Air Brake Compr.; W/63 7/8" Belt O.C.	E5HT 8620 AA	9635 GS
W.P. & Air Brake Compr.; W/65 1/2" Belt O.C.	E9HZ 8620 C	9650 GS
Alt.; W/47 3/8" Belt O.C.; Optional Belt.....		② 9470 GS
Alt.; W/47 3/8" Belt O.C.; Preferred Belt.....	E9HZ 8620 A	2/9470PB
Alt.; W/57 1/2" Belt O.C.; Optional Belt.....		② 9570 GS
Alt.; W/57 1/2" Belt O.C.; Preferred Belt.....	E5HT10C318AA	2/9570PB ②9710 GS 2/9555PB
A.C.		9640 GS
Air Compr.; W/501 Air Brake Compr. ..	E7HZ 8620 C	② 9565 GS
Air Compr.; W/550 Air Brake Compr. ..		9650 GS
Idler; W/Air Brakes.....	E8HZ 8620 G	9650 GS

Coolant Hose

Application	Molded or Strt.	Vulco-Flex®
Upper - Eng. To Rad.....	21570	
Lower - Eng. To Pipe.....	21571	
Lower - Pipe To Rad.....	21573	
Oil Cooler	1 1/2" I.D.	
By Pass.....	1 1/2" I.D.	
Heater Hose; W/3/4" I.D. Hose	3/4" I.D.	

FORD 7.8 L DIESEL ENG.

Belts

Application	Mfr. Part No.	Belt No.
Alt.; W/60A. Alt.....		② 9580 GS
Alt.; W/75A., 90A., 130A. Alt.....		② 9585 GS
Air Compr.; W/Air Brakes	E8HZ 8620 HA	9650 GS
Idler; W/Air Brakes.....	E8HZ 8620 G	9650 GS

- ② Two Required.
- ③ Three Required.
- ④ Four Required.

- GS Green Stripe® Construction.
- ↗ Use Notched Belt Only.
- ∞ Cut To Fit.

- ✦ Green Stripe® 4-Ply Coolant Hose Recommended.
- ⊛ Use Wire Inserted Green Stripe® Coolant Hose.
- ▲ Durion® Silicone Hose Recommended.
- ◆ PowerBand® Belt May Work, Use Template To Check.

For a maintenance free coolant connection, see PowerGrip® SB clamp application section.

Belts and Coolant Hose for Medium/Heavy Trucks (1990 And Newer)

FORD - Continued

1990 - Continued

CF7000; CF8000; CFT8000

FORD 6.6 L DIESEL ENG.

Belts		
Application	Mfr. Part No.	Belt No.
W.P. & Air Brake Compr.; Oct. 1, 1990 & Newer; W/2150 Air Brake Compr.; W/63 3/8" Belt O.C.	E7HU8K569EA	9630 ^{GS}
W.P. & Air Brake Compr.; W/58 7/8" Belt O.C.	F0HZ 8620 D	9585 ^{GS}
Alt.; W/47 3/8" Belt O.C.; Optional Belt.		② 9470 ^{GS}
Alt.; W/47 3/8" Belt O.C.; Preferred Belt.	E9HZ 8620 A	2/9470PB
Alt.; W/57 1/2" Belt O.C.; Optional Belt.		② 9570 ^{GS}
Alt.; W/57 1/2" Belt O.C.; Preferred Belt.	E5HT10C318AA	2/9570PB
Alt.; W/70A., 90A. Alt.		② 9710 ^{GS}
A.C.		2/9555PB
Air Compr.; Oct. 1, 1990 & Newer; W/501 Air Brake Compr.	E7HZ 8620 C	9640 ^{GS}
Idler; W/Air Brakes	E8HZ 8620 G	9650 ^{GS}

Coolant Hose

Application	Molded or Strt.	Vulco-Flex [®]
Upper - Eng. To Rad.	21570	
Lower - Eng. To Pipe	21571	
Lower - Pipe To Rad.	21573	
Oil Cooler	1 1/2" I.D.	
By Pass	1 1/2" I.D.	
Heater Hose; W/3/4" I.D. Hose	3/4" I.D.	

FORD 7.8 L DIESEL ENG.

Belts		
Application	Mfr. Part No.	Belt No.
W.P. & Air Brake Compr.; W/58 7/8" Belt O.C.	F0HZ 8620 D	9585 ^{GS}
W.P. & Air Brake Compr.; W/63 3/8" Belt O.C.	E7HT8K569AA	9630 ^{GS}
W.P. & Air Brake Compr.; W/63 7/8" Belt O.C.		9635 ^{GS}
W.P. & Air Brake Compr.; W/65 1/2" Belt O.C.	88HU8K569AA	9650 ^{GS}
W.P. & Air Brake Compr.; W/67" Belt O.C.	87HU8K569BA	9700 ^{GS}
Alt.; W/47 3/8" Belt O.C.; Optional Belt.		② 9470 ^{GS}
Alt.; W/47 3/8" Belt O.C.; Preferred Belt.	E9HZ 8620 A	2/9470PB
Alt.; W/60A. Alt.; W/58 1/2" Belt O.C.		② 9580 ^{GS}
Alt.; W/75A., 90A., 130A. Alt.; W/58 1/2" Belt O.C.		② 9585 ^{GS}
A.C.	E2TZ 8620 AA	9585 ^{GS}
Idler; W/Air Brakes	E8HZ 8620 G	9650 ^{GS}

Coolant Hose

Application	Molded or Strt.	Vulco-Flex [®]
Upper - Eng. To Rad.	21570	
Lower - Eng. To Pipe	21571	
Lower - Pipe To Rad.	21573	
By Pass	1 1/2" I.D.	

CL9000; CLT9000

CATERPILLAR 3406 DIESEL ENG.

Belts		
Application	Mfr. Part No.	Belt No.
Fan; W/A.C.		TR22664 ^{GS}
Fan; W/Dual Belt Drive		② TR22525 ^{GS}
Fan; W/O A.C.	D8HT 8620 T	TR22657 ^{GS}
Alt.		② 9650 ^{GS}
Alt.; W/O A.C.		② TR28400 ^{GS}
Alt. & A.C.		9640 ^{GS}

FORD - Continued

1990 - Continued

CL9000; CLT9000 - Continued

CATERPILLAR 3406 DIESEL ENG. - Continued

Coolant Hose		
Application	Molded or Strt.	Vulco-Flex [®]
Upper - Eng. To Pipe	✦ 2 1/2" I.D.	
Upper - Pipe To Rad.	22193	
Lower	✦ 3" I.D.	
Lower - Eng. To Rad.	✧ 21568	
By Pass	1" I.D.	
Heater Inlet	1" I.D.	
Heater Outlet	3/4" I.D.	

CUMMINS BIG CAM IV DIESEL ENG.

Belts		
Application	Mfr. Part No.	Belt No.
W.P.; W/6-Ribbed Belt	217635	K060435 ^{GS}
Fan; W/Bendix Fan Clutch; W/Triple Belt Drive	E0PZ 8620 G	9610 ^{GS}
Fan; W/Bendix, Schwitzer Fan Clutch; W/Dual Belt Drive; Optional Belt	D7HT 8620 MA	TR28492 ^{GS}
Fan; W/Bendix, Schwitzer Fan Clutch; W/Dual Belt Drive; Preferred Belt	D7HT 8620 MA	2/TR28492PB
Fan; W/Fixed Fan	D8PZ 8620 C	TR28514 ^{GS}
Fan; W/Rockford Fan Clutch; Optional Belt		② TR28501 ^{GS}
Fan; W/Rockford Fan Clutch; Preferred Belt	D8HT 8620 AA	2/TR28501PB
Fan; W/V-Ribbed Belt Drive	D9HS 8620 AA	K100456 ^{GS}
Alt.; W/45 1/4" Belt O.C.; Optional Belt		② 9447 ^{GS}
Alt.; W/45 1/4" Belt O.C.; Preferred Belt	D2TZ 8620 ADA	2/9447PB
A.C.; W/1/2" Belt T.W.	D4HE 8620 BAA	9415 ^{GS}
A.C.; W/11/16" Belt T.W.	E9HZ 8620 E	TR22525 ^{GS}

Coolant Hose

Application	Molded or Strt.	Vulco-Flex [®]
Lower - Eng. To Pipe	✦ 2 1/2" I.D.	
Lower - Pipe To Rad.; Single I.D. Hose	✦ 3" I.D.	
Lower - Pipe To Rad.; W/Dual I.D. Hose	21400	
Rad. Inlet; W/Low Flow Cool.	▲ 1" I.D.	
Rad. Outlet; W/Low Flow Cool.		25252
Aftercooler	21488	

CUMMINS L10 DIESEL ENG.

Belts		
Application	Mfr. Part No.	Belt No.
Fan; W/53 3/8" Belt O.C.		K080530 ^{GS}
Fan; W/60 7/8" Belt O.C.	E4HT 8620 RB	K080605 ^{GS}
Alt.; W/Delco Alt.; W/5-Ribbed Belt	E4FZ 8620 C	K050360 ^{GS}
Alt.; W/Delco Alt.; W/8-Ribbed Belt	E4HZ 8620 C	K080605 ^{GS}
Alt.; W/Motorcraft Alt.	E4HZ 8620 B	K050340 ^{GS}
A.C.; W/Fs-6 Compr.		9570 ^{GS}
A.C.; W/Sanden Compr.	E6HT 8620 AA	9545 ^{GS}

Coolant Hose

Application	Molded or Strt.	Vulco-Flex [®]
Rad. Inlet	▲ 1" I.D.	
Rad. Outlet	1 1/4" I.D.	
Heater Hose; W/3/4" I.D. Hose	3/4" I.D.	

CT8000

CATERPILLAR 3208 DIESEL ENG.

Belts		
Application	Mfr. Part No.	Belt No.
W.P. & Alt.; W/58 1/2" Belt O.C.	C9PZ 8620 CZ	9580 ^{GS}
P.S.		9390 ^{GS}

- ② Two Required.
- ③ Three Required.
- ④ Four Required.

- ^{GS} Green Stripe[®] Construction.
- ✦ Use Notched Belt Only.
- ✧ Cut To Fit.

- ✦ Green Stripe[®] 4-Ply Coolant Hose Recommended.
- ✧ Use Wire Inserted Green Stripe[®] Coolant Hose.
- ▲ Durion[®] Silicone Hose Recommended.
- ✦ PowerBand[®] Belt May Work, Use Template To Check.

For a maintenance free coolant connection, see PowerGrip[®] SB clamp application section.

Belts and Coolant Hose for Medium/Heavy Trucks (1990 And Newer)

FORD - Continued

1990 - Continued

CT8000 - Continued

CATERPILLAR 3208 DIESEL ENG. - Continued

Belts - Continued

Application	Mfr. Part No.	Belt No.
Air Compr.; W/12 Cu. Ft. Air Brake Compr.		9580 GS
Air Compr.; W/7 1/4 Cu. Ft. Air Brake Compr.		9565 GS
Air Compr.; W/Hyd. Brakes		9565 GS
V.P.	C8HA 8620 A	9560 GS

Coolant Hose

Application	Molded or Strt.	Vulco-Flex®
Upper - Eng. To Rad.	21139	
Lower; W/Auto. Trans.; W/Std. Cool. ...	21477	
Lower; W/Auto. Trans.; W/X.C.	21111	
Lower; W/Man. Trans.; W/Std. Cool. ...	21111	
Lower; W/Man. Trans.; W/X.C.	21477	
Oil Cooler - Front Inlet	21824	
Oil Cooler - Rear Inlet	21381	
Oil Cooler - Outlet	21380	
Heater Hose; W/5/8" I.D. Hose	5/8" I.D.	

CATERPILLAR 3306 DIESEL ENG.

Belts

Application	Mfr. Part No.	Belt No.
W.P. & Alt.; W/59 1/2" Belt O.C.	E4PZ 8620 B	9590 GS
P.S.	C9PZ 8620 BL	9390 GS
Air Compr.; W/12 Cu. Ft. Air Brake Compr.	C9PZ 8620 CZ	9580 GS
Air Compr.; W/7 1/4 Cu. Ft. Air Brake Compr.	E3AZ 8620 D	9565 GS
Air Compr.; W/Hyd. Brakes	E3AZ 8620 D	9565 GS

F600

FORD 6.6 L DIESEL ENG.

Belts

Application	Mfr. Part No.	Belt No.
Fan & Alt.; W/130A. Alt.; W/High Mount Fan		②7570
Fan & Alt.; W/130A. Alt.; W/Low Mount Fan		②9625 GS
Fan & Alt.; W/60A., 75A., 90A. Alt.; W/High Mount Fan		②9690 GS
Fan & Alt.; W/60A., 75A., 90A. Alt.; W/Low Mount Fan		②9610 GS
Fan & P.S.	E6HZ 8620 E	9545 GS
W.P. & P.S.	E8HZ 8620 Y	9630 GS
A.C.; W/Dual Belt Drive		②7565
A.C.; W/Single Belt Drive	E8HZ 8620 N	9590 GS
Air Compr.; W/2150 Air Brake Com- pr.; W/A.C.	E7HZ 8620 B	9630 GS
Air Compr.; W/2150 Air Brake Com- pr.; W/O A.C.	C9PZ 8620 GN	9550 GS
Air Compr.; W/550 Air Brake Compr. ...	E3AZ 8620 D	9565 GS
Idler	E8HZ 8620 HA	9650 GS

Coolant Hose

Application	Molded or Strt.	Vulco-Flex®
Upper; W/Air To Air Aftercooler	>21943	
Upper; W/O Air To Air Aftercooler	21943	
Lower; W/Auto. Trans.; W/O 210 H.P. Eng.	21961	
Lower; W/Man. Trans.; W/O P.T.O.	21845	
Lower; W/Man. Trans.; W/P.T.O.	>21962	
Lower - Rad. To Cooler; W/Auto. Trans.; W/O P.T.O.	④2 1/2" I.D.	
Oil Cooler	1 1/2" I.D.	

FORD - Continued

1990 - Continued

F600 - Continued

FORD 7.8 L DIESEL ENG.

Belts

Application	Mfr. Part No.	Belt No.
Alt.	E8HZ 8620 B	9710 GS
A.C.; W/Dual Belt Drive		②7575
A.C.; W/Single Belt Drive	E8HZ 8620 N	9590 GS
Air Compr.; Dec. 1, 1990 & Newer; W/Air Brakes	E8HZ 8620 Y	9630 GS
Air Compr.; W/Air Brakes	E8HZ 8620 M	9650 GS
Idler	E8HZ 8620 G	9650 GS

FORD V-8 6.1 L ENG.

Belts

Application	Mfr. Part No.	Belt No.
Fan; W/High Mount Fan; W/Idler Pul- ley	C9PZ 8620 CD	9480 GS
Alt.; W/40A., 60A. Alt.; W/Fan Clutch; W/Cowl	C9PZ 8620 FN	9440 GS
Alt.; W/40A., 60A. Alt.; W/Fan Clutch; W/O Cowl	E6PZ 8620 F	9435 GS
Alt.; W/40A., 60A. Alt.; W/Fixed Fan; W/Cowl	D9PZ 8620 M	9447 GS
Alt.; W/40A., 60A. Alt.; W/Fixed Fan; W/O Cowl	E6PZ 8620 G	9451 GS
Alt.; W/75A. Alt.; W/Fan Clutch; W/Cowl	D9PZ 8620 M	9447 GS
Alt.; W/75A. Alt.; W/Fan Clutch; W/O Cowl	D9PZ 8620 M	9447 GS
Alt.; W/75A. Alt.; W/Fixed Fan	E2HZ 8620 C	9463 GS
Alt.; W/90A., 130A. Alt.; W/Fan Clutch Alt.; W/90A., 130A. Alt.; W/Fixed Fan..	E6PZ 8620 G	9451 GS
Fan To P.S.; W/Dual Belt Drive	E2HZ 8620 C	9463 GS
Fan To P.S.; W/Single Belt Drive	②9580 GS	
P.S. & A.C.	C9PZ 8620 CR	9540 GS
A.C.; Dec. 2, 1990 & Older	D4HE 8620 CA	9480 GS
A.C.; Dec. 4, 1990 & Newer	E5HZ 8620 C	9360 GS
Air Compr.; W/Hyd. Brakes	F1HZ 8620 E	7660
Fan, P.S. & A.P.	E0PZ 8620 G	9610 GS
Fan, A.P. & Air Brake Compr.; W/Air Brakes	E8HZ 8620 A	9620 GS
		9650 GS

Coolant Hose

Application	Molded or Strt.	Vulco-Flex®
Upper; W/Man. Trans.	21938	
Upper; W/P.T.O.	>21936	
Lower; W/O P.T.O.; W/O Fuel Inj.	21249	
By Pass	>21942	
Heater Hose; W/5/8" I.D. Hose	5/8" I.D.	

FORD V-8 7.0 L ENG.

Belts

Application	Mfr. Part No.	Belt No.
Fan	C9PZ 8620 CD	9480 GS
Fan & Alt.; W/40A., 60A. Alt.; W/Fan Clutch; W/Cowl	C9PZ 8620 FN	9440 GS
Fan & Alt.; W/40A., 60A. Alt.; W/Fan Clutch; W/O Cowl	E6PZ 8620 F	9435 GS
Fan & Alt.; W/40A., 60A. Alt.; W/Fixed Fan; W/Cowl	D9PZ 8620 M	9447 GS
Fan & Alt.; W/40A., 60A. Alt.; W/Fixed Fan; W/O Cowl	E6PZ 8620 G	9451 GS
Fan & Alt.; W/75A. Alt.; W/Fan Clutch; W/Cowl	D9PZ 8620 M	9447 GS
Fan & Alt.; W/75A. Alt.; W/Fan Clutch; W/O Cowl	D9PZ 8620 M	9447 GS
Fan & Alt.; W/75A. Alt.; W/Fixed Fan..	E2HZ 8620 C	9463 GS
Fan & Alt.; W/90A., 130A. Alt.; W/Fan Clutch	E6PZ 8620 G	9451 GS
Fan & Alt.; W/90A., 130A. Alt.; W/Fixed Fan	E2HZ 8620 C	9463 GS
Fan & P.S.; W/Single A.P.		④9530 GS
P.S.; W/Dual Belt Drive		②9580 GS
P.S.; W/Single Belt Drive	C9PZ 8620 CR	9540 GS

- ② Two Required.
- ③ Three Required.
- ④ Four Required.

- GS Green Stripe® Construction.
- ↗ Use Notched Belt Only.
- ✂ Cut To Fit.

- ✱ Green Stripe® 4-Ply Coolant Hose Recommended.
- ① Use Wire Inserted Green Stripe® Coolant Hose.
- ▲ Durion® Silicone Hose Recommended.
- ⬥ PowerBand® Belt May Work, Use Template To Check.

For a maintenance free coolant connection, see PowerGrip® SB clamp application section.

Belts and Coolant Hose for Medium/Heavy Trucks (1990 And Newer)

FORD - Continued
1990 - Continued
F600 - Continued

FORD V-8 7.0 L ENG. - Continued
Belts - Continued

Application	Mfr. Part No.	Belt No.
P.S. & A.C.....	D4HE 8620 CA	9480 GS
A.C.....	E5HZ 8620 C	9360 GS
Air Compr.; W/Air Brakes.....	E8HZ 8620 A	9650 GS
Air Compr.; W/Hyd. Brakes.....	E0PZ 8620 G	9610 GS
Idler.....	D4HE 8620 CA	9480 GS

Coolant Hose

Application	Molded or Strt.	Vulco-Flex®
Upper; W/Man. Trans.....	21938	
Upper; W/P.T.O.....	>21936	
Lower; W/O P.T.O.; W/O Fuel Inj.....	21249	
By Pass.....	>21942	
Heater Hose; W/5/8" I.D. Hose.....	5/8" I.D.	

F700

FORD 6.6 L DIESEL ENG.

Belts

Application	Mfr. Part No.	Belt No.
W.P. & Hyd. Brake Boost Pump.....		9600 GS
W.P. & Air Brake Compr.....		9640 GS
Fan & Alt.; W/130A. Alt.....		②9625 GS
Fan & Alt.; W/130A. Alt.; W/High Mount Fan.....		②7570
Fan & Alt.; W/60A., 75A., 90A. Alt.....		②9610 GS
Fan & Alt.; W/60A., 75A., 90A. Alt.; W/High Mount Fan.....		②9690 GS
Fan & Alt.; W/71 1/2" Belt O.C.....		♦②9710 GS
Fan & P.S.....	E6HZ 8620 E	9545 GS
W.P. & P.S.....	E8HZ 8620 Y	9630 GS
A.C.; W/Dual Belt Drive.....		②7565
A.C.; W/Single Belt Drive.....	E8HZ 8620 N	9590 GS
Air Compr.; W/2150 Air Brake Compr.; W/A.C.....	E7HZ 8620 B	9630 GS
Air Compr.; W/2150 Air Brake Compr.; W/O A.C.....	C9PZ 8620 GN	9550 GS
Air Compr.; W/550 Air Brake Compr.....	E3AZ 8620 D	9565 GS
Idler.....	E8HZ 8620 HA	9650 GS

Coolant Hose

Application	Molded or Strt.	Vulco-Flex®
Upper.....	>21943	
Lower; W/Auto. Trans.; W/O 210 H.P. Eng.....	21961	
Lower; W/Man. Trans.; W/O P.T.O.....	21845	
Lower; W/Man. Trans.; W/P.T.O.....	>21962	
Lower - Rad. To Cooler; W/Auto. Trans.; W/O P.T.O.....	❖2 1/2" I.D.	
Oil Cooler.....	1 1/2" I.D.	

FORD 7.8 L DIESEL ENG.

Belts

Application	Mfr. Part No.	Belt No.
W.P. & Hyd. Brake Boost Pump.....	E7HT 8620 CA	9630 GS
W.P. & Air Brake Compr.....	E8HT 8620 HA	9650 GS
Fan & Alt.; W/130A. Alt.; W/High Mount Fan; Optional Belt.....		②9690 GS
Fan & Alt.; W/130A. Alt.; W/High Mount Fan; Preferred Belt.....	E4HT 8620 SA	2/9690PB
Fan & Alt.; W/130A. Alt.; W/Low Mount Fan.....		9625 GS
Fan & Alt.; W/O 130A. Alt.; W/High Mount Fan; Optional Belt.....		②9690 GS
Fan & Alt.; W/O 130A. Alt.; W/High Mount Fan; Preferred Belt.....	E8HT 8620 GA	2/9710PB
Fan & Alt.; W/O 130A. Alt.; W/Low Mount Fan; Optional Belt.....		②9610 GS
Fan & Alt.; W/O 130A. Alt.; W/Low Mount Fan; Preferred Belt.....		2/9610PB

FORD - Continued
1990 - Continued
F700 - Continued

FORD 7.8 L DIESEL ENG. - Continued

Belts - Continued

Application	Mfr. Part No.	Belt No.
A.C.; W/Dealer Inst. A.C.....		7597
A.C.; W/Dual Belt Drive; W/Factory Inst. A.C.....		②7575
A.C.; W/Single Belt Drive; W/Factory Inst. A.C.....		9590 GS
Air Compr.; Dec. 1, 1990 & Newer; W/Air Brakes.....	E8HZ 8620 Y	9630 GS
Air Compr.; W/Air Brakes.....	E8HZ 8620 M	9650 GS
Hyd. Brake Boost Pump.....		9550 GS
Idler.....	E8HZ 8620 G	9650 GS

Coolant Hose

Application	Molded or Strt.	Vulco-Flex®
Upper; W/Air To Air Aftercooler.....	>21943	
Upper; W/O Air To Air Aftercooler.....	21943	
Lower; W/Auto. Trans.; W/O 210 H.P. Eng.....	21961	
Lower; W/Man. Trans.; W/O P.T.O.....	21845	
Lower; W/Man. Trans.; W/P.T.O.....	21962	
Lower - Rad. To Cooler; W/Auto. Trans.; W/O P.T.O.....	❖2 1/2" I.D.	
Oil Cooler.....	1 1/2" I.D.	

FORD V-8 6.1 L ENG.

Belts

Application	Mfr. Part No.	Belt No.
Fan; W/High Mount Fan; W/Idler Pulley.....	C9PZ 8620 CD	9480 GS
Fan & Alt.; W/40A., 60A. Alt.; W/Fan Clutch; W/Cowl.....	C9PZ 8620 FN	9440 GS
Fan & Alt.; W/40A., 60A. Alt.; W/Fan Clutch; W/O Cowl.....	E6PZ 8620 F	9435 GS
Fan & Alt.; W/40A., 60A. Alt.; W/Fixed Fan; W/Cowl.....	D9PZ 8620 M	9447 GS
Fan & Alt.; W/40A., 60A. Alt.; W/Fixed Fan; W/O Cowl.....	E6PZ 8620 G	9451 GS
Fan & Alt.; W/75A. Alt.; W/Fan Clutch; W/Cowl.....	D9PZ 8620 M	9447 GS
Fan & Alt.; W/75A. Alt.; W/Fan Clutch; W/O Cowl.....	D9PZ 8620 M	9447 GS
Fan & Alt.; W/75A. Alt.; W/Fixed Fan.....	E2HZ 8620 C	9463 GS
Fan & Alt.; W/90A., 130A. Alt.; W/Fan Clutch.....	E6PZ 8620 G	9451 GS
Fan & Alt.; W/90A., 130A. Alt.; W/Fixed Fan.....	E2HZ 8620 C	9463 GS
Fan & P.S.; W/Single A.P.....		♦②9530 GS
P.S.; W/Dual Belt Drive.....		②9580 GS
P.S.; W/Single Belt Drive.....	C9PZ 8620 CR	9540 GS
A.C. & A.C.....	D4HE 8620 CA	9480 GS
A.C.; Dec. 3, 1990 & Older.....	E5HZ 8620 C	9360 GS
A.C.; Dec. 4, 1990 & Newer.....	F1HZ 8620 E	7660
Air Compr.; W/Air Brakes.....	E8HZ 8620 A	9650 GS
Air Compr.; W/Hyd. Brakes.....	E0PZ 8620 G	9610 GS
Fan, P.S. & A.P.....		9620 GS
Fan, A.P. & Air Brake Compr.....	E0TE 8620 FA	9640 GS
Idler.....	D4HE 8620 CA	9480 GS

Coolant Hose

Application	Molded or Strt.	Vulco-Flex®
Upper; W/Man. Trans.....	21938	
Upper; W/P.T.O.....	>21936	
Lower; W/O P.T.O.; W/O Fuel Inj.....	21249	
By Pass.....	>21942	
Heater Hose; W/5/8" I.D. Hose.....	5/8" I.D.	

- ② Two Required.
- ③ Three Required.
- ④ Four Required.

- GS Green Stripe® Construction.
- ↗ Use Notched Belt Only.
- ✂ Cut To Fit.

- ❖ Green Stripe® 4-Ply Coolant Hose Recommended.
- ⊛ Use Wire Inserted Green Stripe® Coolant Hose.
- ▲ Durion® Silicone Hose Recommended.
- ♦ PowerBand® Belt May Work, Use Template To Check.

For a maintenance free coolant connection, see PowerGrip® SB clamp application section.

Belts and Coolant Hose for Medium/Heavy Trucks (1990 And Newer)

FORD - Continued 1990 - Continued F700 - Continued FORD V-8 7.0 L ENG.

Belts		
Application	Mfr. Part No.	Belt No.
Fan; W/High Mount Fan; W/Idler Pulley	C9PZ 8620 CD	9480 GS
Fan & Alt.; W/40A., 60A. Alt.; W/Fan Clutch; W/Cowl.....	C9PZ 8620 FN	9440 GS
Fan & Alt.; W/40A., 60A. Alt.; W/Fan Clutch; W/O Cowl.....	E6PZ 8620 F	9435 GS
Fan & Alt.; W/40A., 60A. Alt.; W/Fixed Fan; W/Cowl.....	D9PZ 8620 M	9447 GS
Fan & Alt.; W/40A., 60A. Alt.; W/Fixed Fan; W/O Cowl.....	E6PZ 8620 G	9451 GS
Fan & Alt.; W/75A. Alt.; W/Fan Clutch; W/Cowl.....	D9PZ 8620 M	9447 GS
Fan & Alt.; W/75A. Alt.; W/Fan Clutch; W/O Cowl.....	D9PZ 8620 M	9447 GS
Fan & Alt.; W/75A. Alt.; W/Fixed Fan..	E2HZ 8620 C	9463 GS
Fan & Alt.; W/90A., 130A. Alt.; W/Fan Clutch.....	E6PZ 8620 G	9451 GS
Fan & Alt.; W/90A., 130A. Alt.; W/Fixed Fan	E2HZ 8620 C	9463 GS
Fan & P.S.; W/Single A.P.	④ 29530 GS	
P.S.; W/Dual Belt Drive	29580 GS	
P.S.; W/Single Belt Drive.....	C9PZ 8620 CR	9540 GS
P.S. & A.C.	D4HE 8620 CA	9480 GS
A.C.	E5HZ 8620 C	9360 GS
Air Compr.; W/Air Brakes	E8HZ 8620 A	9650 GS
Air Compr.; W/Hyd. Brakes	E0PZ 8620 G	9610 GS
Fan, P.S. & A.P.		9620 GS
Fan, A.P. & Air Brake Compr.....	EOTE 8620 FA	9640 GS
Idler.....	D4HE 8620 CA	9480 GS
Coolant Hose		
	Molded or Strt.	Vulco-Flex®
Upper; W/Man. Trans.....	21938	
Upper; W/P.T.O.....	>21936	
Lower; W/O P.T.O.; W/O Fuel Inj.	21249	
By Pass	>21942	

F800 FORD 6.6 L DIESEL ENG.

Belts		
Application	Mfr. Part No.	Belt No.
W.P. & Hyd. Brake Boost Pump.....		9600 GS
W.P. & Air Brake Compr.		9640 GS
Fan & Alt.; W/130A. Alt.		29625 GS
Fan & Alt.; W/130A. Alt.; W/High Mount Fan		27570
Fan & Alt.; W/60A., 75A., 90A. Alt.; W/High Mount Fan		29690 GS
Fan & Alt.; W/60A., 75A., 90A. Alt.; W/Low Mount Fan.....		29610 GS
Fan & P.S.	E6HZ 8620 E	9545 GS
W.P. & P.S.	E7HT 8620 CA	9630 GS
A.C.; W/Dual Belt Drive		27565
A.C.; W/Single Belt Drive	E8HZ 8620 N	9590 GS
Air Compr.; W/2150 Air Brake Compr.; W/A.C.	E7HZ 8620 B	9630 GS
Air Compr.; W/2150 Air Brake Compr.; W/O A.C.	C9PZ 8620 GN	9550 GS
Air Compr.; W/550 Air Brake Compr. ...	E3AZ 8620 D	9565 GS
Idler.....	E8HZ 8620 HA	9650 GS
Coolant Hose		
	Molded or Strt.	Vulco-Flex®
Upper; W/Air To Air Aftercooler	>21943	
Upper; W/O Air To Air Aftercooler	21943	
Lower; W/Auto. Trans.; W/O 210 H.P. Eng.....	21961	
Lower; W/Man. Trans.; W/O P.T.O.	21845	
Lower; W/Man. Trans.; W/P.T.O.	>21962	

FORD - Continued 1990 - Continued F800 - Continued

FORD 6.6 L DIESEL ENG. - Continued

Coolant Hose - Continued		
Application	Molded or Strt.	Vulco-Flex®
Lower - Rad. To Cooler; W/Auto. Trans.; W/O P.T.O.		④ 2 1/2" I.D.
Oil Cooler		1 1/2" I.D.

FORD 7.8 L DIESEL ENG.

Belts		
Application	Mfr. Part No.	Belt No.
W.P. & Hyd. Brake Boost Pump.....	E7HT 8620 CA	9630 GS
W.P. & Air Brake Compr.	E8HT 8620 HA	9650 GS
Fan & Alt.; W/130A. Alt.; W/High Mount Fan; Optional Belt.....		29690 GS
Fan & Alt.; W/130A. Alt.; W/High Mount Fan; Preferred Belt	E4HT 8620 SA	2/9690PB
Fan & Alt.; W/130A. Alt.; W/Low Mount Fan		9625 GS
Fan & Alt.; W/O 130A. Alt.; W/High Mount Fan; Optional Belt.....		29690 GS
Fan & Alt.; W/O 130A. Alt.; W/High Mount Fan; Preferred Belt	E8HT 8620 GA	2/9710PB
Fan & Alt.; W/O 130A. Alt.; W/Low Mount Fan; Optional Belt.....		29610 GS
Fan & Alt.; W/O 130A. Alt.; W/Low Mount Fan; Preferred Belt		2/9610PB
A.C.; W/Dealer Inst. A.C.		7597
A.C.; W/Dual Belt Drive		27575
A.C.; W/Factory Inst. A.C.; W/Single Belt Drive	E8HZ 8620 N	9590 GS
Air Compr.; Dec. 1, 1990 & Newer; W/Air Brakes.....	E8HZ 8620 Y	9630 GS
Air Compr.; W/Air Brakes	E8HZ 8620 M	9650 GS
Hyd. Brake Boost Pump		9550 GS
Idler.....	E8HZ 8620 G	9650 GS

Coolant Hose		
Application	Molded or Strt.	Vulco-Flex®
Upper; W/Air To Air Aftercooler	>21943	
Upper; W/O Air To Air Aftercooler	21943	
Lower; W/Auto. Trans.; W/O 210 H.P. Eng.....	21961	
Lower; W/Man. Trans.; W/O P.T.O.	21845	
Lower; W/Man. Trans.; W/P.T.O.	21962	
Lower - Rad. To Cooler; W/Auto. Trans.; W/O P.T.O.		④ 2 1/2" I.D.
Oil Cooler		1 1/2" I.D.

FORD V-8 6.1 L ENG.

Belts		
Application	Mfr. Part No.	Belt No.
Fan; W/High Mount Fan; W/Idler Pulley	C9PZ 8620 CD	9480 GS
Alt.; W/40A., 60A. Alt.; W/Fan Clutch; W/Cowl.....	C9PZ 8620 FN	9440 GS
Alt.; W/40A., 60A. Alt.; W/Fan Clutch; W/O Cowl	E6PZ 8620 F	9435 GS
Alt.; W/40A., 60A. Alt.; W/Fixed Fan; W/Cowl.....	D9PZ 8620 M	9447 GS
Alt.; W/40A., 60A. Alt.; W/Fixed Fan; W/O Cowl	E6PZ 8620 G	9451 GS
Alt.; W/75A. Alt.; W/Fan Clutch; W/Cowl.....	D9PZ 8620 M	9447 GS
Alt.; W/75A. Alt.; W/Fan Clutch; W/O Cowl.....	D9PZ 8620 M	9447 GS
Alt.; W/75A. Alt.; W/Fixed Fan	E2HZ 8620 C	9463 GS
Alt.; W/90A., 130A. Alt.; W/Fan Clutch Alt.; W/90A., 130A. Alt.; W/Fixed Fan..	E2HZ 8620 C	9463 GS
P.S.; W/Dual Belt Drive		29580 GS
P.S.; W/Single Belt Drive.....	C9PZ 8620 CR	9540 GS
A.C.; Dec. 2, 1990 & Older	E5HZ 8620 C	9360 GS
A.C.; Dec. 4, 1990 & Newer	F1HZ 8620 E	7660

- ② Two Required.
- ③ Three Required.
- ④ Four Required.

- GS Green Stripe® Construction.
- ↗ Use Notched Belt Only.
- ≪ Cut To Fit.

- ✦ Green Stripe® 4-Ply Coolant Hose Recommended.
- Ⓢ Use Wire Inserted Green Stripe® Coolant Hose.
- ▲ Durion® Silicone Hose Recommended.
- ◆ PowerBand® Belt May Work, Use Template To Check.

For a maintenance free coolant connection, see PowerGrip® SB clamp application section.

Belts and Coolant Hose for Medium/Heavy Trucks (1990 And Newer)

FORD - Continued

1990 - Continued

FT800 - Continued

FORD V-8 6.1 L ENG. - Continued

Belts - Continued

Application	Mfr. Part No.	Belt No.
Air Compr.; W/Air Brakes	E8HZ 8620 A	9650 GS
Air Compr.; W/Hyd. Brakes	E0PZ 8620 G	9610 GS

FORD V-8 7.0 L ENG.

Belts

Application	Mfr. Part No.	Belt No.
Fan; W/High Mount Fan; W/Idler Pulley	C9PZ 8620 CD	9480 GS
Fan & Alt.; W/40A., 60A. Alt.; W/Fan Clutch; W/Cowl	C9PZ 8620 FN	9440 GS
Fan & Alt.; W/40A., 60A. Alt.; W/Fan Clutch; W/O Cowl	E6PZ 8620 F	9435 GS
Fan & Alt.; W/40A., 60A. Alt.; W/Fixed Fan; W/Cowl	D9PZ 8620 M	9447 GS
Fan & Alt.; W/40A., 60A. Alt.; W/Fixed Fan; W/O Cowl	E6PZ 8620 G	9451 GS
Fan & Alt.; W/75A. Alt.; W/Fan Clutch; W/Cowl	D9PZ 8620 M	9447 GS
Fan & Alt.; W/75A. Alt.; W/Fan Clutch; W/O Cowl	D9PZ 8620 M	9447 GS
Fan & Alt.; W/75A. Alt.; W/Fixed Fan ..	E2HZ 8620 C	9463 GS
Fan & Alt.; W/90A., 130A. Alt.; W/Fan Clutch	E6PZ 8620 G	9451 GS
Fan & Alt.; W/90A., 130A. Alt.; W/Fixed Fan	E2HZ 8620 C	9463 GS
P.S.; W/Dual Belt Drive		②9580 GS
P.S.; W/Single A.P.		④29530 GS
P.S.; W/Single Belt Drive	C9PZ 8620 CR	9540 GS
P.S. & A.C.	D4HE 8620 CA	9480 GS
A.C.	E5HZ 8620 C	9360 GS
Air Compr.; W/Air Brakes	E8HZ 8620 A	9650 GS
Air Compr.; W/Hyd. Brakes	E0PZ 8620 G	9610 GS
Fan, P.S. & A.P.		9620 GS
Fan, A.P. & Air Brake Compr.	E0TE 8620 FA	9640 GS
Idler	D4HE 8620 CA	9480 GS

Coolant Hose

Application	Molded or Strt.	Vulco-Flex®
Upper; W/Man. Trans.	21938	
Upper; W/P.T.O.	>21936	
Lower; W/O P.T.O.; W/O Fuel Inj.	21249	
By Pass	>21942	
Heater Hose; W/5/8" I.D. Hose	5/8" I.D.	

FT800

FORD 6.6 L DIESEL ENG.

Belts

Application	Mfr. Part No.	Belt No.
Fan & W.P.	F1HZ 8620 FA	9545 GS
Alt.; W/130A. Alt.; W/High Mount Fan ..		②9625 GS
Alt.; W/60A., 75A., 90A. Alt.; W/High Mount Fan		②9690 GS
Alt.; W/60A., 75A., 90A. Alt.; W/Low Mount Fan		②9610 GS
P.S.; Dec. 1, 1990 & Newer; W/High Mount Fan	E8HZ 8620 Y	9630 GS
A.C.; W/Dual Belt Drive		②7565
A.C.; W/Single Belt Drive	E8HZ 8620 N	9590 GS
Air Compr.; Dec. 1, 1990 & Newer; W/2150 Air Brake Compr.; W/O A.C.	C9PZ 8620 GN	9550 GS
Air Compr.; Dec. 1, 1990 & Newer; W/550 Air Brake Compr.	E3AZ 8620 D	9565 GS
Air Compr.; Oct. 1, 1990 & Newer; W/2150 Air Brake Compr.; W/A.C.	E7HZ 8620 B	9630 GS
Air Compr.; Oct. 1, 1990 & Newer; W/2150 Air Brake Compr.; W/Auto. Trans.	E7HZ 8620 B	9630 GS
Air Compr.; Sept. 30, 1990 & Older; W/Air Brakes	E7HZ 8620 C	9640 GS

FORD - Continued

1990 - Continued

FT800 - Continued

FORD 6.6 L DIESEL ENG. - Continued

Belts - Continued

Application	Mfr. Part No.	Belt No.
Idler; W/Air Brakes	E8HZ 8620 HA	9650 GS
Idler; W/Hyd. Brakes	E8HZ 8620 H	9650 GS

FORD 7.8 L DIESEL ENG.

Belts

Application	Mfr. Part No.	Belt No.
Alt.		②9710 GS
A.C.; W/Dual Belt Drive	D7PZ 8620 J	7575
A.C.; W/Single Belt Drive	E8HZ 8620 N	9590 GS
Air Compr.	E8HZ 8620 M	9650 GS
Idler; W/Air Brakes	E8HZ 8620 HA	9650 GS
Idler; W/Hyd. Brakes	E8HZ 8620 H	9650 GS

FORD V-8 6.1 L ENG.

Belts

Application	Mfr. Part No.	Belt No.
Alt.; W/40A., 60A. Alt.; W/Fan Clutch; W/Cowl	C9PZ 8620 FN	9440 GS
Alt.; W/40A., 60A. Alt.; W/Fan Clutch; W/O Cowl	E6PZ 8620 F	9435 GS
Alt.; W/40A., 60A. Alt.; W/Fixed Fan; W/Cowl		②9447 GS
Alt.; W/40A., 60A. Alt.; W/Fixed Fan; W/O Cowl	E6PZ 8620 G	9451 GS
Alt.; W/75A. Alt.; W/Fan Clutch; W/Cowl		②9447 GS
Alt.; W/75A. Alt.; W/Fan Clutch; W/O Cowl	D9PZ 8620 M	9447 GS
Alt.; W/75A. Alt.; W/Fixed Fan	E2HZ 8620 C	9463 GS
Alt.; W/90A., 130A. Alt.; W/Fan Clutch ..	E6PZ 8620 G	9451 GS
Alt.; W/90A., 130A. Alt.; W/Fixed Fan ..	E2HZ 8620 C	9463 GS
Alt.; W/High Mount Fan; W/Idler Pulley	C9PZ 8620 CD	9480 GS
A.C.; Dec. 2, 1990 & Older	E5HZ 8620 C	9360 GS
A.C.; Dec. 3, 1990 & Newer	F1HZ 8620 E	7660
Air Compr.; W/Air Brakes	E8HZ 8620 A	9650 GS
Air Compr.; W/Hyd. Brakes	E0PZ 8620 A	9610 GS

FORD V-8 7.0 L ENG.

Belts

Application	Mfr. Part No.	Belt No.
Alt.; W/40A., 60A. Alt.; W/Fan Clutch; W/Cowl	C9PZ 8620 FN	9440 GS
Alt.; W/40A., 60A. Alt.; W/Fan Clutch; W/O Cowl	E6PZ 8620 F	9435 GS
Alt.; W/40A., 60A. Alt.; W/Fixed Fan; W/Cowl		②9447 GS
Alt.; W/40A., 60A. Alt.; W/Fixed Fan; W/O Cowl	E6PZ 8620 G	9451 GS
Alt.; W/75A. Alt.; W/Fan Clutch; W/Cowl		②9447 GS
Alt.; W/75A. Alt.; W/Fan Clutch; W/O Cowl	D9PZ 8620 M	9447 GS
Alt.; W/75A. Alt.; W/Fixed Fan	E2HZ 8620 C	9463 GS
Alt.; W/90A., 130A. Alt.; W/Fixed Fan ..	E2HZ 8620 C	9463 GS
Alt.; W/High Mount Fan; W/Idler Pulley	C9PZ 8620 CD	9480 GS
P.S.; W/Dual Belt Drive		②9580 GS
P.S.; W/Single Belt Drive	C9PZ 8620 CR	9540 GS
Air Compr.; W/Air Brakes	E8HZ 8620 A	9650 GS

FT900

FORD 6.6 L DIESEL ENG.

Belts

Application	Mfr. Part No.	Belt No.
Alt.; W/130A. Alt.; W/High Mount Fan ..		②9625 GS
Alt.; W/60A., 75A., 90A. Alt.; W/High Mount Fan		②9690 GS

- ② Two Required.
- ③ Three Required.
- ④ Four Required.

- GS Green Stripe® Construction.
- ↗ Use Notched Belt Only.
- ✂ Cut To Fit.

- ✦ Green Stripe® 4-Ply Coolant Hose Recommended.
- ⊛ Use Wire Inserted Green Stripe® Coolant Hose.
- ▲ Durion® Silicone Hose Recommended.
- ◆ PowerBand® Belt May Work, Use Template To Check.

For a maintenance free coolant connection, see PowerGrip® SB clamp application section.

Belts and Coolant Hose for Medium/Heavy Trucks (1990 And Newer)

FORD - Continued

1990 - Continued

FT900 - Continued

FORD 6.6 L DIESEL ENG. - Continued

Belts - Continued

Application	Mfr. Part No.	Belt No.
Alt.; W/60A., 75A., 90A. Alt.; W/Low Mount Fan.....		②9610 GS
P.S.; W/High Mount Fan.....	E8HZ 8620 Y	9630 GS
P.S.; W/Low Mount Fan.....	F1HZ 8620 FA	9545 GS
A.C.; W/Dual Belt Drive.....		②7565
A.C.; W/Single Belt Drive.....	E8HZ 8620 N	9590 GS
Air Compr.; Dec. 1, 1990 & Newer; W/2150 Air Brake Compr.; W/O A.C..	C9PZ 8620 GN	9550 GS
Air Compr.; Dec. 1, 1990 & Newer; W/550 Air Brake Compr.....	E3AZ 8620 D	9565 GS
Air Compr.; Oct. 1, 1990 & Newer; W/2150 Air Brake Compr.; W/A.C.....	E7HZ 8620 B	9630 GS
Air Compr.; Sept. 30, 1990 & Older; W/Air Brakes.....	E7HZ 8620 C	9640 GS
Idler; W/Air Brakes.....	E8HZ 8620 HA	9650 GS
Idler; W/Hyd. Brakes.....	E8HZ 8620 H	9650 GS

FORD 7.8 L DIESEL ENG.

Belts

Application	Mfr. Part No.	Belt No.
W.P. & Hyd. Brake Boost Pump.....	E7HT 8620 CA	9630 GS
W.P. & Air Brake Compr.; W/65 1/2" Belt O.C.....	E8HT 8620 HA	9650 GS
Fan & Alt.; W/130A. Alt.; W/High Mount Fan; Optional Belt.....		②9690 GS
Fan & Alt.; W/130A. Alt.; W/High Mount Fan; Preferred Belt.....	E4HT 8620 SA	2/9690PB
Fan & Alt.; W/130A. Alt.; W/Low Mount Fan.....		9625 GS
Fan & Alt.; W/O 130A. Alt.; W/High Mount Fan; Optional Belt.....		②9690 GS
Fan & Alt.; W/O 130A. Alt.; W/High Mount Fan; Preferred Belt.....	E8HT 8620 GA	2/9710PB
Fan & Alt.; W/O 130A. Alt.; W/Low Mount Fan; Optional Belt.....		②9610 GS
Fan & Alt.; W/O 130A. Alt.; W/Low Mount Fan; Preferred Belt.....		2/9610PB
A.C.; W/Dual Belt Drive.....		②7575
A.C.; W/Single Belt Drive; W/Factory Inst. A.C.....		9590 GS
Air Compr.; Dec. 1, 1990 & Older.....	E8HZ 8620 M	9650 GS
Air Compr.; Dec. 2, 1990 & Newer.....	E8HZ 8620 Y	9630 GS
Hyd. Brake Boost Pump.....		9550 GS
Idler.....	E8HZ 8620 H	9650 GS

Coolant Hose

Application	Molded or Strt.	Vulco-Flex®
Upper; W/Air To Air Aftercooler.....	>21943	
Upper; W/O Air To Air Aftercooler.....	21943	
Lower; W/Auto. Trans.; W/O 210 H.P. Eng.....		21961
Lower; W/Man. Trans.; W/O P.T.O.....		21845
Lower; W/Man. Trans.; W/P.T.O.....		21962
Lower - Rad. To Cooler; W/Auto. Trans.; W/O P.T.O.....	❖2 1/2" I.D.	
Oil Cooler.....	1 1/2" I.D.	

FORD V-8 6.1 L ENG.

Belts

Application	Mfr. Part No.	Belt No.
Alt.; W/40A., 60A. Alt.; W/Fan Clutch; W/Cowl.....	C9PZ 8620 FN	9440 GS
Alt.; W/40A., 60A. Alt.; W/Fan Clutch; W/O Cowl.....	E6PZ 8620 F	9435 GS
Alt.; W/40A., 60A. Alt.; W/Fixed Fan; W/Cowl.....		②9447 GS
Alt.; W/40A., 60A. Alt.; W/Fixed Fan; W/O Cowl.....	E6PZ 8620 G	9451 GS
Alt.; W/75A. Alt.; W/Fan Clutch; W/Cowl.....		②9447 GS

FORD - Continued

1990 - Continued

FT900 - Continued

FORD V-8 6.1 L ENG. - Continued

Belts - Continued

Application	Mfr. Part No.	Belt No.
Alt.; W/75A. Alt.; W/Fan Clutch; W/O Cowl.....	D9PZ 8620 M	9447 GS
Alt.; W/75A. Alt.; W/Fixed Fan.....	E2HZ 8620 C	9463 GS
Alt.; W/90A., 130A. Alt.; W/Fan Clutch	E6PZ 8620 G	9451 GS
Alt.; W/90A., 130A. Alt.; W/Fixed Fan..	E2HZ 8620 C	9463 GS
Alt.; W/High Mount Fan; W/Idler Pulley.....	C9PZ 8620 CD	9480 GS
P.S.....		②9580 GS
A.C.; Dec. 2, 1990 & Older.....	E5HZ 8620 C	9360 GS
A.C.; Dec. 3, 1990 & Newer.....	F1HZ 8620 E	7660
Air Compr.; W/Air Brakes.....	E8HZ 8620 A	9650 GS
Air Compr.; W/Hyd. Brakes.....	E0PZ 8620 A	9610 GS

FORD V-8 7.0 L ENG.

Belts

Application	Mfr. Part No.	Belt No.
Alt.; W/40A., 60A. Alt.; W/Fan Clutch; W/Cowl.....	C9PZ 8620 FN	9440 GS
Alt.; W/40A., 60A. Alt.; W/Fan Clutch; W/O Cowl.....	E6PZ 8620 F	9435 GS
Alt.; W/40A., 60A. Alt.; W/Fixed Fan; W/Cowl.....		②9447 GS
Alt.; W/40A., 60A. Alt.; W/Fixed Fan; W/O Cowl.....	E6PZ 8620 G	9451 GS
Alt.; W/75A. Alt.; W/Fan Clutch; W/Cowl.....		②9447 GS
Alt.; W/75A. Alt.; W/Fan Clutch; W/O Cowl.....	D9PZ 8620 M	9447 GS
Alt.; W/75A. Alt.; W/Fixed Fan.....	E2HZ 8620 C	9463 GS
Alt.; W/90A., 130A. Alt.; W/Fixed Fan..	E2HZ 8620 C	9463 GS
Alt.; W/High Mount Fan; W/Idler Pulley.....	C9PZ 8620 CD	9480 GS
P.S.; W/Dual Belt Drive.....		②9580 GS
P.S.; W/Single Belt Drive.....	C9PZ 8620 CR	9540 GS
A.P.; W/Hyd. Brakes.....	E0PZ 8620 G	9610 GS
Air Compr.; W/Air Brakes.....	E8HZ 8620 A	9650 GS

L7000

FORD 6.6 L DIESEL ENG.

Belts

Application	Mfr. Part No.	Belt No.
W.P. & Hyd. Brake Boost Pump.....		9600 GS
W.P. & Air Brake Compr.....		9640 GS
Fan & Alt.....		②9690 GS
W.P. & P.S.....	E7HT 8620 CA	9630 GS
A.C.....		9590 GS

FORD 7.8 L DIESEL ENG.

Belts

Application	Mfr. Part No.	Belt No.
W.P. & Hyd. Brake Boost Pump.....	E7HT 8620 CA	9630 GS
W.P. & Air Brake Compr.; W/60 1/2" Belt O.C.....		9590 GS
W.P. & Air Brake Compr.; W/65 1/2" Belt O.C.....	E8HT 8620 UA	9650 GS
Fan & Alt.; Optional Belt.....		②9700 GS
Fan & Alt.; Preferred Belt.....		2/9700PB
A.C.; W/Dealer Inst. A.C.....		7585
A.C.; W/Factory Inst. A.C.....		9570 GS

L8000; LA8000; LS8000

CATERPILLAR 3406 DIESEL ENG.

Belts

Application	Mfr. Part No.	Belt No.
Fan; Dec. 17, 1990 & Older.....		②TR22635 GS
Fan; Dec. 18, 1990 & Newer.....	F1HZ 8620 G	K100618 GS
Fan & A.C.....	C9PZ 8620 FP	9490 GS

- ② Two Required.
- ③ Three Required.
- ④ Four Required.

- GS Green Stripe® Construction.
- Use Notched Belt Only.
- ✂ Cut To Fit.

- ❖ Green Stripe® 4-Ply Coolant Hose Recommended.
- ⊛ Use Wire Inserted Green Stripe® Coolant Hose.
- ▲ Durion® Silicone Hose Recommended.
- ♦ PowerBand® Belt May Work, Use Template To Check.

For a maintenance free coolant connection, see PowerGrip® SB clamp application section.

Belts and Coolant Hose for Medium/Heavy Trucks (1990 And Newer)

FORD - Continued

1990 - Continued

L8000; LA8000; LS8000 - Continued

CATERPILLAR 3406 DIESEL ENG. - Continued

Belts - Continued

Application	Mfr. Part No.	Belt No.
Alt.; W/56" Belt O.C.....	C8HA 8620 A	9560 GS
Alt.; W/Delco Alt.....		29710 GS

CUMMINS BIG CAM IV DIESEL ENG.

Belts

Application	Mfr. Part No.	Belt No.
Fan.....		3TR22443 GS
Alt.....		29435 GS
P.S.....		29447 GS
A.C.....	C9PZ 8620 BS	9420 GS

CUMMINS L10 DIESEL ENG.

Belts

Application	Mfr. Part No.	Belt No.
Fan.....	E4HZ 8620 C	K080605 GS
Alt.; W/Delco Alt.....	E4HZ 8620 C	K080605 GS
Alt.; W/O Delco Alt.....	E4HZ 8620 B	K050340 GS
A.C.; Dec. 2, 1990 & Older.....	C9PZ 8620 CD	9480 GS

FORD 6.6 L DIESEL ENG.

Belts

Application	Mfr. Part No.	Belt No.
Alt.....		29690 GS
P.S.....	E8HZ 8620 Y	9630 GS
A.C.....	E8HZ 8620 N	9590 GS
Air Compr.; W/Air Brakes.....	E7HZ 8620 C	9640 GS
Idler.....	E8HZ 8620 G	9650 GS

FORD 7.8 L DIESEL ENG.

Belts

Application	Mfr. Part No.	Belt No.
W.P. & Hyd. Brake Boost Pump.....	E7HT 8620 CA	9630 GS
W.P. & Air Brake Compr.; W/60 1/2" Belt O.C.....		9590 GS
W.P. & Air Brake Compr.; W/65 1/2" Belt O.C.....	E8HT 8620 UA	9650 GS
Fan & Alt.; Optional Belt.....		29700 GS
Fan & Alt.; Preferred Belt.....		29700PB
P.S.....	E8HZ 8620 G	9650 GS
A.C.; W/Dealer Inst. A.C.....		7585
A.C.; W/Factory Inst. A.C.....	E4PZ 8620 W	9590 GS
Air Compr.; W/Air Brakes.....	E8HZ 8620 G	9650 GS

Coolant Hose

Application	Molded or Strt.	Vulco-Flex®
Upper.....	21854	
Lower; W/Man. Trans.....	21846	
By Pass.....	1 1/2" I.D.	

L9000; LS9000

CATERPILLAR 3176 DIESEL ENG.

Belts

Application	Mfr. Part No.	Belt No.
Fan & Alt.; W/74" Belt O.C.....		K080733 GS
Fan & Alt.; W/78 1/2" Belt O.C.....	F0HZ 8620 A	K080780 GS
A.C.; Sept. 9, 1991 & Older.....	E2HT 8620 BA	9463 GS

Coolant Hose

Application	Molded or Strt.	Vulco-Flex®
Upper.....	22189	

FORD - Continued

1990 - Continued

L9000; LS9000 - Continued

CATERPILLAR 3306 DIESEL ENG.

Belts

Application	Mfr. Part No.	Belt No.
Fan; Optional Belt.....		29590 GS
Fan; Preferred Belt.....	E4HT 8620 YA	29590PB
Alt.; Optional Belt.....		29530 GS
Alt.; Preferred Belt.....	E4HT 8620 AAA	29530PB
A.C.....	C9PZ 8620 CD	9480 GS

Coolant Hose

Application	Molded or Strt.	Vulco-Flex®
Coolant Reservoir.....	1" I.D.	
Oil Cooler.....	2 1/4" I.D.	
Heater Hose; W/5/8" I.D. Hose.....	5/8" I.D.	
Filter By Pass.....	3/8" I.D.	

CATERPILLAR 3406 DIESEL ENG.

Belts

Application	Mfr. Part No.	Belt No.
Fan; Dec. 17, 1990 & Older.....		2TR22635 GS
Fan; Dec. 18, 1990 & Newer.....	F1HZ 8620 G	K100618 GS
Fan & A.C.....	C9PZ 8620 FP	9490 GS
Alt.; W/54 1/2" Belt O.C.; Optional Belt.....		29540 GS
Alt.; W/54 1/2" Belt O.C.; Preferred Belt.....		29540PB
Alt.; W/56 1/2" Belt O.C.....		29555PB
Alt.; W/57 1/2" Belt O.C.; Optional Belt.....		29570 GS
Alt.; W/57 1/2" Belt O.C.; Preferred Belt.....		29570PB
Alt.; W/59 1/2" Belt O.C.; Optional Belt.....		29590 GS
Alt.; W/59 1/2" Belt O.C.; Preferred Belt.....	E4HT 8620 YA	29590PB
Alt.; W/Delco Alt.; W/71 1/2" Belt O.C.; Optional Belt.....		29710 GS
Alt.; W/Delco Alt.; W/71 1/2" Belt O.C.; Preferred Belt.....	E8HT 8620 B	29710PB
A.C.; W/42 1/2" Belt O.C.....		9420 GS
A.C.; W/48 1/2" Belt O.C.....	C9PZ 8620 CD	9480 GS
A.C.; W/53 1/2" Belt O.C.....	E4HT 8620 JB	9530 GS

Coolant Hose

Application	Molded or Strt.	Vulco-Flex®
Upper - Eng. To Pipe.....	2 1/2" I.D.	
Upper - Pipe To Rad.....	>21115	
Lower - Eng. To Pipe.....	21239	
Lower - Pipe To Rad.....	21491	

CUMMINS BIG CAM IV DIESEL ENG.

Belts

Application	Mfr. Part No.	Belt No.
W.P.....	3076492	K060425 GS
Fan.....	E8HT 8620 T	TR22443 GS
Alt.; Optional Belt.....		29435 GS
Alt.; Preferred Belt.....	E6PZ 8620 F	29435PB
P.S.....	9PZ 8620 BY	9447 GS
A.C.....	C9PZ 8620 BS	9420 GS

Coolant Hose

Application	Molded or Strt.	Vulco-Flex®
Upper - Eng. To Pipe.....	2" I.D.	
Upper - Pipe To Rad.....	>21115	
Lower; W/230 H.P., 240 H.P. Eng.....	20961	
Lower - Eng. To Pipe; W/230 H.P., 240 H.P. Eng.....	21300	
Lower - Pipe To Rad.; W/230 H.P., 240 H.P. Eng.....	20960	
Rad. Inlet; W/Low Flow Cool.....	1" I.D.	
Rad. Outlet; W/Low Flow Cool.....	1 1/4" I.D.	

- ② Two Required.
- ③ Three Required.
- ④ Four Required.

- GS Green Stripe® Construction.
- ↗ Use Notched Belt Only.
- ∞ Cut To Fit.

- ✦ Green Stripe® 4-Ply Coolant Hose Recommended.
- ⊕ Use Wire Inserted Green Stripe® Coolant Hose.
- ▲ Durion® Silicone Hose Recommended.
- ♦ PowerBand® Belt May Work, Use Template To Check.

For a maintenance free coolant connection, see PowerGrip® SB clamp application section.

Belts and Coolant Hose for Medium/Heavy Trucks (1990 And Newer)

FORD - Continued

1990 - Continued

L9000; LS9000 - Continued

CUMMINS BIG CAM IV DIESEL ENG. - Continued

Coolant Hose - Continued

Application	Molded or Strt.	Vulco-Flex®
Aftercooler	21488	
By Pass	3/4" I.D.	
Heater Hose; W/5/8" I.D. Hose	5/8" I.D.	

CUMMINS L10 DIESEL ENG.

Belts

Application	Mfr. Part No.	Belt No.
Fan; W/53 1/2" Belt O.C.	FOHT 8620 DA	K080530 GS
Fan; W/61" Belt O.C.	E4HZ 8620 C	K080605 GS
Alt.; W/5-Ribbed Belt; W/Delco Alt.	E4FZ 8620 C	K050360 GS
Alt.; W/Delco Alt.; W/8-Ribbed Belt.	E4HZ 8620 C	K080605 GS
Alt.; W/Motorcraft Alt.	E4HZ 8620 B	K050340 GS
A.C.	C9PZ 8620 CD	9480 GS

Coolant Hose

Application	Molded or Strt.	Vulco-Flex®
Upper - Eng. To Pipe	✚ 2 1/4" I.D.	
Upper - Pipe To Rad.	✘ 20957	
Lower - Eng. To Rad.; W/Low Flow Cool.	21568	
Lower - Eng. To Rad.; W/Man. Trans.	21568	
Lower - Eng. To Pipe; W/O Low Flow Cool.	21505	
Rad. Inlet.	▲ 1" I.D.	
Rad. Inlet; W/Low Flow Cool.	▲ 1" I.D.	
Heater Hose; W/5/8" I.D. Hose	5/8" I.D.	

FORD 6.6 L DIESEL ENG.

Belts

Application	Mfr. Part No.	Belt No.
Alt.		② BSX690
P.S.	E8HZ 8620 Y	9630 GS
A.C.	E8HZ 8620 N	9590 GS
Air Compr.; W/Air Brakes	E7HZ 8620 C	9640 GS
Idler.	E8HZ 8620 G	9650 GS

FORD 7.8 L DIESEL ENG.

Belts

Application	Mfr. Part No.	Belt No.
Alt.		② 9710 GS
P.S.	E8HZ 8620 G	9650 GS
A.C.	E4PZ 8620 W	9590 GS
Air Compr.; W/Air Brakes	E8HZ 8620 G	9650 GS
Idler; W/Air Brakes	E8HZ 8620 G	9650 GS

LA9000; LTA9000

CATERPILLAR 3176 DIESEL ENG.

Belts

Application	Mfr. Part No.	Belt No.
Fan & Alt.; W/74" Belt O.C.		K080733 GS
Fan & Alt.; W/78 1/2" Belt O.C.	FOHZ 8620 A	K080780 GS
A.C.; Sept. 8, 1991 & Older	E2HT 8620 BA	9463 GS

CATERPILLAR 3406 DIESEL ENG.

Belts

Application	Mfr. Part No.	Belt No.
Fan; Dec. 17, 1990 & Older		② TR22635 GS
Fan; Dec. 18, 1990 & Newer	F1HZ 8620 G	K100618 GS
Fan & A.C.	C9PZ 8620 FP	9490 GS
Alt.; W/56 1/2" Belt O.C.	C8HA 8620 A	9560 GS
Alt.; W/71 1/2" Belt O.C.		② 9710 GS

FORD - Continued

1990 - Continued

LA9000; LTA9000 - Continued

CUMMINS BIG CAM IV DIESEL ENG.

Belts

Application	Mfr. Part No.	Belt No.
Fan.		③ TR22443 GS
Alt.		② 9435 GS
P.S.		② 9447 GS
A.C.	C9PZ 8620 BS	9420 GS

CUMMINS L10 DIESEL ENG.

Belts

Application	Mfr. Part No.	Belt No.
Fan; Jan. 21, 1990 & Newer	FOHT 8620 DA	K080530 GS
Fan; Jan. 22, 1990 & Older	E4HZ 8620 C	K080605 GS
Alt.; W/5-Ribbed Belt; W/Delco Alt.	E4FZ 8620 C	K050360 GS
Alt.; W/Delco Alt.; W/8-Ribbed Belt.	E4HZ 8620 C	K080605 GS
Alt.; W/Motorcraft Alt.	E4HZ 8620 B	K050340 GS
A.C.	C9PZ 8620 CD	9480 GS

Coolant Hose

Application	Molded or Strt.	Vulco-Flex®
Upper - Eng. To Pipe	✚ 2 1/4" I.D.	
Upper - Pipe To Rad.	✘ 20957	
Lower - Eng. To Rad.; W/Low Flow Cool.	21568	
Lower - Eng. To Rad.; W/Man. Trans.	21568	
Lower - Eng. To Pipe; W/O Low Flow Cool.	21505	
Rad. Inlet; W/Low Flow Cool.	▲ 1" I.D.	
Heater Hose; W/5/8" I.D. Hose	5/8" I.D.	

FORD 6.6 L DIESEL ENG.

Belts

Application	Mfr. Part No.	Belt No.
Alt.		② BSX690
P.S.	E8HZ 8620 Y	9630 GS
A.C.	E8HZ 8620 N	9590 GS
Air Compr.; W/Air Brakes	E7HZ 8620 C	9640 GS
Idler.	E8HZ 8620 G	9650 GS

FORD 7.8 L DIESEL ENG.

Belts

Application	Mfr. Part No.	Belt No.
Alt.		② 9710 GS
P.S.	E8HZ 8620 G	9650 GS
A.C.	E4PZ 8620 W	9590 GS
Air Compr.; W/Air Brakes	E8HZ 8620 G	9650 GS
Idler; W/Air Brakes	E8HZ 8620 G	9650 GS

LL9000; LLS9000

CATERPILLAR 3176 DIESEL ENG.

Belts

Application	Mfr. Part No.	Belt No.
Fan & Alt.; W/74" Belt O.C.		K080733 GS
Fan & Alt.; W/78 1/2" Belt O.C.	FOHZ 8620 A	K080780 GS
A.C.; Sept. 9, 1991 & Older	E2HT 8620 BA	9463 GS

CATERPILLAR 3406 DIESEL ENG.

Belts

Application	Mfr. Part No.	Belt No.
Fan.		② TR22635 GS
Fan & A.C.	C9PZ 8620 FP	9490 GS
Alt.; W/59 1/2" Belt O.C.		✚ 9590 GS
Alt.; W/Delco Alt.; W/71 1/2" Belt O.C.		✚ 9710 GS
A.C.		9510 GS

- ② Two Required.
- ③ Three Required.
- ④ Four Required.

- GS Green Stripe® Construction.
- ✚ Use Notched Belt Only.
- ✘ Cut To Fit.

- ✚ Green Stripe® 4-Ply Coolant Hose Recommended.
- ✚ Use Wire Inserted Green Stripe® Coolant Hose.
- ▲ Durion® Silicone Hose Recommended.
- ✚ PowerBand® Belt May Work, Use Template To Check.

For a maintenance free coolant connection, see PowerGrip® SB clamp application section.

Belts and Coolant Hose for Medium/Heavy Trucks (1990 And Newer)

FORD - Continued

1990 - Continued

LL9000; LLS9000 - Continued

CATERPILLAR 3406 DIESEL ENG. - Continued

Coolant Hose

Application	Molded or Strt.	Vulco-Flex®
Upper - Eng. To Pipe.....	✱2 1/2" I.D.	
Upper - Pipe To Rad.....	✱21123	
Lower - Eng. To Pipe.....	21239	
Lower - Pipe To Rad.....	21304	
By Pass.....	1 1/2" I.D.	

CUMMINS BIG CAM IV DIESEL ENG.

Belts

Application	Mfr. Part No.	Belt No.
W.P.....	3076492	K060425 GS
Fan.....		③TR22443 GS
Alt.; Optional Belt.....		②9435 GS
Alt.; Preferred Belt.....	E6PZ 8620 F	2/9435PB
P.S.....		②9447 GS
A.C.....	C9PZ 8620 BS	9420 GS

CUMMINS L10 DIESEL ENG.

Belts

Application	Mfr. Part No.	Belt No.
Fan.....	E4HZ 8620 C	K080605 GS
Alt.; W/Delco Alt.....	E4HZ 8620 C	K080605 GS
Alt.; W/Motorcraft Alt.; Dec. 2, 1990 & Older.....	E4HT 8620 KB	K050340 GS
Alt.; W/Motorcraft Alt.; Dec. 3, 1990 & Newer.....	F1HT 8620 BA	K050345 GS
A.C.....	C9PZ 8620 CD	9480 GS

FORD 6.6 L DIESEL ENG.

Belts

Application	Mfr. Part No.	Belt No.
Alt.....		②BSX690
P.S.....	E8HZ 8620 Y	9630 GS
A.C.....	E8HZ 8620 N	9590 GS
Air Compr.; W/Air Brakes.....	E7HZ 8620 C	9640 GS
Idler.....	E8HZ 8620 G	9650 GS

FORD 7.8 L DIESEL ENG.

Belts

Application	Mfr. Part No.	Belt No.
Alt.....		②9710 GS
P.S.....	E8HZ 8620 G	9650 GS
A.C.....	E4PZ 8620 W	9590 GS
Air Compr.; W/Air Brakes.....	E8HZ 8620 G	9650 GS
Idler; W/Air Brakes.....	E8HZ 8620 G	9650 GS

LLA9000; LTLA9000; LTLS9000

CATERPILLAR 3406 DIESEL ENG.

Belts

Application	Mfr. Part No.	Belt No.
Fan.....	E4HT 8620 UA	TR22635 GS
Fan & A.C.....	C9PZ 8620 FP	9490 GS
Alt.....	C8HA 8620 A	9560 GS

CUMMINS BIG CAM IV DIESEL ENG.

Belts

Application	Mfr. Part No.	Belt No.
Fan.....		③TR22443 GS
Alt.....		②9435 GS
P.S.....		②9447 GS
A.C.....	C9PZ 8620 BS	9420 GS

FORD - Continued

1990 - Continued

LLA9000; LTLA9000; LTLS9000 - Continued

CUMMINS L10 DIESEL ENG.

Belts

Application	Mfr. Part No.	Belt No.
Fan.....	E4HZ 8620 C	K080605 GS
Alt.; W/Delco Alt.....	E4HZ 8620 C	K080605 GS
Alt.; W/O Delco Alt.....	E4HZ 8620 B	K050340 GS
A.C.....	C9PZ 8620 CD	9480 GS

FORD 6.6 L DIESEL ENG.

Belts

Application	Mfr. Part No.	Belt No.
Alt.....		②BSX690
P.S.....	E8HZ 8620 Y	9630 GS
A.C.....	E8HZ 8620 N	9590 GS
Air Compr.; W/Air Brakes.....	E7HZ 8620 C	9640 GS
Idler.....	E8HZ 8620 G	9650 GS

FORD 7.8 L DIESEL ENG.

Belts

Application	Mfr. Part No.	Belt No.
Alt.....		②9710 GS
P.S.....	E8HZ 8620 G	9650 GS
A.C.....	E4PZ 8620 W	9590 GS
Air Compr.; W/Air Brakes.....	E8HZ 8620 G	9650 GS
Idler; W/Air Brakes.....	E8HZ 8620 G	9650 GS

LN7000

CUMMINS BIG CAM IV DIESEL ENG.

Belts

Application	Mfr. Part No.	Belt No.
Fan.....		③TR22443 GS
Alt.....		②9435 GS
P.S.....		②9447 GS
A.C.....	C9PZ 8620 BS	9420 GS

FORD 6.6 L DIESEL ENG.

Belts

Application	Mfr. Part No.	Belt No.
W.P. & Hyd. Brake Boost Pump.....		9600 GS
W.P. & Air Brake Compr.....		9640 GS
Fan & Alt.....		✦②9690 GS
W.P. & P.S.....	E7HT 8620 CA	9630 GS
A.C.....	E8HZ 8620 N	9590 GS
Air Compr.; W/Air Brakes.....	E7HZ 8620 C	9640 GS
Idler.....	E8HZ 8620 G	9650 GS

Coolant Hose

Application	Molded or Strt.	Vulco-Flex®
Upper.....		21854
Lower - Eng. To Pipe; W/Air To Air Aftercooler.....		21847
Lower - Pipe To Rad.; W/Air To Air Aftercooler.....		21853
By Pass.....		1 1/2" I.D.

FORD 7.8 L DIESEL ENG.

Belts

Application	Mfr. Part No.	Belt No.
W.P. & Hyd. Brake Boost Pump.....	E7HT 8620 CA	9630 GS
W.P. & Air Brake Compr.; W/60 1/2" Belt O.C.....		9590 GS
W.P. & Air Brake Compr.; W/65 1/2" Belt O.C.....	E8HT 8620 UA	9650 GS
Fan & Alt.; W/71 1/2" Belt O.C.; Optional Belt.....		②9710 GS
Fan & Alt.; W/71 1/2" Belt O.C.; Preferred Belt.....	E8HT 8620 SA	2/9710PB
P.S.....	E8HZ 8620 G	9650 GS
A.C.; W/Dealer Inst. A.C.....		7585

- ② Two Required.
- ③ Three Required.
- ④ Four Required.

- GS Green Stripe® Construction.
- ✦ Use Notched Belt Only.
- ✱ Cut To Fit.

- ✱ Green Stripe® 4-Ply Coolant Hose Recommended.
- ✦ Use Wire Inserted Green Stripe® Coolant Hose.
- ▲ Durion® Silicone Hose Recommended.
- ✦ PowerBand® Belt May Work, Use Template To Check.

For a maintenance free coolant connection, see PowerGrip® SB clamp application section.

Belts and Coolant Hose for Medium/Heavy Trucks (1990 And Newer)

FORD - Continued

1990 - Continued

LN7000 - Continued

FORD 7.8 L DIESEL ENG. - Continued

Belts - Continued

Application	Mfr. Part No.	Belt No.
A.C.; W/Factory Inst. A.C.	E4PZ 8620 W	9590 GS
Idler; W/Air Brakes.....	E8HZ 8620 G	9650 GS

LN8000; LNT8000

CATERPILLAR 3406 DIESEL ENG.

Belts

Application	Mfr. Part No.	Belt No.
Fan & A.C.	C9PZ 8620 FP	9490 GS

CUMMINS BIG CAM IV DIESEL ENG.

Belts

Application	Mfr. Part No.	Belt No.
Fan.....		③TR22443 GS
Alt.....		②9435 GS
P.S.....		②9447 GS
A.C.....	C9PZ 8620 BS	9420 GS

CUMMINS L10 DIESEL ENG.

Belts

Application	Mfr. Part No.	Belt No.
Fan.....	E4HZ 8620 C	K080605 GS
Alt.; W/Delco Alt.....	E4HZ 8620 C	K080605 GS
Alt.; W/O Delco Alt.....	E4HZ 8620 B	K050340 GS
A.C.; Dec. 2, 1990 & Older.....	C9PZ 8620 CD	9480 GS

FORD 6.6 L DIESEL ENG.

Belts

Application	Mfr. Part No.	Belt No.
Alt.....		②BSX690
P.S.....	E8HZ 8620 Y	9630 GS
A.C.....	E8HZ 8620 N	9590 GS
Air Compr.; W/Air Brakes.....	E7HZ 8620 C	9640 GS
Idler.....	E8HZ 8620 G	9650 GS

FORD 7.8 L DIESEL ENG.

Belts

Application	Mfr. Part No.	Belt No.
W.P. & Hyd. Brake Boost Pump.....	E7HT 8620 CA	9630 GS
W.P. & Air Brake Compr.; W/60 1/2" Belt O.C.....		9590 GS
W.P. & Air Brake Compr.; W/Air Brakes; W/65 1/2" Belt O.C.....	E8HT 8620 UA	9650 GS
Fan & Alt.; Optional Belt.....		②9700 GS
Fan & Alt.; Preferred Belt.....		2/9700PB
P.S.....	E8HZ 8620 G	9650 GS
A.C.; W/Dealer Inst. A.C.....		7597
A.C.; W/Factory Inst. A.C.....	E4PZ 8620 W	9590 GS
Idler; W/Air Brakes.....	E8HZ 8620 G	9650 GS

Coolant Hose

Application	Molded or Strt.	Vulco-Flex®
Upper.....	21854	
Lower; W/Man. Trans.....	21846	
By Pass.....	1 1/2" I.D.	

LN9000; LNT9000

CATERPILLAR 3176 DIESEL ENG.

Belts

Application	Mfr. Part No.	Belt No.
Fan & Alt.; W/74" Belt O.C.....		K080733 GS
Fan & Alt.; W/78 1/2" Belt O.C.....	FOHZ 8620 A	K080780 GS
A.C.; Sept. 9, 1991 & Older.....	E2HT 8620 BA	9463 GS

FORD - Continued

1990 - Continued

LN9000; LNT9000 - Continued

CATERPILLAR 3176 DIESEL ENG. - Continued

Coolant Hose

Application	Molded or Strt.	Vulco-Flex®
Upper.....	22189	

CATERPILLAR 3406 DIESEL ENG.

Belts

Application	Mfr. Part No.	Belt No.
Fan.....	E4HT 8620 UA	TR22635 GS
Fan & A.C.....	C9PZ 8620 FP	9490 GS
Alt.; W/54 1/2" Belt O.C.; Optional Belt.....		②9540 GS
Alt.; W/54 1/2" Belt O.C.; Preferred Belt.....		2/9540PB
Alt.; W/56 1/2" Belt O.C.....		2/9555PB
Alt.; W/57 1/2" Belt O.C.; Optional Belt.....		②9570 GS
Alt.; W/57 1/2" Belt O.C.; Preferred Belt.....		2/9570PB
Alt.; W/59 1/2" Belt O.C.; Optional Belt.....		②9590 GS
Alt.; W/59 1/2" Belt O.C.; Preferred Belt.....	E4HT 8620 YA	2/9590PB
Alt.; W/71 1/2" Belt O.C.; Optional Belt.....		②9710 GS
Alt.; W/71 1/2" Belt O.C.; Preferred Belt.....	E8HT 8620 B	2/9710PB
A.C.; W/42 1/2" Belt O.C.....		9420 GS
A.C.; W/48 1/2" Belt O.C.....	C9PZ 8620 CD	9480 GS
A.C.; W/53 1/2" Belt O.C.....	E4HT 8620 JB	9530 GS

Coolant Hose

Application	Molded or Strt.	Vulco-Flex®
Upper - Eng. To Pipe.....	❖2 1/2" I.D.	
Upper - Pipe To Rad.....	>21115	
Lower - Eng. To Pipe.....	21239	
Lower - Pipe To Rad.....	21491	

CUMMINS BIG CAM IV DIESEL ENG.

Belts

Application	Mfr. Part No.	Belt No.
W.P.....	3076492	K060425 GS
Fan.....		③TR22443 GS
Alt.; Optional Belt.....		②9435 GS
Alt.; Preferred Belt.....	E6PZ 8620 F	2/9435PB
P.S.....		②9447 GS
A.C.....	C9PZ 8620 BS	9420 GS

Coolant Hose

Application	Molded or Strt.	Vulco-Flex®
Upper - Eng. To Pipe.....	❖2" I.D.	
Upper - Pipe To Rad.....	>21115	
Lower; W/290 H.P. Eng.; W/Calif. Emission System.....	21137	
Lower; W/290 H.P. Eng.; W/O Calif. Emission System.....	20961	
Lower; W/300 H.P. Eng.....	20961	
Lower; W/350 H.P. Eng.....	21137	
Rad. Inlet; W/Low Flow Cool.....	▲1" I.D.	
Rad. Outlet; W/Low Flow Cool.....	1 1/4" I.D.	
Aftercooler.....	21488	
By Pass.....	3/4" I.D.	
Heater Hose; W/5/8" I.D. Hose.....	5/8" I.D.	

CUMMINS L10 DIESEL ENG.

Belts

Application	Mfr. Part No.	Belt No.
Fan; Jan. 22, 1990 & Newer; W/53 1/2" Belt O.C.....	FOHT 8620 DA	K080530 GS

- ② Two Required.
- ③ Three Required.
- ④ Four Required.

- GS Green Stripe® Construction.
- ✦ Use Notched Belt Only.
- ✂ Cut To Fit.

- ❖ Green Stripe® 4-Ply Coolant Hose Recommended.
- ⊛ Use Wire Inserted Green Stripe® Coolant Hose.
- ▲ Durion® Silicone Hose Recommended.
- ✦ PowerBand® Belt May Work, Use Template To Check.

For a maintenance free coolant connection, see PowerGrip® SB clamp application section.

Belts and Coolant Hose for Medium/Heavy Trucks (1990 And Newer)

FORD - Continued

1990 - Continued

LN9000; LNT9000 - Continued

CUMMINS L10 DIESEL ENG. - Continued

Belts - Continued

Application	Mfr. Part No.	Belt No.
Fan; Jan. 22, 1990 & Newer; W/61"		
Belt O.C.....	E4HT 8620 RB	K080605 GS
Alt.; W/Delco Alt.; W/5-Ribbed Belt.....	E4FZ 8620 C	K050360 GS
Alt.; W/Delco Alt.; W/8-Ribbed Belt.....	E4HZ 8620 C	K080605 GS
Alt.; W/Motorcraft Alt.....	E4HT 8620 KB	K050340 GS
A.C.; W/48 1/2" Belt O.C.....	C9PZ 8620 CD	9480 GS

Coolant Hose

Application	Molded or Strt.	Vulco-Flex®
Upper - Eng. To Pipe.....	✱2 1/4" I.D.	
Upper - Pipe To Rad.....	>20957	
Lower - Eng. To Rad.; W/Low Flow Cool.....	21568	
Lower - Eng. To Rad.; W/Man. Trans.	21568	
Lower - Eng. To Pipe; W/O Low Flow Cool.....	21505	
Rad. Inlet.....	▲1" I.D.	
Rad. Inlet; W/Low Flow Cool.....	▲1" I.D.	
Heater Hose; W/5/8" I.D. Hose.....	5/8" I.D.	

FORD 6.6 L DIESEL ENG.

Belts

Application	Mfr. Part No.	Belt No.
Alt.; W/High Mount Fan.....		② BSX690
P.S.....	E8HZ 8620 Y	9630 GS
A.C.....	E8HZ 8620 N	9590 GS
Air Compr.; W/Air Brakes.....	E7HZ 8620 C	9640 GS
Idler.....	E8HZ 8620 G	9650 GS

FORD 7.8 L DIESEL ENG.

Belts

Application	Mfr. Part No.	Belt No.
Fan & Alt.; W/71 1/2" Belt O.C.; Op-tional Belt.....		② 9710 GS
Fan & Alt.; W/71 1/2" Belt O.C.; Pre-ferred Belt.....	E8HT 8620 SA	2/9710PB
P.S.....	E8HZ 8620 G	9650 GS
A.C.; W/Factory Inst. A.C.; W/59 1/2" Belt O.C.....	E4PZ 8620 W	9590 GS
Idler; W/Air Brakes.....	E8HZ 8620 G	9650 GS

LT8000; LTS8000

CATERPILLAR 3406 DIESEL ENG.

Belts

Application	Mfr. Part No.	Belt No.
Fan & A.C.....	C9PZ 8620 FP	9490 GS

CUMMINS BIG CAM IV DIESEL ENG.

Belts

Application	Mfr. Part No.	Belt No.
Fan.....		③ TR22443 GS
Alt.....		② 9435 GS
P.S.....		② 9447 GS
A.C.....	C9PZ 8620 BS	9420 GS

CUMMINS L10 DIESEL ENG.

Belts

Application	Mfr. Part No.	Belt No.
Fan; W/42" Belt O.C.....	F1HZ 8620 A	K080415 GS
Fan; W/47" Belt O.C.....	F2HT 8620 D	K080465 GS
Fan; W/61" Belt O.C.....	E4HZ 8620 C	K080605 GS
Alt.; W/5-Ribbed Belt; W/Delco Alt.....	E4FZ 8620 C	K050360 GS
Alt.; W/Delco Alt.; W/8-Ribbed Belt.....	E4HZ 8620 C	K080605 GS
Alt.; W/Motorcraft Alt.....	F1HT 8620 BA	K050345 GS
Alt.; W/Motorcraft Alt.; Dec. 2, 1990 & Older.....	E4HZ 8620 B	K050340 GS

FORD - Continued

1990 - Continued

LT8000; LTS8000 - Continued

CUMMINS L10 DIESEL ENG. - Continued

Belts - Continued

Application	Mfr. Part No.	Belt No.
A.C.....	C9PZ 8620 CD	9480 GS

FORD 6.6 L DIESEL ENG.

Belts

Application	Mfr. Part No.	Belt No.
Alt.....		② BSX690
P.S.....	E8HZ 8620 Y	9630 GS
A.C.....	E8HZ 8620 N	9590 GS
Air Compr.; W/Air Brakes.....	E7HZ 8620 C	9640 GS
Idler.....	E8HZ 8620 G	9650 GS

FORD 7.8 L DIESEL ENG.

Belts

Application	Mfr. Part No.	Belt No.
W.P. & Hyd. Brake Boost Pump.....	E7HT 8620 CA	9630 GS
W.P. & Air Brake Compr.; W/60 1/2" Belt O.C.....		9590 GS
W.P. & Air Brake Compr.; W/65 1/2" Belt O.C.....	E8HT 8620 UA	9650 GS
Fan & Alt.; W/71 1/2" Belt O.C.; Op-tional Belt.....		② 9710 GS
Fan & Alt.; W/71 1/2" Belt O.C.; Pre-ferred Belt.....	E8HT 8620 SA	2/9710PB
P.S.....	E8HZ 8620 G	9650 GS
A.C.; W/Dealer Inst. A.C.....		7585
A.C.; W/Factory Inst. A.C.; W/57 1/2" Belt O.C.....		9570 GS
A.C.; W/Factory Inst. A.C.; W/58 1/2" Belt O.C.....		9580 GS
Idler; W/Air Brakes.....	E8HZ 8620 G	9650 GS

Coolant Hose

Application	Molded or Strt.	Vulco-Flex®
Upper.....	21854	
Lower; W/Man. Trans.....	21846	
By Pass.....	1 1/2" I.D.	

LT9000; LTL9000; LTS9000

CATERPILLAR 3176 DIESEL ENG.

Belts

Application	Mfr. Part No.	Belt No.
Fan & Alt.; W/74" Belt O.C.....		K080733 GS
Fan & Alt.; W/78 1/2" Belt O.C.....	FOHZ 8620 A	K080780 GS
A.C.; Sept. 9, 1991 & Older.....	E2HT 8620 BA	9463 GS

Coolant Hose

Application	Molded or Strt.	Vulco-Flex®
Upper.....	22189	

CATERPILLAR 3306 DIESEL ENG.

Belts

Application	Mfr. Part No.	Belt No.
Fan; Optional Belt.....		② 9590 GS
Fan; Preferred Belt.....	E4HT 8620 YA	2/9590PB
Alt.; Optional Belt.....		② 9530 GS
Alt.; Preferred Belt.....	E4HT 8620 AAA	2/9530PB
A.C.....	C9PZ 8620 CD	9480 GS

Coolant Hose

Application	Molded or Strt.	Vulco-Flex®
Coolant Reservoir.....	1" I.D.	
Oil Cooler.....	✱2 1/4" I.D.	
Heater Hose; W/5/8" I.D. Hose.....	5/8" I.D.	
Filter By Pass.....	3/8" I.D.	

- ② Two Required.
- ③ Three Required.
- ④ Four Required.

- GS Green Stripe® Construction.
- ✱ Use Notched Belt Only.
- > Cut To Fit.

- ✱ Green Stripe® 4-Ply Coolant Hose Recommended.
- ② Use Wire Inserted Green Stripe® Coolant Hose.
- ▲ Durion® Silicone Hose Recommended.
- ✦ PowerBand® Belt May Work, Use Template To Check.

For a maintenance free coolant connection, see PowerGrip® SB clamp application section.

Belts and Coolant Hose for Medium/Heavy Trucks (1990 And Newer)

FORD - Continued

1990 - Continued

LT9000; LTL9000; LTS9000 - Continued

CATERPILLAR 3406 DIESEL ENG.

Belts

Application	Mfr. Part No.	Belt No.
Fan.....	E4HT 8620 UA	TR22635 GS
Fan & A.C.; W/49 1/2" Belt O.C.....	C9PZ 8620 FP	9490 GS
Alt.; W/54 1/2" Belt O.C.; Optional Belt.....		②9540 GS
Alt.; W/54 1/2" Belt O.C.; Preferred Belt.....		2/9540PB
Alt.; W/56 1/2" Belt O.C.....		2/9555PB
Alt.; W/57 1/2" Belt O.C.; Optional Belt.....		②9570 GS
Alt.; W/57 1/2" Belt O.C.; Preferred Belt.....		2/9570PB
Alt.; W/59 1/2" Belt O.C.; Optional Belt.....		②9590 GS
Alt.; W/59 1/2" Belt O.C.; Preferred Belt.....	E4HT 8620 YA	2/9590PB
Alt.; W/71 1/2" Belt O.C.; Optional Belt.....		②9710 GS
Alt.; W/71 1/2" Belt O.C.; Preferred Belt.....	E8HT 8620 B	2/9710PB
A.C.; W/42 1/2" Belt O.C.....		9420 GS
A.C.; W/48 1/2" Belt O.C.....	C9PZ 8620 CD	9480 GS
A.C.; W/51 1/2" Belt O.C.....		9510 GS
A.C.; W/53 1/2" Belt O.C.....	E4HT 8620 JB	9530 GS

Coolant Hose

Application	Molded or Strt.	Vulco-Flex®
Upper - Eng. To Pipe.....	✚2 1/2" I.D.	
Upper - Eng. To Rad.....	✚22194	
Lower - Eng. To Rad.....	22062	
Lower - Eng. To Pipe.....	21239	
By Pass.....	1 1/2" I.D.	

CUMMINS BIG CAM IV DIESEL ENG.

Belts

Application	Mfr. Part No.	Belt No.
W.P.....	3076492	K060425 GS
Fan.....		③TR22443 GS
Alt.; Optional Belt.....		②9435 GS
Alt.; Preferred Belt.....	E6PZ 8620 F	2/9435PB
P.S.....		②9447 GS
A.C.....	C9PZ 8620 BS	9420 GS

Coolant Hose

Application	Molded or Strt.	Vulco-Flex®
Upper - Eng. To Pipe.....	✚2" I.D.	
Upper - Pipe To Rad.; W/Dual I.D. Hose.....	✚21123	
Upper - Pipe To Rad.; W/Single I.D. Hose.....	✚21115	
Lower; W/230 H.P., 240 H.P. Eng.....	20961	
Lower - Eng. To Pipe; W/230 H.P., 240 H.P. Eng.....	21300	
Lower - Pipe To Rad.; W/230 H.P., 240 H.P. Eng.....	20960	
Rad. Inlet; W/Low Flow Cool.....	▲1" I.D.	
Rad. Outlet; W/Low Flow Cool.; W/Molded Hose.....	✚21752	
Rad. Outlet; W/Low Flow Cool.; W/Strt. Hose.....	1 1/4" I.D.	
Aftercooler.....	21488	
By Pass.....	3/4" I.D.	
Heater Hose; W/5/8" I.D. Hose.....	5/8" I.D.	

CUMMINS L10 DIESEL ENG.

Belts

Application	Mfr. Part No.	Belt No.
Fan; Jan. 22, 1990 & Newer.....	FOHT 8620 DA	K080530 GS
Fan; Jan. 22, 1990 & Older.....	E4HT 8620 RB	K080605 GS
Alt.; W/Delco Alt.....	E4FZ 8620 C	K050360 GS

FORD - Continued

1990 - Continued

LT9000; LTL9000; LTS9000 - Continued

CUMMINS L10 DIESEL ENG. - Continued

Belts - Continued

Application	Mfr. Part No.	Belt No.
Alt.; W/Motorcraft Alt.....	E4HZ 8620 B	K050340 GS
A.C.....	C9PZ 8620 CD	9480 GS

Coolant Hose

Application	Molded or Strt.	Vulco-Flex®
Upper - Eng. To Pipe.....	✚2 1/4" I.D.	
Upper - Pipe To Rad.....	✚20957	
Lower - Eng. To Rad.; W/Low Flow Cool.....	21568	
Lower - Eng. To Rad.; W/Man. Trans.....	21568	
Lower - Eng. To Pipe; W/O Low Flow Cool.....	21505	
Rad. Inlet.....	▲1" I.D.	
Rad. Inlet; W/Low Flow Cool.....	▲1" I.D.	
Heater Hose; W/5/8" I.D. Hose.....	5/8" I.D.	

FORD 6.6 L DIESEL ENG.

Belts

Application	Mfr. Part No.	Belt No.
Alt.....		②BSX690
P.S.....	E8HZ 8620 Y	9630 GS
A.C.....	E8HZ 8620 N	9590 GS
Air Compr.; W/Air Brakes.....	E7HZ 8620 C	9640 GS
Idler.....	E8HZ 8620 G	9650 GS

FORD 7.8 L DIESEL ENG.

Belts

Application	Mfr. Part No.	Belt No.
Alt.....		②9710 GS
P.S.....	E8HZ 8620 G	9650 GS
A.C.....	E4PZ 8620 W	9590 GS
Air Compr.; W/Air Brakes.....	E8HZ 8620 G	9650 GS
Idler; W/Air Brakes.....	E8HZ 8620 G	9650 GS

FREIGHTLINER

2001

ARGOSY

CUMMINS 15.0 L ISX DIESEL ENG.

Belts

Application	Mfr. Part No.	Belt No.
Fan & W.P.....		K060685
W.P., Alt. & A.C.....		K100710 GS

CENTURY CLASS

CUMMINS 15.0 L ISX DIESEL ENG.

Belts

Application	Mfr. Part No.	Belt No.
Hub & Fan.....	3681811	K100710 GS
Hub, Alt. & A.C.....	0124196010	K060685

Coolant Hose

Application	Molded or Strt.	Vulco-Flex®
Upper - Eng. To Pipe.....	✚2 1/2" I.D.	
Upper - Pipe To Rad.....	✚2 1/2" I.D.	
Lower - Eng. To Pipe.....	✚2 1/2" I.D.	
Lower - Pipe To Rad.....	21891	

CUMMINS N14 DIESEL ENG.

Belts

Application	Mfr. Part No.	Belt No.
Hub & W.P.....		K060425 GS
Hub & Fan.....		②TR28412 GS

- ② Two Required.
- ③ Three Required.
- ④ Four Required.

- GS Green Stripe® Construction.
- ✚ Use Notched Belt Only.
- ✚ Cut To Fit.

- ✚ Green Stripe® 4-Ply Coolant Hose Recommended.
- ✚ Use Wire Inserted Green Stripe® Coolant Hose.
- ▲ Durion® Silicone Hose Recommended.
- ✚ PowerBand® Belt May Work, Use Template To Check.

For a maintenance free coolant connection, see PowerGrip® SB clamp application section.